



CITY OF KIRKLAND
Planning and Community Development Department
123 Fifth Avenue, Kirkland, WA 98033
425.587.3225 ~ www.kirklandwa.gov

**HILLER SHORT PLAT
NOTICE OF APPROVAL
DECEMBER 19, 2014**

PERMIT NO. SUB14-01876

PROJECT NAME: Hiller Short Plat

PROJECT ADDRESS: 402 Slater Street South

NEIGHBORHOOD: Everest

APPLICANT OR AGENT: Todd Sherman, SG Land Group, LLC

CITY OF KIRKLAND APPROVAL DATE: Date Application Approved: December 1, 2014
Date Decision mailed: December 3, 2014

LAPSE OF APPROVAL: The short plat must be recorded with King County within seven (7) years (December 1, 2021) of the date of approval or the decision becomes void; provided, however, that in the event judicial review is initiated, the running of the seven (7) years is tolled for any period of time during which a court order in said judicial review proceeding prohibits the recording of the short plat.

This NOTICE OF APPROVAL is granted subject to the attached conditions and development standards. Failure to meet or maintain strict compliance shall be grounds for revocation in accordance with the Kirkland Zoning Ordinance No. 3719 as amended.

The applicant must also comply with any federal, state or local statutes, ordinances or regulations applicable to this project. This Notice of Approval does not authorize grading, building or tree removal without issuance of the necessary permits from the Kirkland Building Department.

CITY OF KIRKLAND
PLANNING AND COMMUNITY DEVELOPMENT

By: 

Ron Hanson
Planning Consultant

Attachments:
Conditions of Approval
Development Standards

**HILLER SHORT PLAT
CONDITIONS OF APPROVAL
FILE NO. SUB14-01876**

1. This application is subject to the applicable requirements contained in the Kirkland Municipal Code, Zoning Code, and Building and Fire Code. Attachment 3, Development Standards, is provided in this report to familiarize the applicant with some of these development regulations. This attachment references current regulations and does not include all of the additional regulations. It is the responsibility of the applicant to ensure compliance with the various provisions contained in these ordinances. When a condition of approval conflicts with a development regulation in Attachment 3, the condition of approval shall be followed.
2. Prior to recording the short plat, the applicant shall:
 - A. Identify the moderate landslide area on the face of the short plat and include a note requiring that the recommendations of the Geotechnical Report prepared by Robinson Nobel dated October 21, 2014 be followed for all development on the site (see Conclusion V.D.2).
 - B. Survey the trees identified as a grove (trees numbers 65-73 and 79-82) and place in a Natural Preserved Grove Easement (see attachment 6 and Conclusion V.E.2).
 - C. The applicant shall submit a landscape plan for the south side of the access tract, within the wetland buffer, for review and approval by the Planning Department. Installation of the approved plants will also occur prior to short plat recording (see Section V.B.2).
 - D. Remove the existing stairs from the deck located on the northwest corner of the house (see Section II).



CITY OF KIRKLAND
Planning and Community Development Department
123 Fifth Avenue, Kirkland, WA 98033 425.587-3225
www.kirklandwa.gov

SHORT PLAT DEVELOPMENT STANDARDS LIST

File: Hiller Short Plat (SUB14-01876)

This application must comply with all applicable standards. The listing below outlines those standards in a typical development sequence.

KMC refers to Kirkland Municipal Code, KZC refers to Kirkland Zoning Code

TREE PLAN SUMMARY

KMC 22.28.210 & KZC 95.30 Significant Trees.

A Tree Retention Plan was submitted with the short plat. During the review of the short plat, all proposed improvements were unknown. Therefore KZC Section 95.30 (6)(a) – Phased Review applies in regards to tree retention. There are 29 significant trees on the site, of which 26 are viable. These trees have been assessed by staff and the City’s Arborist. They are identified by number in the following chart.

Significant Trees:	High Retention Value	Moderate Retention Value	Low Retention Value (V) – viable (NV) – not viable
451	X		
458	X		
459	X		
460	X		
461		X	
462	X		
463	X		
464	X		
465	X		
466	X		
63	X		
64	X		
65		X	
66		X	
67		X	
68		X	
69		X	
70		X	

71	X		
72	X		
73	X		
75			Not viable
76			Not Viable
77			Not viable
78			Not viable
79		X	
80	X		
81	X		
82	X		

The arborist report is accurate. Trees #451,458, 459, 460, 462, 463, 464, 465, 466, 63, 64, 71, 72, 73, 80, 81 and 82 are high retention value trees. Trees # 461, 65, 66, 67, 68, 69, 70, and 79 are moderate retention value trees. Trees #75, 76, 77 and 78 are not viable, low retention value trees.

Neighbor’s trees: Lot #2 storm drain line along the north property line should be placed at the southern extent of the required yard in order minimize root invasion of the line and minimize root damage of these trees.

ROW trees: tree #2, the hinoki cypress, is a wonderful tree which should be transplanted rather than destroyed.



On-site groves which should be part of a preserved grove except for Trees 75-78 which are not viable.

No trees are to be removed with an approved short plat or subdivision permit. Based on the approved Tree Retention Plan, the applicant shall retain and protect all viable trees throughout

the development of each single family lot except for those trees allowed to be removed for the installation of the plat infrastructure improvements with an approved Land Surface Modification permit. Subsequent approval for tree removal is granted for the construction of the house and other associated site improvements with a required Building Permit. The Planning Official is authorized to require site plan alterations to retain High Retention value trees at each stage of the project. In addition to retaining viable trees, new trees may be required to meet the minimum tree density per KZC Section 95.33.

PRIOR TO RECORDING

KMC 22.20.362 Short Plat - Title Report. The applicant shall submit a title company certification which is not more than 30 calendar days old verifying ownership of the subject property on the date that the property owner(s) (as indicated in the report) sign(s) the short plat documents; containing a legal description of the entire parcel to be subdivided; describing any easements or restrictions affecting the property with a description, purpose and reference by auditor's file number and/or recording number; any encumbrances on the property; and any delinquent taxes or assessments on the property.

KMC 22.20.366 Short Plat - Lot Corners. The exterior short plat boundary and all interior lot corners shall be set by a registered land surveyor. If the applicant submits a bond for construction of short plat improvements and installation of permanent interior lot corners, the City may allow installation of temporary interior lot corners until the short plat improvements are completed.

KMC 22.20.390 Short Plat - Improvements. The owner shall complete or bond all required right-of-way, easement, utility and other similar improvements.

KMC 22.28.110-130 Vehicular Access Easements. Municipal Code sections 22.28.110 and 22.28.130 establish that if vehicular access within the plat is provided by means other than rights-of-way, the plat must establish easements or tracts, compliant with Zoning Code Section 105.10, which will provide the legal right of access to each of the lots served.

KZC 95.50.3 Maintenance of Preserved Grove. The applicant shall provide a legal instrument acceptable to the City ensuring the preservation in perpetuity of approved groves of trees to be retained.

KMC 22.32.010 Utility System Improvements. All utility system improvements must be designed and installed in accordance with all standards of the applicable serving utility.

KMC 22.32.020 Water System. The applicant shall install a system to provide potable water, adequate fire flow and all required fire-fighting infrastructure and appurtenances to each lot created.

KMC 22.32.030 Stormwater Control System. The applicant shall comply with the construction phase and permanent stormwater control requirements of the Municipal Code.

KMC 22.32.040 Sanitary Sewer System. The developer shall install a sanitary sewer system to serve each lot created.

KMC 22.32.050 Transmission Line Undergrounding. The applicant shall comply with the utility lines and appurtenances requirements of the Zoning Code.

KMC 22.32.080 Performance Bonds. In lieu of installing all required improvements and components as part of a plat or short plat, the applicant may propose to post a bond, or submit evidence that an adequate security device has been submitted and accepted by the service provider (City of Kirkland and/or Northshore Utility District), for a period of one year to ensure completion of these requirements within one year of plat/short plat approval.

KZC 118 Hazardous Liquid Pipelines:

If the subject property is within 150 feet of the Olympic Pipeline, include the following statement on the face of the plat "All development activity, landfilling, excavation and construction is subject to the setback requirements of KZC 118, Hazardous Liquid Pipelines"

LAND SURFACE MODIFICATION AND/OR BUILDING PERMIT REQUIREMENTS

KZC 85.25.1 Geotechnical Report Recommendations. A written acknowledgment must be added to the face of the plans signed by the architect, engineer, and/or designer that he/she has reviewed the geotechnical recommendations and incorporated these recommendations into the plans.

KZC 85.45 Liability. The applicant shall enter into an agreement with the City, which runs with the property, in a form acceptable to the City Attorney, indemnifying the City for any damage resulting from development activity on the subject property which is related to the physical condition of the property (see Attachment 7).

KZC 90.45 Wetlands and Wetland Buffers. No land surface modification may take place and no improvement may be located in a wetland or within the environmentally sensitive area buffers for a wetland, except as specifically provided.

KZC 90.50 Wetland Buffer Fence. Prior to development, the applicant shall install a six-foot high construction phase fence along the upland boundary of the wetland buffer with silt screen fabric installed per City standard. The fence shall remain upright in the approved location for the duration of development activities. Upon project completion, the applicant shall install between the upland boundary of all wetland buffers and the developed portion of the site, either 1) a permanent 3 to 4 foot tall split rail fence, or 2) permanent planting of equal barrier value.

KZC 90.150 Natural Greenbelt Protective Easement. The applicant shall submit for recording a natural greenbelt protective easement, in a form acceptable to the City Attorney, for recording with King County (see Attachment 8).

KZC 90.155 Liability. The applicant shall enter into an agreement with the City which runs with the property, in a form acceptable to the City Attorney, indemnifying the City for any damage resulting from development activity on the subject property which is related to the physical condition of the stream, minor lake, or wetland (see Attachment 7).

KZC 95.35.2.b.(3)(b)i Tree Protection Techniques. A description and location of tree protection measures during construction for trees to be retained must be shown on demolition and grading plans.

KZC 95.34 Tree Protection. Prior to development activity or initiating tree removal on the site, vegetated areas and individual trees to be preserved shall be protected from potentially damaging activities. Protection measures for trees to be retained shall include (1) placing no construction material or equipment within the protected area of any tree to be retained; (2) providing a visible temporary protective chain link fence at least 4 feet in height around the protected area of retained trees or groups of trees until the Planning Official authorizes their removal; (3) installing visible signs spaced no further apart than 15 feet along the protective fence stating "Tree Protection Area, Entrance Prohibited" with the City code enforcement phone number; (4) prohibiting excavation or compaction of earth or other damaging activities within the barriers unless approved by the Planning Official and supervised by a qualified professional; and (5) ensuring that approved landscaping in a protected zone shall be done with light machinery or by hand.

KZC 95.45 Tree Installation Standards. All supplemental trees to be planted shall conform to the Kirkland Plant List. All installation standards shall conform to Kirkland Zoning Code Section 95.45.

KZC 110.60.5 Street Trees. All trees planted in the right-of-way must be approved as to species by the City. All trees must be two inches in diameter at the time of planting as measured using the standards of the American Association of Nurserymen with a canopy that starts at least six feet above finished grade and does not obstruct any adjoining sidewalks or driving lanes.

KZC 95.52 Prohibited Vegetation. Plants listed as prohibited in the Kirkland Plant List shall not be planted in the City.

KZC 105.10 Vehicular Access Easements or Tracts. The access easement or tract shall be a minimum of 15 feet wide and contain a paved surface a minimum of 10 feet in width. The access easement or tract with a paved surface greater than 10 feet in width shall be screened from the adjacent property to the south with a minimum five-foot high sight-obscuring fence; or vegetation that will provide comparable screening to a five-foot fence within two years of planting; along the entire easement or tract outside the required front yard.

105.10.2 Pavement Setbacks. The paved surface in an access easement or tract shall be set back at least 5 feet from any adjacent property which does not receive access from that easement or tract. An access easement or tract that has a paved area greater than 10 feet in width must be screened from any adjacent property that does not receive access from it. Screening standards are outlined in this section.

KZC 105.47 Required Parking Pad. Except for garages accessed from an alley, garages serving detached dwelling units in low density zones shall provide a minimum 20-foot by 20-foot parking pad between the garage and the access easement, tract, or right-of-way providing access to the garage.

KZC 115.25 Work Hours. It is a violation of this Code to engage in any development activity or to operate any heavy equipment before 7:00 am. or after 8:00 pm Monday through Friday, or before 9:00 am or after 6:00 pm Saturday. No development activity or use of heavy equipment may occur on Sundays or on the following holidays: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving, and Christmas Day. The applicant will be required to comply with these regulations and any violation of this section will result in enforcement action, unless written permission is obtained from the Planning Official.

KZC 115.40 Fence Location. Fences over 6 feet in height may not be located in a required setback yard. A detached dwelling unit abutting a neighborhood access or collector street may not have a fence over 3.5 feet in height within the required front yard. No fence may be placed within a high waterline setback yard or within any portion of a north or south property line yard, which is coincident with the high waterline setback yard.

KZC 115.42 Floor Area Ratio (F.A.R.) Limits. Floor area for detached dwelling units is limited to a maximum floor area ratio in low density residential zones. See Use Zone charts for the maximum percentages allowed. This regulation does not apply within the disapproval jurisdiction of the Houghton Community Council.

KZC 115.43 Garage Requirements for Detached Dwelling Units in Low Density Zones. Detached dwelling units served by an open public alley, or an easement or tract serving as an alley, shall enter all garages from that alley. Whenever practicable, garage doors shall not be placed on the front façade of the house. Side-entry garages shall minimize blank walls. For garages with garage doors on the front façade, increased setbacks apply, and the garage width shall not exceed 50% of the total width of the front façade. These regulations do not apply within the disapproval jurisdiction of the Houghton Community Council. Section 115.43 lists other exceptions to these requirements.

KZC 115.75.2 Fill Material. All materials used as fill must be non-dissolving and non-decomposing. Fill material must not contain organic or inorganic material that would be detrimental to the water quality, or existing habitat, or create any other significant adverse impacts to the environment.

KZC 115.90 Calculating Lot Coverage. The total area of all structures and pavement and any other impervious surface on the subject property is limited to a maximum percentage of total lot area. See the Use Zone charts for maximum lot coverage percentages allowed. Section 115.90 lists exceptions to total lot coverage calculations See Section 115.90 for a more detailed explanation of these exceptions.

KZC 115.95 Noise Standards. The City of Kirkland adopts by reference the Maximum Environmental Noise Levels established pursuant to the Noise Control Act of 1974, RCW 70.107. See Chapter 173-60 WAC. Any noise, which injures, endangers the comfort, repose, health or safety of persons, or in any way renders persons insecure in life, or in the use of property is a

violation of this Code.

KZC 115.115 Required Setback Yards. This section establishes what structures, improvements and activities may be within required setback yards as established for each use in each zone.

KZC 115.115.3.g Rockeries and Retaining Walls. Rockeries and retaining walls are limited to a maximum height of four feet in a required yard unless certain modification criteria in this section are met. The combined height of fences and retaining walls within five feet of each other in a required yard is limited to a maximum height of 6 feet, unless certain modification criteria in this section are met.

KZC 115.115.3.n Covered Entry Porches. In residential zones, covered entry porches on dwelling units may be located within 13 feet of the front property line if certain criteria in this section are met. This incentive is not effective within the disapproval jurisdiction of the Houghton Community Council.

KZC 115.115.3.o Garage Setbacks. In low density residential zones, garages meeting certain criteria in this section can be placed closer to the rear property line than is normally allowed in those zones.

KZC 115.115.3.p HVAC and Similar Equipment: These may be placed no closer than five feet of a side or rear property line, and shall not be located within a required front yard; provided, that HVAC equipment may be located in a storage shed approved pursuant to subsection (3)(m) of this section or a garage approved pursuant to subsection (3)(o)(2) of this section. All HVAC equipment shall be baffled, shielded, enclosed, or placed on the property in a manner that will ensure compliance with the noise provisions of KZC 115.95.

KZC 115.115.5.a Driveway Width and Setbacks. For a detached dwelling unit, a driveway and/or parking area shall not exceed 20 feet in width in any required front yard, and shall be separated from other hard surfaced areas located in the front yard by a 5-foot wide landscape strip. Driveways shall not be closer than 5 feet to any side property line unless certain standards are met.

KZC 115.135 Sight Distance at Intersection. Areas around all intersections, including the entrance of driveways onto streets, must be kept clear of sight obstruction as described in this section.

KZC 145.22.2 Public Notice Signs. Within seven (7) calendar days after the end of the 21-day period following the City's final decision on the permit, the applicant shall remove all public notice signs.

PRIOR TO OCCUPANCY

KZC 95.50.2.b Tree Maintenance. For detached dwelling units, the applicant shall submit a 5-year tree maintenance agreement to the Planning Department to maintain all pre-existing trees designated for preservation and any supplemental trees required to be planted.

KZC 110.60.6 Mailboxes. Mailboxes shall be installed in the development in a location approved by the Postal Service and the Planning Official. The applicant shall, to the maximum extent possible, group mailboxes for units or uses in the development.

KZC 110.75 Bonds. The City may require or permit a bond to ensure compliance with any of the requirements of the Required Public Improvements chapter. A ___ shall be submitted for ___.



DEVELOPMENT STANDARDS SUB14-01876

FIRE DEPARTMENT

Contact: Grace Steuart at 425-587-3660; or gsteuart@kirklandwa.gov

ACCESS

Lot 1 is on the right of way, and Lot 2 is close enough to the right of way that there are no specific requirements for access to these Lots. Regarding Lot 3, the access to this lot is inadequate due to the reduced width. If the existing house is maintained and the access remains the same, the fire department has no comment on Lot 3. However, if the house is replaced, or if more than 500 square feet are added, the house on Lot 3 shall be sprinklered.

, HYDRANTS AND FIRE FLOW ARE ADEQUATE

Existing hydrants in the area are adequate to provide coverage. The closest hydrant is already equipped with a 5" Storz fitting.

Fire flow in the area is approximately 2200 gpm, which is adequate for the proposed project.

PUBLIC WORKS DEPARTMENT

Permit #: SUB14-01876
Project Name: Hiller Short Plat
Project Address: 402 Slater St S

PUBLIC WORKS CONDITIONS

Public Works Staff Contacts

Land Use and Pre-Submittal Process:

Building and Land Surface Modification (Grading) Permit Process:

John Burkhalter, Development Engineer Supervisor

Phone: 425-587-3846 Fax: 425-587-3807

E-mail: jburkhalter@kirklandwa.gov

Building and Land Surface Modification (Grading) Permit Process:

Philip Vartanian, Development Engineer

Phone: 425-587-3856 Fax: 425-587-3807

E-mail: pvartanian@kirklandwa.gov

General Conditions:

1. All public improvements associated with this project including street and utility improvements, must meet the City of Kirkland Public Works Pre-Approved Plans and Policies Manual. A Public Works Pre-Approved Plans and Policies manual can be purchased from the Public Works Department, or it may be retrieved from the Public Works Department's page at the City of Kirkland's web site at www.kirklandwa.gov.

2. This project will be subject to Public Works Permit and Connection Fees. It is the applicant's responsibility to contact the Public Works Department by phone or in person to determine the fees. The fees can also be review the City of Kirkland web site at www.kirklandwa.gov The applicant should anticipate the following fees:

- o Water, Sewer, and Surface Water Connection Fees (paid with the issuance of a Building Permit)

SUB14-01876

Page 2 of 6

- o Side Sewer Inspection Fee (paid with the issuance of a Building Permit)
 - o Water Meter Fee (paid with the issuance of a Building Permit)
 - o Right-of-way Fee
 - o Review and Inspection Fee (for utilities and street improvements).
 - o Building Permits associated with this proposed project will be subject to the traffic, park, and school impact fees per Chapter 27 of the Kirkland Municipal Code. The impact fees shall be paid prior to issuance of the Building Permit(s). Any existing buildings within this project which are demolished will receive a Traffic Impact Fee credit, Park Impact Fee Credit and School Impact Fee Credit. This credit will be applied to the first Building Permits that are applied for within the project. The credit amount for each demolished building will be equal to the most currently adopted Fee schedule.
3. All street and utility improvements shall be permitted by obtaining a Land Surface Modification (LSM) Permit.
 4. Submittal of Building Permits within a subdivision prior to recording:
 - Submittal of a Building Permit with an existing parcel number prior to subdivision recording: A Building Permit can be submitted prior to recording of the subdivision for each existing parcel number in the subject project, however in order for the Building Permit to be deemed a complete application, all of the utility and street improvements for the new home must be submitted with application. However, the Building Permit will not be eligible for issuance until after the Land Surface Modification Permit is submitted, reviewed, and approved to ensure the comprehensive storm water design required by the subdivision approval is reviewed and approved, and then shown correctly on the Building Permit plans to match the Land Surface Modification Permit.
 - Submittal of Building Permits within an Integrated Development Plan (IDP): If this subdivision is using the IDP process, the Building Permits for the new homes can only be applied for after the Land Surface Modification Permit has been submitted, reviewed, and approved.
 - Submittal of a Building Permit within a standard subdivision (non IDP): If this subdivision is not using the IDP process, the Building Permits for the new houses can be applied for after the subdivision is recorded and the Land Surface Modification permit has been submitted, reviewed, and approved.
 - Review of Expedited or Green Building Permits: A new single family home Building Permit within a subdivision can only be review on an expedited or green building fast track if submitted electronically through MBP and the Land Surface Modification permit has been submitted, reviewed, and approved.
 5. Subdivision Performance and Maintenance Securities:
 - The subdivision can be recorded in advance of installing all the required street and utility improvements by posting a performance security equal to 130% of the value of work. This security amount will be determined by using the City of Kirkland's Improvement Evaluation Packet. Contact the Development Engineer assigned to this project to assist with this process.
 - If the Developer will be installing the improvements prior to recording of the subdivision, there is a standard right of way restoration security ranging from \$10,000.00 to 30,000.00 (value determined based on amount of right-of-way disruption). This security will be held until the project has been completed.
 - Once the subdivision has been completed there will be a condition of the permit to establish a two year Maintenance security.
 6. This project is exempt from concurrency review.
 7. All civil engineering plans which are submitted in conjunction with a building, grading, or right-of-way permit must conform to the Public Works Policy titled ENGINEERING PLAN REQUIREMENTS. This policy is contained in the Public Works Pre-Approved Plans and Policies manual.
 8. All street improvements and underground utility improvements (storm, sewer, and water) must be designed by a Washington State Licensed Engineer; all drawings shall bear the engineers stamp.
 9. All plans submitted in conjunction with a building, grading or right-of-way permit must have elevations which are based on the King County datum only (NAVD 88).
 10. A completeness check meeting is required prior to submittal of any Building Permit applications.

11. The required tree plan shall include any significant tree in the public right-of-way along the property frontage.
12. All subdivision recording documents shall include the following language:

Utility Maintenance: Each property owner shall be responsible for maintenance of the sanitary sewer, storm water stub, rain garden, permeable pavement, or any infiltration facilities (known as Low Impact Development) from the point of use on their own property to the point of connection in the City sanitary sewer main or storm water main. Any portion of a sanitary sewer, surface water stub, rain garden, permeable pavement, or any infiltration facilities, which jointly serves more than one property, shall be jointly maintained and repaired by the property owners sharing such stub. The joint use and maintenance shall "run with the land" and will be binding on all property owners within this subdivision, including their heirs, successors and assigns.

Public Right-of-way Sidewalk and Vegetation Maintenance: Each property owner shall be responsible for keeping the sidewalk abutting the subject property clean and litter free. The property owner shall also be responsible for the maintenance of the vegetation within the abutting landscape strip. The maintenance shall "run with the land" and will be binding on all property owners within this subdivision, including their heirs, successors and assigns.

If the lots have on-site private storm water facilities, include this language on the subdivision recording document:

Maintenance of On-site Private Stormwater Facilities: Each Lot within the Subdivision has a stormwater facility (infiltration trench, dry wells, dispersion systems, rain garden, and permeable pavement) which is designed to aid storm water flow control for the development. The stormwater facility within the property shall be owned, operated and maintained by the Owner. The City of Kirkland shall have the right to ingress and egress the Property for inspection of and to reasonable monitoring of the performance, operational flows, or defects of the stormwater/flow control facility. If the City of Kirkland determines related maintenance or repair work of the stormwater facility is required, the City of Kirkland shall give notice to the Owner of the specific maintenance and/or repair work required. If the above required maintenance or repair is not completed within the time set by the City of Kirkland, the City of Kirkland may perform the required maintenance or repair, or contract with a private company capable of performing the stormwater facility maintenance or repair and the Owner will be required to reimburse the City for any such work performed. The Owner is required to obtain written approval from the City of Kirkland prior to replacing, altering, modifying or maintaining the storm water facility.

Sanitary Sewer Conditions:

1. The existing sanitary sewer main within the public right-of-way along the front of the property is adequate to serve all the lots within the proposed project.
2. Provide a 6-inch minimum side sewer stub to each new lot.
3. All side sewer stubs serving the property shall be PVC type pipe per Public Works Pre-approved Plans Sanitary Sewer Design Criteria. Any side sewer not meeting this standard shall be removed and replaced.

Water System Conditions:

1. The existing water main in the public right-of-way along the front of the subject property is adequate to serve this proposed development.
2. Provide a separate 1" minimum water service from the water main to the meter for each lot; City of Kirkland will set the water meter. The water size is determined when the Building Permit is submitted and is sized per the Uniform Plumbing Code. A ¾" meter is the typical size for new single-family home.

Surface Water Conditions:

1. Provide temporary and permanent storm water control per the 2009 King County Surface Water Design Manual and the Kirkland Addendum (Policy D-10). See Policies D-2 and D-3 in the PW Pre-Approved Plans for drainage review information, or contact city of Kirkland Surface Water staff at (425) 587-3800 for help in determining drainage review

requirements. Summarized below are the levels of drainage review based on site and project characteristics:

- Full Drainage Review

A full drainage review is required for any proposed project, new or redevelopment, that will:

- Adds 5,000ft² or more of new impervious surface area or 10,000ft² or more of new plus replaced impervious surface area,
- Propose 7,000ft² or more of land disturbing activity, or,
- Be a redevelopment project on a single or multiple parcel site in which the total of new plus replaced impervious surface area is 5,000ft² or more and whose valuation of proposed improvements (including interior improvements but excluding required mitigation and frontage improvements) exceeds 50% of the assessed value of the existing site improvements.

2. Please Incorporate the following Storm related items in your design:

Storm TIR:

A. The TIR states that the existing impervious area is not included since it was constructed prior to January 8, 2001. However, these areas on Lot #3 and Tract A cannot be discounted in the storm drainage calculations since the water from these areas will flow onto the targeted areas of Lots 1 and 2. Please include these areas as upstream run-on and revise the calculations. Since they are run-on, both existing and proposed conditions may reflect the current coverages for the area, including both impervious and pervious areas.

B. New impervious area within the right-of-way must be included in the storm drainage sizing calculations as a bypass basin.

C. If Reduced Impervious Surface Credit BMP is used, the restriction in impervious surface must be included as a declaration of covenant and grant of easement per Requirement 3 of Section C.1.3.3 with language as stated in Section C.2.9.7.

3. Evaluate the feasibility and applicability of dispersion, infiltration, and other stormwater low impact development facilities on-site (per section 5.2 in the 2009 King County Surface Water Design Manual). If feasible, stormwater low impact development facilities are required. See PW Pre-Approved Plan Policy L-1 or L-2 (depending on drainage review) for more information on this requirement.

4. Amended soil per Ecology BMP T5.13 is recommended for all landscaped areas.

5. If a storm water detention system is required, it shall be designed to Level II standards. Historic (forested) conditions shall be used as the pre-developed modeling condition.

6. This project is creating or replacing more than 5000 square feet of new impervious area that will be used by vehicles (PGIS - pollution generating impervious surface). Provide storm water quality treatment per the 2009 King County Surface Water Design Manual. The enhanced treatment level is encouraged when feasible for multi-family residential, commercial, and industrial projects less than 1 acre in size.

7. Provide a level one off-site analysis (based on the King County Surface Water Design Manual, core requirement #2).

8. It doesn't appear that any work within an existing ditch will be required, however the developer has been given notice that the Army Corps of Engineers (COE) has asserted jurisdiction over upland ditches draining to streams. Either an existing Nationwide COE permit or an Individual COE permit may be necessary for work within ditches, depending on the project activities.

Applicants should obtain the applicable COE permit; information about COE permits can be found at: U.S. Army Corps of Engineers, Seattle District Regulatory Branch
<http://www.usace.army.mil/Missions/CivilWorks/RegulatoryProgramandPermits.aspx>

Specific questions can be directed to: Seattle District, Corps of Engineers, Regulatory Branch, CENWS-OD-RG, Post Office Box 3755, Seattle, WA 98124-3755, Phone: (206) 764-3495

9. Provide an erosion control report and plan with Building or Land Surface Modification Permit application. The plan shall be in accordance with the 2009 King County Surface Water Design Manual.

10. Construction drainage control shall be maintained by the developer and will be subject to periodic inspections. During the period from May 1 and September 30, all denuded soils must be covered within 7 days; between October 1

and April 30, all denuded soils must be covered within 12 hours. Additional erosion control measures may be required based on site and weather conditions. Exposed soils shall be stabilized at the end of the workday prior to a weekend, holiday, or predicted rain event.

11. Provide collection and conveyance of right-of-way storm drainage
12. Provide a separate storm drainage connection for each lot. All roof and driveway drainage must be tight-lined to the storm drainage system or utilize low impact development techniques. The tight line connections shall be installed with the individual new houses.
13. Provide a plan and profile design for the storm sewer system.
14. Provide a 15' wide access easement to the storm detention control manhole; easement must be improved with 10' of asphalt and drainage control to protect against erosion.

Street and Pedestrian Improvement Conditions:

1. The subject property abuts Slater Street S. This street is a Neighborhood Access type street. Zoning Code sections 110.10 and 110.25 require the applicant to make half-street improvements in rights-of-way abutting the subject property. Section 110.30-110.50 establishes that this street must be improved with the following:
 - A. Widen the street to 24 ft. from exist west curb across the street. The street will not be centered in the ROW, and this will accommodate the existing improvements.
 - B. Install storm drainage, curb and gutter, a 4.5 ft. planter strip with street trees 30 ft. on-center, and a 5 ft. wide sidewalk.
 - C. In the SW area of the property & ROW (the area within the wetland buffer) provide permeable concrete sidewalk and driveway cut to match existing width of the access drive to accommodate required improvements.
2. The driveway for each lot shall be long enough so that parked cars do not extend into the access easement or right-of-way (20 ft. min.) 20'x20' parking pads will be required.
3. Provide driveway cut to match the existing access drive. Also, provide a separate driveway cut for Lot 1 from Slater at the north side of the property and ROW.
4. All street and driveway intersections shall not have any visual obstructions within the sight distance triangle. See Public Works Pre-approved Policy R.13 for the sight distance criteria and specifications.
5. It shall be the responsibility of the applicant to relocate any above-ground or below-ground utilities which conflict with the project associated street or utility improvements.
6. Underground all new and existing on-site utility lines and overhead transmission lines.
7. Underground any new off-site transmission lines.
8. Zoning Code Section 110.60.9 establishes the requirement that existing utility and transmission (power, telephone, etc.) lines on-site and in rights-of-way adjacent to the site must be underground. The Public Works Director may determine if undergrounding transmission lines in the adjacent right-of-way is not feasible and defer the undergrounding by signing an agreement to participate in an undergrounding project, if one is ever proposed. In this case, the Public Works Director has determined that undergrounding of existing overhead utility on Slater Street S is not feasible at this time and the undergrounding of off-site/frontage transmission lines should be deferred with a Local Improvement District (LID) No Protest Agreement. The final recorded subdivision mylar shall include the following note:

Local Improvement District (LID) Waiver Agreement. Chapter 110.60.7.b of the Kirkland Zoning Code requires all overhead utility lines along the frontage of the subject property to be converted to underground unless the Public Works Director determines that it is infeasible to do so at the time of the subdivision recording. If it is determined to be infeasible, then the property owner shall consent to the formation of a Local Improvement District, hereafter formed by the City or other property owners. During review of this subdivision it was determined that it was infeasible to convert the overhead utility lines to underground along the frontage of this subdivision on Slater Street S. Therefore, in consideration of deferring the requirement to underground the overhead utility lines at the time of the subdivision

SUB14-01876

Page 6 of 6

recording, the property owner and all future property owners of lots within this subdivision hereby consent to the formation of a Local Improvement District hereafter formed by the City or other property owners

9. New street lights may be required per Puget Power design and Public Works approval. Contact the INTO Light Division at PSE for a lighting analysis. If lighting is necessary, design must be submitted prior to issuance of a grading or building permit.