


24 gage gavanized continuous cleat fastened at 24" o.c. with 1 1/2" long roofing nail

FIELD VERIFY



1" Standing Seam at 10' o.c.

verify

3 in

3 in

1 1/2" long zinc plated screw with neoprene washer fastened at 24" o.c.

Roofing membrane by others

Roofing to extend below bottom nail joint or use self adherent membrane

Barrel cedar to clarify provide slope

1 Coping Detail Typical
3" = 1'-0"

NOTE: THIS DRAWING ILLUSTRATES FABRICATION AND INSTALLATION OF SHEET METAL ONLY. ALL OTHER MATERIALS ARE SHOWN FOR REFERENCE ONLY. UNLESS OTHERWISE NOTED ALL METAL SHALL BE 24 GAGE GALVANIZED PRE-FINISHED STANDARD COLOR


PAGE 1

SHEET METAL DETAIL
DRAWN BY: Craig
CHECKED BY: Michelle

Carillon Point Building 1000

NWG inc.
PO Box 151
Snohomish, WA 98291

Bld 12-00081



2 Counter Flashing Detail Typical
 3" = 1'-0"


NOTE: THIS DRAWING ILLUSTRATES FABRICATION AND INSTALLATION OF SHEET METAL ONLY. ALL OTHER MATERIALS ARE SHOWN FOR REFERENCE ONLY. UNLESS OTHERWISE NOTED ALL METAL SHALL BE 24 GAGE GALVANIZED PRE-FINISHED STANDARD COLOR

PAGE
2

SHEET METAL DETAIL
 DRAWN BY: Craig
 CHECKED BY: Michelle

Carillon Point Building 1000

NWG inc.
 PO Box 151
 Snohomish, WA 98291



Butyl tape behind flashing.


3

Surface Mount Counter Flashing Detail Typical

3" = 1'-0"

NOTE: THIS DRAWING ILLUSTRATES FABRICATION AND INSTALLATION OF SHEET METAL ONLY. ALL OTHER MATERIALS ARE SHOWN FOR REFERENCE ONLY. UNLESS OTHERWISE NOTED ALL METAL SHALL BE 24 GAGE GALVANIZED PRE-FINISHED STANDARD COLOR


<p>PAGE 3</p>	<p>SHEET METAL DETAIL DRAWN BY: Craig CHECKED BY: Michelle</p>	<p>Carillon Point Building 1000</p>	<p>NWG inc. PO Box 151 Snohomish, WA 98291</p>
-------------------	--	-------------------------------------	--



4 Counter Flashing Detail at Post
 3" = 1'-0"

NOTE: THIS DRAWING ILLUSTRATES FABRICATION AND INSTALLATION OF SHEET METAL ONLY. ALL OTHER MATERIALS ARE SHOWN FOR REFERENCE ONLY. UNLESS OTHERWISE NOTED ALL METAL SHALL BE 24 GAGE GALVANIZED PRE-FINISHED STANDARD COLOR

PAGE 4	SHEET METAL DETAIL DRAWN BY: Craig CHECKED BY: Michelle	Carillon Point Building 1000	NWG inc. PO Box 151 Snohomish, WA 98291
-----------	---	------------------------------	---




5 Coping Detail at Radius Wall
 3" = 1'-0"

NOTE: THIS DRAWING ILLUSTRATES FABRICATION AND INSTALLATION OF SHEET METAL ONLY. ALL OTHER MATERIALS ARE SHOWN FOR REFERENCE ONLY. UNLESS OTHERWISE NOTED ALL METAL SHALL BE 24 GAGE GALVANIZED PRE-FINISHED STANDARD COLOR

PAGE 5	SHEET METAL DETAIL DRAWN BY: Craig CHECKED BY: Michelle	Carillon Point Building 1000	NWG inc. PO Box 151 Snohomish, WA 98291
-----------	---	------------------------------	---

*Butyl
Tape*



6

Counter Flashing Detail at Radius Wall

3" = 1'-0"

NOTE: THIS DRAWING ILLUSTRATES FABRICATION AND INSTALLATION OF SHEET METAL ONLY. ALL OTHER MATERIALS ARE SHOWN FOR REFERENCE ONLY. UNLESS OTHERWISE NOTED ALL METAL SHALL BE 24 GAGE GALVANIZED PRE-FINISHED STANDARD COLOR

PAGE 6	SHEET METAL DETAIL DRAWN BY: Craig CHECKED BY: Michelle	Carillon Point Building 1000	NWG inc. PO Box 151 Snohomish, WA 98291
-----------	---	------------------------------	---