



CITY OF KIRKLAND

Planning and Community Development Department
123 Fifth Avenue, Kirkland, WA 98033 425.587-3225
www.kirklandwa.gov

SUMMARY OF DECISION PLANNING OFFICIAL—PERSONAL WIRELESS SERVICE FACILITY

File: ZON11-00030

Project Name: ATT Carillon Point

Applicant: Norris Bacho

Project Planner: Sean LeRoy

Date: August 3, 2011

Decision: Denied
 Approved with the following conditions:

I. CONDITIONS OF APPROVAL

- A. This application is subject to the applicable requirements contained in the Kirkland Municipal Code, Zoning Code, and Building and Fire Code. It is the responsibility of the applicant to ensure compliance with the various provisions contained in these ordinances.
- B. The antennas and any visible mounting brackets and/or cables shall be painted to match the color.
- C. The proposed equipment structure shall comply with the noise standards found in KZC Section 117.70.9 & 115.95.
- D. All personal wireless service facilities (PWSF) must meet or exceed current standards and regulations of the FAA, the FCC and any other agency of the Federal Government with the authority to regulate PWSF. If such standards and regulations are changed, then the owners of the PWSF governed by this chapter shall bring such PWSF into compliance with such revised standards and regulations in accordance with the compliance deadlines and requirements of such standards and regulations. Failure to bring PWSF into compliance with such revised standards and regulations shall constitute grounds for the removal of the PWSF at the owner's expense (KZC 117.65.14).
- E. In the event the use of any PWSF will be discontinued for a period of 60 consecutive days, the owner or operator shall so notify the City in writing, and the PWSF shall thereafter be deemed to be abandoned. Determination of the date of abandonment shall be made by the City which shall have the right to request documentation and affidavits from the PWSF owner or operator regarding the issue of PWSF usage. Upon such abandonment, the owner or operator of the PWSF or the owner of the property upon which such facility is located shall have an additional 60 days within which to:

- a. Reactivate the use of the antenna or transfer the PWSF to another owner or operator who makes actual use of the PWSF; or
- b. Dismantle and remove the PWSF. If such PWSF is not removed within said 60 days from the date of abandonment, the City may remove such PWSF at the facility owner's and property owner's expense.

At the earlier of 60 days from the date of abandonment without reactivation or upon completion of dismantling and removal, City approval for the PWSF shall automatically expire.

- F. The wireless facility cannot be electronically connected to power, and the electrical permit cannot be approved until the Planning Department has completed a final inspection of the facility and signed off on the permit.

II. GENERAL INFORMATION

A. Site Location: 2000 Carillon Point

B. Existing Site Conditions: Office Building, existing PWSF

C. Description of Proposal :

1. PWSFs: The applicant is proposing to install **3 antennas to a prior approved WF with associated mechanical equipment located on an existing penthouse wall.**
2. Equipment Structure: **Associated equipment will be added to an existing equipment room located within the building's garage.**
3. Screening: The applicant is proposing the following screening technique(s):
 - Solid sight obscuring fence
 - Landscape buffer that at a minimum complies with KZC 117.75.3.
 - Rooftop mechanical screen architecturally compatible with the building
 - No screening is proposed since the wireless facility is located within a building (applicable to the associated equipment within the building)
 - Paint to match wall or mechanical screen
 - Other -

D. Zoning: PLA 15A zoning district, a commercial zone

III. COMPLIANCE WITH ZONING CODE CHAPTER 117

Wireless facilities that can be approved as a Planning Official Decision are facilities have very minimal visual and physical impacts on the surrounding neighborhoods given the zoning and type of facility. The following is a review, in a checklist format, of the regulations in KZC Chapter 117 as it pertains to wireless facilities qualified for the Planning Official Decision process.

Not Applicable	Complies	Condition to be added	Code Section
			GENERAL / APPLICABILITY
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Review process: Approvable as Planning Official Decision (117.40).
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Pre-submittal meeting conducted on May 3, 2011
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Application complete on July 29, 2011
			ANTENNAS AND TOWERS
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Existing buildings or mechanical equipment enclosures: Antennas may be attached to existing buildings or mechanical equipment enclosures in non-residential zones.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	117.65.5, 117.65.6 Height
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	General: Antennas must be the minimum height necessary to function satisfactorily.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	117.65.7 Antennas On A Building, Mechanical Equipment Enclosure
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Attachment to existing buildings: Antennas may be attached to the sides, parapets, or mechanical equipment enclosures of existing buildings in non-residential zones.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Roof-mounted panel or directional antennas must be flush-mounted and attached to an existing conforming mechanical equipment enclosure or stair or elevator penthouse or similar appurtenance, but may not project any higher than the element to which it is attached.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Roof-mounted antenna setbacks: A distance equal to antenna height.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Roof-mounted antenna location: Shall be consolidated and centered in the roof, rather than scattered.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Roof-mounted antenna coverage: Aggregate may cover no more than 10% of the total roof area, not including conduit or facilities located inside an existing rooftop penthouse.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No enlargement of building features: Building parapets or other architectural features, including penthouses or appurtenances and screens, may not be enlarged solely to accommodate PWSF.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	117.65.3 Concealment
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	General: Antennas shall be integrated into the design of the structure to which they are attached. External projections shall be limited. Where antennas are completely enclosed within a tower, concealment of the antenna may be unnecessary.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	117.65.8 - .14 Miscellaneous Standards
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Signal interference: May not cause local interference with transmission or reception of any other communications signals.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Support wires: May only be allowed when required by City-adopted construction codes.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Views: Must be located and oriented in such a way as to minimize view blockage.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Lights, Signals, and Signs: Not permitted unless required by FCC or FAA.

Not Applicable	Complies	Condition to be added	Code Section
			EQUIPMENT STRUCTURES
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Routine maintenance and reconfiguration of an existing equipment structure that does not increase the size of the equipment structure enclosure is permitted.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Noise: Equipment structures shall be oriented so that exhaust ports or outlets are pointed away from propoerties that may be impacted by noise. The City may require a noise assessment and remediation is necessary. Cumulative noise impacts will be measured where there is more than one equipment structure.
			MISCELLANEOUS REQUIREMENTS
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Noise: Installation and operation must comply with KZC 115.95.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Federal requirements: Compliance with FCC and FAA regulations is required.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Non-Use/Abandonment: If the use of any PWSF will be discontinued for 60 consecutive days, the owner/operator shall notify the City in writing and the PWSF shall be deemed to be abandoned. Within 60 days after abandonment, the PWSF shall either (a) reactivate the use of the PWSF or transfer it to another owner/operator who makes actual use of the PWSF; or (b) Dismantle and remove the PWSF. If not removed within said 60 days, the City may remove the PWSF and the expense of the facility owner and property owner. If there are two or more users of a single tower, this provision is not effective until all users cease using the tower. (KZC 117.85.2).
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Removal from City property: A PWSF mounted to any City-owned property, utility pole, or other structure shall be removed if the City deems removal is necessary for the undergrounding of utilities, the sale, development, or redevelopment of City-owned property, or the demolition or alteration of a City-owned building or other structure. The PWSF shall be removed at no expense to the City.

IV. STATE ENVIRONMENTAL POLICY ACT (SEPA)

SEPA is not required.

VII. APPEALS

APPEALS

The following is a summary of the deadlines and procedures for appeals. Any person wishing to file or respond to an appeal should contact the Planning Department for further procedural information.

KZC 117.95 allows the applicant to appeal a Planning Official decision to the Hearing Examiner. The appeal must be in writing and must be delivered, along with fees set by ordinance, to the Planning Department by 5:00 p.m., August 18, 2011 , fourteen (14) calendar days after the date the Planning Official's decision was mailed or otherwise delivered to the applicant.

VIII. LAPSE OF APPROVAL

The applicant must begin construction or submit to the City a complete building permit application for the development activity or other actions approved under KZC Chapter 117 within one (1) year after the final approval of the City of Kirkland on the matter, or the decision becomes void. Provided, however, that in the event judicial review is initiated per KZC 117.95, the running of the one years is tolled for any period of time during which a court order in said judicial review proceeding prohibits the required development activity or other actions. The applicant must substantially complete the development activity or other actions approved under KZC Chapter 117 and complete the applicable conditions listed on the Notice of Decision within two (2) years after the final approval on the matter, or the decision becomes void. For development activity or other actions with phased construction, lapse of approval may be extended when approved under KZC Chapter 117 and made a condition of the Notice of Decision.

X. PARTIES OF RECORD

Applicant: Norris Bacho
4616 25th Ave NE #750, Seattle, WA 98105

Close

Permit Details

[[Activities](#) | [Inspections](#) | [Conditions](#) | [Fees](#)]

INFORMATION ON PERMIT BLD11-00440

Permit Status: [Approved](#) (status definition)
People Data: [\(click for applicant/owner/contractor details\)](#)
Site Address: 2000 CARILLON POINT SB13
Application Date: Aug 23, 2011
Parcel Number: [172505-9058](#) (property map & information)
City Staff:

Description:

Replace 3 panel antennas with 3 LTE antennas and add LTE ancillary equipment per submitted plans.

---- Activities ----

Application received

City Staff: Suzanne McCauley
Notes:

Status:

Date: Aug 23, 2011

Review - Planning

City Staff: Sean LeRoy
Notes: 2 sets to PCD target to review is 9/23/11.

Status: DONE

Date: Sep 13, 2011

Review - Building

City Staff: Darrell Harmon
Notes: 9/13/11 DLH project assigned reviewed and approved
1 set to BLD target to review is 9/23/11.

Status: DONE

Date: Sep 13, 2011

Review - Public Works

City Staff: Philip Vartanian
Notes: 9/13/2011 PV- No PW comment
1 set to PW target to review is 9/23/11.

Status: DONE

Date: Sep 13, 2011

Review - Public Works

City Staff: Philip Vartanian
Notes: 9/13/2011 PV- No PW comment
1 set to PW target to review is 9/23/11.

Status: DONE

Date: Sep 13, 2011

Call - Ready to Issue

City Staff: Mary Isgrig
Notes:

Status: DONE

Date: Sep 14, 2011

---- Inspections ----

City Staff: Suzanne McCauley
Notes:

Status: DONE

Date: Aug 24, 2011

---- Conditions ----

---- Conditions ----

PLANNING CONDITIONS - Contact Sean LeRoy PH# 425-587-3260

All work is subject to field inspection.

Do not cover any repaired or replaced areas prior to Building division inspection and approval.

Conditions to be found in ZON11-00030

All mechanical units shall comply with the maximum environmental noise levels established pursuant to the Noise Control Act of 1974, Revised Code of Washington (RCW) 70.107. See Chapter 173-60 Washington Administrative Code (WAC). A link to the WAC and RCW is available at www.kirklandpermits.net.

All development activity and heavy equipment operation is restricted to 7:00 a.m. to 8:00 p.m. Monday through Friday, and 9:00 a.m. to 6:00 p.m. Saturday. Other restrictions on Saturday include: no working in the right-of-way, no work requiring inspection, and no trucking into or out of the site; however, light grading work on-site on Saturday is allowed. NO development activity or heavy equipment operation may occur on Sundays or the following holidays: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, and Christmas Day.

A separate electrical permit is required from the Kirkland Building Department.

BLDG. DEPT. CONDITIONS Contact Darrell Harmon PH# 425-587-3612

Conditions noted below are part of the approved plans and shall remain attached to them at all times. The approval of plans and specifications does not permit the violation of any section of the International Building Code, International Mechanical Code, International Fire Code, or any City of Kirkland regulation or state law. Corrections as indicated below, along with the unchanged information shown on the drawings, must be complied with. In addition, since this correction sheet is a review aid, it shall not be used in lieu of the above mentioned codes, regulations, and laws. Therefore, code compliance with all noted applicable code sections on this correction sheet, as well as other applicable code sections not specifically noted, shall be required. The approved plans shall not be changed, modified, or altered without authorization from the building official. The approved plans are required to be on the job site.

All development activity and heavy equipment operation is restricted to 7:00 a.m. to 8:00 p.m. Monday through Friday, and 9:00 a.m. to 6:00 p.m. Saturday. Other restrictions on Saturday include: no working in the right-of-way, no work requiring inspection, and no trucking into or out of the site; however, light grading work on-site on Saturday is allowed. No development activity or heavy equipment operation may occur on Sundays or the following City-observed holidays: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day and Christmas Day.

See approved plans for balance of Building Department comments.

A. Inspection(s) required -

ONLINE - Next day inspection requests submitted online by 3:00PM are available at www.mybuildingpermit.com click on the "inspections" tab at the top of the page.

TELEPHONE - call by 3:00PM for a next day inspection 425-587-3605 (24 hours a day)

Do not rely on cell phones for inspection requests.

---- Fees ----

Item	Fee Amount	Fee Remaining
Bldg Permit Fee	\$341.00	\$341.00
SBCC Surcharge	\$5.00	\$5.00
MyBuildingPermit.com Surcharge	\$4.00	\$4.00
MyBuildingPermit.com Surcharge	\$3.00	\$0.00
Intake Fee	\$222.00	\$0.00

Interactive Map and Parcel Data

The mapping and parcel data is provided by the local jurisdiction and/or county assessor. Please review [the](#)

[The interactive map and parcel data is provided through NWMaps.net a regional government service provided by the eCityGov Alliance.](#)

A high-speed Internet connection is recommended.

[NWMaps.net disclaimer.](#)

Other permits associated with this parcel

Permit Number	Status	Description
BLD00-00045	Finaled	Retrofit of an electric hot water heater.
BLD00-00286	Finaled	TENANT IMPROVEMENT CONSTRUCTION.

BLD00-00354	Finaled	Add one heat pump. PLANS ENCLOSED
BLD00-00521	Expired	Tenant improvement for Business Marketing Group Incorporated
BLD00-00714	Finaled	Tenant Improvement for 3970 sf , 2000 Bld. - 3rd floor. ARCHIVED in box 85889402 until 12/31/2007
BLD00-00931	Finaled	Mechanical for tenant improvement for BGI Group. Add 1 vav and 1 heat pump.
BLD00-01185	Finaled	To install several non-loadbearing walls as dividers. PLANS ENCLOSED.
BLD00-01207	Finaled	Install mobile radio equipment and create new floor above existing storage room and add four antennas on penthouse.
BLD00-01316	Finaled	Tenant improvement for Wilson, Sonsini, Goodrich, Rosati, Suite 5300, Building #5.
BLD00-01472	Finaled	Office remodel, adding private offices. No additional sf, no change of use.
BLD00-01504	Finaled	Remove and replace four VAV boxes for AG Edwards
BLD00-01542	Finaled	Install 2 air conditioning units for telecommunication Nextel cell site, interior mechanical equipment. PLAN ENCLOSED
BLD00-01545	Finaled	Add one cooling only VAV box. Relocate diffusers. PLAN ENCLOSED
BLD01-00071	Finaled	Add 2 VAV boxes. PLANS ENCLOSED
BLD01-00170	Expired	Tenant improvement for Yarrow Bay Grill - SEE BLD01-00853
BLD01-00242	Finaled	Install one 5-ton heat pump - no rooftop equipment, contained in structure - IBM PLAN ENCLOSED
BLD01-00381	Finaled	T.I. adding 2,204 sf to Imperial Bank tenant.
BLD01-00450	Finaled	Tenant improvement for Van Waters & Rogers, Ste 4250. Changing 50sf two existing offices into three.
BLD01-00754	Finaled	Wheelchair ramp upgrade.
BLD01-00822	Finaled	Interior demolition of two walls for tenant improvement for BGI. Removing two interior, non-structural partial height walls to make one room instead of two. PLANS ENCLOSED
BLD01-00853	Finaled	Tenant improvement for Yarrow Bay Grill.
BLD01-00868	Finaled	Tenant improvement changing conference room to three offices. Nextel is the tenant.
BLD01-01514	Finaled	Relocate conference room door.
BLD01-01586	Finaled	To install a gas zero clearance fireplace in Yarrow Bay Grill. This is to finish the work started on BLD01-00853.
BLD01-01615	Finaled	Gas piping to two fireplaces
BLD02-00083	Finaled	Demo office, reconfiguring doors and hallway to create secure area.
BLD02-00399	Finaled	Tenant improvement to re-configure dressing rooms, and add an office to tenant space formerly occupied by clothing store Crossings.
BLD02-00470	Finaled	To expand tenant space by 2,400 sf for a total of 5,346 sf
BLD02-00682	Finaled	To replace a double entry door with a single door at Prime Advisors
BLD02-00707	Finaled	To add a sink and a water heater to tenant space
BLD02-00720	Finaled	To add (2) VAV boxes , (2) heat pumps, (2) exhaust fans.
BLD02-00742	Finaled	Add storage space (2694 sf) in the garage and re-work parking stalls. plans enclosed
BLD02-00782	Finaled	Tenant improvement to 660 sf (add two offices & incorporate adjacent office space). Same tenant.
BLD02-01163	Finaled	To add panel antennas on existing rooftop for AT & T.
BLD02-01235	Finaled	Divide suite 2,410 (Cedargrove Investments) into two suites with a demising wall. New suite will be 1,600 sf-tenant is unknown at this time.
BLD02-01246	Finaled	To remove part of a kitchen to expand the Marina Room banquet room.
BLD03-00016	Finaled	Add 1 cooling only vav box to the interior of Suite 2418.
BLD03-00060	Finaled	Reconfiguration of existing office in Suite 2418. (1392 sq ft of useable area)
BLD03-00233	Finaled	To demo existing interior wall and grid, and add 5 new exam rooms with work station and Doctor's office for tenant expansion for NW Nasal & Sinus.
BLD03-00290	Finaled	Install two a/c units in the elevator machine room (includes all plumbing and mechanical).
BLD03-00317	Finaled	Tenant Improvement for Whole Calling. Taking entire 2nd floor for existing tenant

BLD03-00317	Final	Tenant improvement for who's calling. Taking entire 2nd floor for existing tenant expansion.
BLD03-00357	Final	Add new ductwork, move diffusers and add 5 sinks for NW Nasal and Sinus.
BLD03-00540	Final	To demise 7th floor to divide tenant Venture Law space into second tenant space.
BLD03-00713	Final	Tenant improvement altering new space created by dividing 7th floor into 2 tenant spaces. New tenant Silicon Valley Bank, an on-line bank business office. New space address is 4700 Carillon.
BLD03-00761	Final	Add one fire/smoke damper @ 3rd floor corridor.
BLD03-00764	Final	Tenant improvement to add 444 sf of office space to existing Facilities Office. When complete the Facilities Office will be 889 sf.
BLD03-00779	Final	Add 1 exh. fan; relocate diffusers. No rooftop or outside work.
BLD03-00860	Final	Relocating 6 diffusers and grilles; adding 2 new diffusers and grilles.
BLD03-00874	Final	Install hydronic heat pump and exhaust fan for tenant Silicon Valley Bank.
BLD03-00903	Final	Expanding into additional tenant space.
BLD03-00960	Final	Tenant improvement to 1176 sq. ft. for new tenant ETI Travel. Former tenant Sierra Travel. 9/19/2003 Relocate lav to meet ADA requirements. ew
BLD03-00985	Final	Rework existing mech system per new tenant. Adding new ducts and rerouting ducts. Tenant is Cascade Investments. PLANS ENCLOSED
BLD03-01005	Final	Ti for 1 sink, 1 hot water heater for tenant Cascade Investments.
BLD03-01063	Final	New louver and screen around separately permitted tower and a new pump room. Mechanical and Electrical plans are included, but will be under separate permits.
BLD03-01205	Final	Remove cooling tower from the roof of the 3000 Building and install new cooling tower on the plaza level of the north parking garage. Add new pumps at lower level pump room with new supply and return water piping and one floor sink.
BLD03-01217	Final	Install one floor sink for the north parking garage.
BLD03-01279	Final	Tenant improvement to 13,403 sq ft for new tenant Mercury Interactive, former tenant Teledisc.
BLD04-00010	Final	Tenant improvement (18,477 sq ft). Previous tenant was Aditi. Complete 6th floor TI. 2/10/4 Add 2 indirect drains, 2 sinks, 1 ele water heater and 1 lavatory. ew
BLD04-00086	Final	Add 1 VAV, relocate 2 VAV's & add 2 FSD's, add & modify ductwork, diffuser & sensors for tenant, Mercury Interactive. PLANS ENCLOSED
BLD04-00100	Final	One new water source heat pump, one new exhaust fan, associated ducts and diffusers. Tenant is Green Point Technologies.
BLD04-00111	Final	Structural upgrade /repair to seven columns in garage.
BLD04-00171	Final	Expansion of suite 2425 into adjacent office formerly occupied by tenant Babcock and Brown.
BLD04-00200	Final	Remove interior wall, replace door and build closet.
BLD04-00254	Final	Add two units, install water and condensate piping and ductwork for Mercury Interactive.
BLD04-00328	Final	Install two new and relocate three supply air diffusers w/associated duct.
BLD04-00330	Final	Tenant improvement of 1,586 sf to existing with minor changes. Previous tenant was Medtronic. New tenant is Pacific Stevedoring.
BLD04-00528	Final	Install new AC units on penthouse wall of Building 3000.
BLD04-00775	Expired	Replacement installation of a 5 ton water source heat pump for IBM.
BLD04-00787	Final	Tenant improvement to 3869 sq. ft. subdivision of the fifth floor for new tenant LTC Financial.
BLD04-00797	Final	Tenant improvement of existing office space (approx 20, 859 sq ft). Tenant - Rotella Capital Management
BLD04-00918	Final	Tenant improvement to subdivide an existing suite into two suites. Tenant use stays the same (office-B)
BLD04-00924	Final	To add 2 10 ton A/C units, kitchen sink, water heater and floor drain for TI for tenant Rotella Capital Management.
BLD04-00949	Final	Relocate 5 existing and provide 3 new supply diffusers, relocate 1 existing and provide 7 new return air grilles for Long Term Care on the 5th floor

		7 new return air grilles for Long Term Care on the 5th floor.
BLD04-01036	Finaled	Install one new VAV box & one new diffusers and return relocate one diffusers for West River Capital, 7th floor.
BLD04-01109	Finaled	Tenant Improvement for new tenant, Trader's Suite. Previous tenant was West River Capitol. 2551 sq. ft. ti
BLD04-01214	Finaled	To install 3 diffusers, relocate 4 diffusers, relocate 4 t-stats for tenant Cascade Investments.
BLD04-01288	Finaled	Small remodel of existing tenant space; removing a workroom & adding an office.
BLD04-01291	Finaled	Tenant Improvement for IBM expansion into the 6th & 2nd floors. Demolition, new partition, ceiling, area of work is 14,340 sf on 6th floor & 5866 sq.ft. on 2nd floor. Includes mechanical plans.
BLD04-01343	Finaled	Second floor removal of 2 partitions and 6th floor remove partitions, millwork, finishes. Flooring in area of work @ 14,340 s.f. for tenant IBM.
BLD05-00321	Finaled	Minor TI alterations to an existing tenant space occupied by Cascade Investments. Add door into existing corridor, remove wall combining two smaller offices into one larger office.
BLD05-00648	Finaled	Replace cooling tower in parking lot near 6100 Building.
BLD05-00672	Finaled	Tenant Improvement for P.O.B. Montgomery, 1716 sq. ft.
BLD05-00745	Finaled	Tenant improvement for Attorney's office (7627 sq ft) SUITE 3405. Previous tenant was Merck.Quick response heads are required.
BLD05-00822	Finaled	To install 1 new cooling only VAV and T-stat for tenant P.O'B Montgomery.
BLD05-00831	Finaled	Murphy & Associates - tenant improvement to 1624 sq ft existing office space.
BLD05-00879	Finaled	To relocate six diffusers and one VAV cooling only box.
BLD05-00955	Finaled	Murphy and Associates - Install one new cooling only VAV terminal box and one additional diffuser in room 416.
BLD05-00961	Finaled	Greenpoint - build 270 s.f. office in existing space.
BLD05-00991	Finaled	tenant improvement to 4,474 sq. ft existing space for new tenant DHS. Former tenant Elli Lilly. No change in use.
BLD05-01193	Finaled	ICO (formerly Eli-Lilly) - tenant improvement to 1460 sq ft existing - no change in use.
BLD05-01210	Finaled	Tenant improvement to change exiting for Rhapsody, (approx. 5529 sq ft).
BLD05-01250	Finaled	To install 2 exhaust fans, relocate diffusers, relocate thermostats for tenant Department of Homeland Security.
BLD05-01251	Finaled	To install a sink, install the plumbing for the sink, and install a 6 gallon water heater in a breakroom. Suite 2350.
BLD05-01272	Finaled	Greenpoint - tenant improvement to 2811 square feet existing no change in use.
BLD05-01318	Finaled	Relocate 7 supply air diffusers for tenant improvement for Greenpoint Technologies.
BLD05-01362	Finaled	Greenpoint Server Room - provide and install 1 new WSHP and associated condensate drain.
BLD06-00195	Finaled	Install office door at office #3423 - no change in use of square footage. Tenant sq ft is 5529.
BLD06-00251	Finaled	Tenant improvement to 5904 sq ft space for tenant RBC Dain Rauscmer.
BLD06-00259	Finaled	Carillon Point - install wireless broadband internet antennas and equipment at an existing office building.
BLD06-00322	Finaled	Install hydronic heat pump. VAV box, associated duct work, diffusers, grilles and piping. Relocate other diffusers and grilles per plan.
BLD06-00755	Finaled	Tenant improvement to 1764 existing sq ft - no change in use. SUITE #4150
BLD06-00838	Finaled	Install 1 new breakroom sink and hot water tank. Add 1 new pinch box.
BLD06-00902	Finaled	TI work to existing 5626 sq. ft tenant space for Greenpoint Technology. No change in use.
BLD06-01170	Finaled	Blue Water Bistro - bar plumbing including backflow prevention to bar.
BLD06-01176	Finaled	Alteration (demolition) of partition wall to 60,154 sq ft on multiple floors for Clearwire.
BLD06-01177	Finaled	Alteration (demolition) of partition wall to 60,154 sq ft on multiple floors for Clearwire.
BLD06-01188	Finaled	Blue Water Bistro - 60' wall - non-bearing for barton patch holes in ceilings and walls

BLD06-01100	Finaled	Blue Water Bistro - 00 wall - non bearing for bar-top patch holes in ceilings and walls.
BLD06-01212	Finaled	Convert existing cafeteria into partition wall office space for Carillon Properties.
BLD06-01222	Finaled	Construction of new partition wall offices to 41370 sq. ft. for Clearwire on the 2nd, 3rd & 4th floors.
BLD06-01223	Finaled	Construction of partition wall offices and lab in 18, 784 sq. ft. for Clearwire, floors 1 & 2.
BLD06-01237	Issued	Replace water heater and tank on roof of building for Blue Water Bistro.
BLD06-01242	Finaled	For Clearwire - relocate 1 heat pump 1st floor. Add electrical room & idf room transfer fan & new outside air fan to serv 2nd floor connecting to existing 20 x 20 duct through roof. Ductwork rerouting for most boxes to make loads work out with units' capabilities & locations.
BLD06-01251	Finaled	Provide & install (3) new VAV boxes, relocate (10) existing VAV boxes; relocate (1) heat pump-relocate existing ductwork & diffusers to accomodate TI for Clearwire.
BLD06-01252	Finaled	Add new sink, garbage disposal, coffee maker, ice maker & HWT for 1st floor of Clearwire at Carillon Point.
BLD06-01253	Finaled	Clearwire Plumbing as follows: 2nd & 3rd flrs- 1 sink,1 GD, 1 coffeemkr, 1 HWT, 1 Icemkr (each floor) 4th flr-2 sinks, 2 GD, 1 DW, 1 coffeemkr, 1 HWT, & 1 Icemkr.
BLD06-01314	Finaled	Relocate 1 existing VAV box, 3 existing t-stats, & 3 diffusers for Carillon Properties.
BLD06-01315	Finaled	Replace existing Hot wire Heater. Install new ice maker to new fridge. Replace sink with new one.
BLD07-00003	Finaled	Re-configure partition walls to form new offices to 3321 sq ft. Malcom Pirnie new tenant.
BLD07-00025	Finaled	RBC Dain Rauschmer - tenant improvement to 2007 s.f. with no change in use. Relocating parition walls.
BLD07-00028	Finaled	Relocate 2 T-stats & miscellaneous diffusers to accomodate new tenant. Layout and rebalance new space.
BLD07-00074	Finaled	Move one d/w, kitchen sink and install one icemaker for RBC Dain Rausher.
BLD07-00093	Finaled	Repair/replace footing drains. Replace existing patio - emergency repair for Beach Cafe.
BLD07-00094	Finaled	Reconfigure partition walls to create test and research lab in 1510 sq. ft. for tenant Greenpoint Technologies
BLD07-00144	Finaled	Malcom Pirnie - install 1 new damper.
BLD07-00151	Finaled	Install gas piping for 14 deck heaters for the Beach Cafe.
BLD07-00270	Finaled	Provide 2 new VAV boxes & ew-use 1 existing box along w/ associated low pressure duct & GRDs. New Lab/test facility plumbing.
BLD07-00304	Finaled	Remove existing wall and ceiling, build new wall and ceiling for tenant Cascade Investments on the 4th floor.
BLD07-00398	Finaled	Install one 5 ton A/C Unit on Bldg 5000 at Carillon Point.
BLD07-00460	Finaled	Watermark Estate Managment - 7th floor - limited demo tenant improvement.
BLD07-00621	Finaled	Watermark Estate Management Services - demo existing and create new office spaces.
BLD07-00783	Finaled	Demolition of 13,153 Sq. Ft of interior office space and re-configure partition wall offices for new tenant Greenpoint Technology on 5th floor.
BLD07-00815	Finaled	Cascade Investments - relocate one sink.
BLD07-00816	Finaled	Cascade Investments - add (1) VAV box/no heat and relocate misc. diffusers and duct.
BLD07-00850	Cancelled	Re-configure interior office to allow more open floor space for Field Work, B-5000, first floor, suite 50.
BLD07-00870	Finaled	Add interior offices (3745 sq ft) to existing space for Drake Mortgage on the 5th floor.
BLD07-00931	Cancelled	Carillon Properties - replace decking on public boardwalk.
BLD07-00951	Finaled	Add 1 diffuser and relocate 1 thermostat in Suite 3550, floor 5 for Drake Mortgage.
BLD07-00952	Finaled	Re-configure partition walls to creat private offices in 1176 aq ft of existing space.
BLD07-00959	Finaled	TI buildout to existing building for Watermark. 7th floor & parking on 2nd floor for leaseholder, Watermark, LLC.
BLD07-00969	Finaled	Watermark Management - mech & Plb for TI buildout to existing building 7th floor and

		parking on 2nd floor for leaseholder, Watermark LLC.
BLD07-00976	Finaled	Green Point--Install new duct work & grilles to (6) existing VAV boxes & (2) air handlers.
BLD07-00987	Issued	Emergency drywall repairs due to sewage back up into building for NW Face in Suite B3000, on first floor.
BLD07-01106	Finaled	Kineticsware - add grid height wall to create 2 private offices, area of work is 430 s.f.
BLD07-01123	Finaled	Clearwire TI Installing heat pump to existing system.
BLD07-01161	Finaled	RBC Dain Rauscher T.I.=To existing interior office space (1780 existing sq. ft.)
BLD07-01191	Cancelled	Demolition of existing office space to make way for a new Computer Server room and reconfigured open office space.
BLD08-00072	Issued	Install 1 vav box w/ t-stat and relocate 2 diffusers.
BLD08-00147	Finaled	Remove & Replace windows & doors, finishes, & cabinetry in existing restaruant space for a new restaurant.
BLD08-00148	Finaled	Add a cover over existing concrete patio. Add a water feature & fire feature to exterior of restaurant. Fire feature not allowed
BLD08-00191	Finaled	Demolish interior improvements only for Waters Restaurant.
BLD08-00265	Finaled	Structural repair to column in lower parking garage. Emergency repair.
BLD08-00393	Finaled	Remodel 1740 sq. ft. reception area.
BLD08-00497	Finaled	Clearwire - addition of a non-structural wall and interior door in an exisitng office space.
BLD08-00625	Finaled	Add 2 panel antennas on existing rooftop penthouse for T-Mobile for total of 6 antennas.
BLD09-00001	Issued	Replace 4 existing antennas and add 4 antennas at existing wireless facility.
BLD09-00006	Finaled	Relocate grid height partition walls to re-configure office space to 2728 existing square feet for tenant Cascade Investments in suite #70.
BLD09-00083	Finaled	Watermark TI: Demo 60 linear feet of partition wall, install 140 feet of new partition wall, rebalance air handling. Low-voltage, electrical, lighting reconfiguring to code.
BLD09-00088	Finaled	Add 2 service doors at woodmark hotel, 1 on the first floor and 1 on the second floor.
BLD09-00098	Finaled	Robinswood Financial 3-3000,4th Floor Suite 25 TI-Demise space and add interior offices to 2057 sq ft (existing)
BLD09-00099	Finaled	Rhapsody Partners TI-3-3000 4th Floor, Suite 00-Turn existing copy room into storage closet and private office.
BLD09-00131	Finaled	Connect motel to beach cafe on the first floor of B-1000, add patio seating.
BLD09-00150	Finaled	EBC Projector room suite 3000 TI-Demo (1) existing wood door and infill. Cut in 72" x 90" opening. Install new 1/2" clear tempered double door. Patch and paint. Install mag-lok for card reader.
BLD09-00151	Finaled	Interior Tenant improvement consisting of a Build-out of an existing leased space on the second floor of an existing 4 story bldg. Work includes non-structural partitions, ceilings, and finishes.
BLD09-00224	Finaled	Bin on the Lake Restaurant TI-Minor alterations to existing restaurant for new ownership includes finishes, expanding bar area.
BLD09-00233	Finaled	Modifications to partition walls to create more private offices on 3rd and 4th floors in B-2000 for tenant Cascade Investments.
BLD09-00408	Finaled	Reconfigure existing office space, move grid height partition walls for new tenant Convergent Wealth.
BLD09-00429	Finaled	Re configure grid height partition wall in existing office - 1776 sq.ft.
BLD09-00487	Finaled	Senior Collaborator's TI Building B4000 7th Floor-Rework of existing T.I. buildout.
BLD10-00050	Finaled	Woodmark Spa TI-Adding connection to hotel lobby from spa, additional restroom, upgrade finishes, reconfigure lay out (4355 sq ft).
BLD10-00100	Finaled	Taiyo Pacific B-5000 3rd floor suite 00 TI--Removal of all walls, carpeting and some ceiling grid in 15,440 sq ft unoccupied space.
BLD10-00116	Finaled	Taiyo Pacific B-5000, 3rd floor Suite 00 TI-Reconfigure walls/layout to 15,440 sq ft to accomodate new tenant--SEPARATE PLUMBING, MECHANICAL, & ELECTRICAL.
BLD10-00122	Finaled	Remodel to kitchen area and business lounge on 4th floor

BLD10-00133	Finaled	Remodel to kitchen area and business lounge on 4th floor.
BLD10-00265	Finaled	Re-configure offices in 2370 sq. ft - existing space for Cascade Investments in Suite 2415
BLD10-00413	Finaled	Non structural remodel of existing Restaurant. Remove raised floor for La Grande Bistro.
BLD10-00441	Finaled	Gregorek TI B-3000 4th Floor Suite 50-Demise tenant space, add grid height partition walls, carpet and paint to 4,534 sq ft.
BLD10-00459	Finaled	Re use of 6831 Sq. ft. existing space by new tenant Stellar, reconfiguration of interior partition walls.
BLD10-00461	Finaled	Reconfigure 3090 sq. ft to accommodate new tenant Eagle River. Remove partition walls/finishes. Separate M,E,and Fire permits including review are required.
BLD10-00497	Finaled	Infill door/windows connecting to adjacent tenant space - area of work less than 100 sq. ft. for new tenant Fly Fitness.
BLD10-00526	Finaled	Existing Tenant (Murphy & Assoc) is expanding into 1586 sq ft next door.
BLD11-00032	Cancelled	Greenscape Properties 3rd floor suite 25 TI-Reconfigure interior offices to 2484 sq. ft.
BLD11-00113	Finaled	Cut opening in demising wall to merge 2 suites into one (Suite 4115 will merge into Suite 4110)
BLD11-00152	Finaled	Demise space to creat new office for Statgra in Suite 5270 at Carillon Point
BLD11-00169	Finaled	Re-establish common area hall on 2nd floor. 1083 sq. ft. work area existing space. No proposed tenant, replace hallway.
BLD11-00170	Finaled	Modify 650 sq. ft. for four new offices. Separate Electrical, Mechanical and Fire permits are required.
BLD11-00236	Issued	Replace roofing with similar product.
BLD11-00252	Finaled	Reconfigure 8928 sq ft to accommodate new tenant. Few partition walls, update finishes, light.
BLD11-00402	Issued	Demise existing space to create 6423 sq ft office space.SEPARATE M, E, F AND P PERMITS REQUIRED AS NOTED BY ARCHITECT ON SHEET I-O.O
BLD11-00440	Approved	Replace 3 panel antennas with 3 LTE antennas and add LTE ancillary equipment per submitted plans.
BLD92-00149	Finaled	ADDING CHILLER AND TWO 300 GALLON CHILLED WATER STORAGE TANKS
BLD92-00221	Finaled	Tenant Improvement
BLD92-00346	Finaled	tenant improvement for Ragen Mackenzie, brokerage
BLD92-00371	Finaled	INSTALLING 724 MBH BOILER
BLD92-00393	Finaled	Tenant Improvement for Merck, Sharp & Dohme
BLD92-00465	Finaled	tenant improvement for Next Computer, 2415 square feet on fourth floor
BLD92-00518	Finaled	Conference Room of 1200 square feet for use by Carillon Point occupants.
BLD92-00558	Finaled	TENANT IMPROVEMENT FOR STARBUCK'S COFFEE COMPANY
BLD92-00597	Finaled	TENANT IMPROVEMENT FOR PRICE RAGEN CO. P L A N E N C L O S E D
BLD92-00638	Finaled	demolition of two interior walls within the proposed Price Regan TI
BLD92-00679	Finaled	Construction Offices in garage being relocated
BLD92-00783	Finaled	Install Satellite system on roof of 3000 Building P L A N S E N C L O S E D
BLD92-00906	Finaled	Expansion of Ragen McKenzie tenant space
BLD92-00925	Finaled	Tenant Improvement Eli Lilly pharmaceutical
BLD92-00987	Finaled	TENANT IMPROVEMENT - CELLULAR TELEPHONE CELL SITE AND ANTENNA
BLD92-01304	Finaled	Tenant improvement for Keystone Capital, venture capital company - 7th floor, 996 square feet.
BLD92-01305	Finaled	Tenant improvement for Babcock and Brown, investment banking - 7th floor,
BLD92-01364	Finaled	installation of gas range in kitchen of Woodmark Hotel
BLD92-01408	Finaled	Tenant improvement for Woodmark Sales/Catering.
BLD92-01479	Finaled	Tenant improvement for Johnson Plastic Surgery
BLD93-00116	Finaled	Tenant improvement for Countrywide Wholesale Lending
BLD93-00189	Finaled	Plumbing permit for Countrywide Wholesale Lending - install one sewage eje

BLD93-00276	Finaled	Tenant improvement for Medtronics - 1500 square feet on the fourth floor.
BLD93-00277	Finaled	Tenant improvement for Tokusui - 1389 square feet on the 4th floor.
BLD93-00400	Finaled	installing sink and water heater for Medtronic.
BLD93-00401	Finaled	installing sink and water heater for Tokusui.
BLD93-00422	Finaled	Mechanical - miscellaneous ductwork and diffusers for Medtronics - 1500 square feet on the fourth floor.
BLD93-00423	Finaled	Mechanical - miscellaneous ductwork and diffusers for Tokosui.
BLD93-00643	Finaled	Install commercial hood, connected to existing type I duct.
BLD93-00647	Finaled	Tenant Improvement - Cucina Cucina Restaurant.
BLD93-00676	Finaled	Construct office in Univar mailroom
BLD93-00743	Finaled	Add 1 diffuser, relocate 1 diffuser, add 1 return grill. P L A N S E N C L O S E D
BLD93-00759	Finaled	Tenant improvement for Materia Ventures.
BLD93-00798	Finaled	Install extension to on awning. P L A N S E N C L O S E D
BLD93-00856	Finaled	Add ductwork & diffusers to tenant space on 4th floor (Materia Ventures). P L A N S E N C L O S E D
BLD93-00902	Finaled	Tenant improvement for Cucina Cucina - basement.
BLD93-00911	Denied	extending existing awning.
BLD93-00978	Finaled	Tenant Improvement for IBM Corp. (18,749 square feet on 6th floor). Suite 3600
BLD93-00981	Finaled	Remodel existing tenant space, 3759 sq. ft. on the 4th floor.
BLD93-01003	Finaled	HVAC TI - 3 heat pumps and 2 exhaust fans for IBM Building 3 P L A N S E N C L O S E D
BLD93-01091	Finaled	Extending existing awning. P L A N S E N C L O S E D
BLD93-01236	Finaled	Install receive only antenna. P L A N S E N C L O S E D
BLD93-01264	Finaled	Tenant improvements, Suite 2340, Henkens Capital.
BLD93-01330	Finaled	HVAC T.I. Add variable air volume box, duct work & G.R.D.'S. P L A N S E N C L O S E D
BLD93-01353	Finaled	Tenant improvement for Kistler Aerospace, Suite 3760
BLD94-00107	Finaled	Tenant improvement suite 3740 Hoffman Hart and Wagner
BLD94-00116	Finaled	Tenant improvement in common area corridor - 3200 Building
BLD94-00153	Finaled	Tenant Improvements, Suite #3420, PMI Mortgage Insurance Co.
BLD94-00172	Finaled	Tenant improvement for Eli Lilly & Company - suite 2350.
BLD94-00188	Finaled	installing interior HVAC unit, 7 diffusers and 5 return air grills P L A N S E N C L O S E D
BLD94-00192	Finaled	Tenant improvement for Skinner Development Corporation.
BLD94-00193	Finaled	Tenant improvement for A.G. Edwards. P L A N S E N C L O S E D
BLD94-00207	Expired	Add electric water heater to existing space.
BLD94-00213	Finaled	Install 1 VAV box, 3 exhaust fans, associated ducting and grills.
BLD94-00215	Finaled	Tenant improvement Suite 3260 IBM
BLD94-00228	Finaled	Eli Lilly pharmaceutical - HVAC addition/relocate grds. P L A N S E N C L O S E D
BLD94-00233	Finaled	Install one natural gas fired booster pump. ADDED GAS PIPING <100'. 5/4/94. LEM.
BLD94-00238	Finaled	Mechanical for: Tenant improvement for Skinner Development Corporation.
BLD94-00262	Finaled	Tenant improvements, Suite 3230, Sverdrup Corp.
BLD94-00264	Finaled	HVAC TI for Hoffman, Hart, Wagner 3 exhaust fans grd's P L A N S E N C L O S E D
BLD94-00352	Finaled	HVAC TI FOR IBM - Add/relocate GRD's. P L A N S E N C L O S E D
BLD94-00393	Finaled	Tenant Improvement for IBM Corp. (18,749 square feet on 6th floor). Suite 3600 as main office. Additioal space at 3220 Carillon Pt.
BLD94-00418	Finaled	Tenant improvement for Larson Co. - suite 2365.
BLD94-00419	Finaled	Tenant improvement for Quebecor Printing - suite 3710
BLD94-00426	Finaled	HVAC TI FOR IBM - Add/relocate GRD's. Adding 15 GRD's. P L A N S E N C L O S E D
BLD94-00507	Expired	Installation of backlit awning and 1 lexan canopy at Beach Cafe/Yarrow Bay Club.

BLD94-00521	Finaled	Tenant improvement for Brad Thompson.
BLD94-00593	Finaled	Tenant improvement for Gourmet Baskets and Gifts.
BLD94-00607	Finaled	Adding ductwork and grids to mechanical system for Quebecor Printing P L A N S E N C L O S E D
BLD94-00637	Finaled	Install sink - suite 3710
BLD94-00684	Pending	
BLD94-00843	Finaled	Tenant Improvements, suite 2300, Teledesic
BLD94-00925	Finaled	Tenant improvement for McCaw Cellular - National Accounts Division, 5th floor of the 4,000 Building.
BLD94-00931	Finaled	Plumbing for tenant Improvements, suite 2300, Teledesic
BLD94-01046	Finaled	Remodel on 1st floor to existing space for Univar Corp.
BLD94-01069	Finaled	Relocate cru, add duct & grd's for new offices, plumbing for new lunch room.
BLD94-01106	Finaled	Tenant improvement for Van Waters & Rogers Data Center.
BLD94-01160	Finaled	Installing four 2-ton ceiling mounted heat pumps and one sink for Univar. P L A N S E N C L O S E D
BLD94-01168	Cancelled	Tenant improvement for Bay Mortgage
BLD94-01212	Denied	Tenant Improvements, Suite 2130 Yarrow Bay Grill
BLD94-01213	Finaled	Tenant improvement for Technical Glass Products. Alter existing tenant space, non-structural.
BLD95-00057	Finaled	Tenant improvement for McCaw Cellular - ICS Department.
BLD95-00079	Finaled	Tenant improvement for Eagle River
BLD95-00081	Finaled	Removal and replacement of the existing pump station
BLD95-00195	Cancelled	Tenant improvement for Emerald Mortgage.
BLD95-00322	Expired	Tenant improvement for Eagle River in the garage.
BLD95-00377	Finaled	relocate indirect drain and water supply.
BLD95-00421	Finaled	Installing heat pump, duct and grids for Prime Advisors. P L A N S E N C L O S E D
BLD95-00459	Finaled	Tenant improvement for Hoffman Hart and Wagner
BLD95-00489	Finaled	Outdoor covered eating area
BLD95-00504	Finaled	Tenant Improvement for Emerald Mortgage.
BLD95-00599	Finaled	Tenant improvement for "Crossings" retail store. P L A N S E N C L O S E D
BLD95-00608	Finaled	Tenant improvement to take over 4 existing tenant spaces 2nd floor ground level 3 spaces on east of Woodmark Hotel and 1 on the west side - all in the 1000 building - Addressed used for this application is the tenant space to be vacated by "Crossings" P L A N S E N C L O S E D
BLD95-00708	Finaled	Adding two clothes dryers.
BLD95-00726	Finaled	Mechanical application for Hoffman Hart and Wagner (tenant improvement BLD95-0459) - Mechanical work from existing vav boxes including ductwork and diffusers. P L A N S E N C L O S E D
BLD95-00783	Finaled	Tenant Improvement for Ericsson, Inc. 1,380 s.f. on the fourth floor.
BLD96-00007	Finaled	Tenant improvement for Portola Group - 1592 s.f., 4th floor.
BLD96-00059	Finaled	Tenant Improvement for Technical Glass - 792 square foot addition to 4th floor suite.
BLD96-00135	Finaled	Tenant improvement for AT&T Wireless.
BLD96-00220	Finaled	Tenant improvement for Brad Thompson.
BLD96-00233	Finaled	Tenant improvement for A.G. Edwards & Sons.
BLD96-00234	Finaled	Adding disabled ramp at Poppinjays. P L A N S E N C L O S E D
BLD96-00338	Finaled	Tenant Improvement for Merck, Sharp & Dohme
BLD96-00341	Finaled	Tenant improvement for Eagle River
BLD96-00366	Finaled	Plumbing for Eagle River - New restroom and laundry room - Lavatory, watercloset, washing machine and water heater. ADDED SINK & DISH 9-12-96.
BLD96-00378	Finaled	Replace some exterior windows. P L A N S E N C L O S E D
BLD96-00437	Finaled	Install HVAC unit, ducts, Grids and two exhaust fans. P L A N S E N C L O S E D
BLD96-00438	Finaled	Enclose stairway

[BLD96-00430](#) [Final](#) Enclose stair way.

[BLD96-00439](#) [Final](#) Tenant improvement Suite 4600, Continental Credit Services, Inc. - 6th & 7th floors.

[BLD96-00486](#) [Final](#) Tenant improvement for Kistler Aerospace, Suite 3760

[BLD96-00488](#) [Final](#) Mechanical - HVAC, VAV's, Ex. fans, Liebert ACU's and GRD's.

[BLD96-00511](#) [Final](#) Tenant improvement for Kistler Aerospace, Suite 3760. P L A N S E N C L O S E D

[BLD96-00640](#) [Final](#) Tenant improvement - Venture Law Group, 7,226 sf on the 7th floor.

[BLD96-00757](#) [Final](#) HVAC improvements - Add and relocate GRD's, ducts and adding VAV box for Venture Law Group, 7,226 sf on the 7th floor. P L A N S E N C L O S E D P L A N S E N C L O S E D ! ! ! ! !

[BLD96-00767](#) [Final](#) Tenant improvement Suite 4600, Continental Credit Services, Inc. - 6th floor. P L A N S E N C L O S E D ! ! ! !

[BLD96-00880](#) [Final](#) Tenant improvement for IBM. Added plumbing fixtures on 9/26/96

[BLD96-00893](#) [Final](#) hvac ti-new heat pump, van box, add & relocate grd's.

[BLD96-00941](#) [Final](#) Tenant improvement for IBM. ARCHIVED in 84625196

[BLD96-00978](#) [Final](#) HVAC T.I.-add 1 heat pump; relocate 2 heat pumps; 1 cru; 1 vax box duct & grid's. P L A N S E N C L O S E D

[BLD96-00991](#) [Final](#) Tenant improvement for Teledesic

[BLD96-01071](#) [Final](#) HVAC for tenant Improvements, suite 2300, Teledesic P L A N E N C L O S E D

[BLD96-01218](#) [Final](#) TENANT IMPROVEMENT - Teledesic Corporation.

[BLD96-01240](#) [Final](#) HVAC TI - Add cooling only vav box, duct, diffusers. Tenant - Teledesic. P L A N S E N C L O S E D

[BLD96-01307](#) [Final](#) Install heating and cooling system in concrete wine cellar. Final approval subject to engineer's written approval at job site.

[BLD96-01347](#) [Final](#) Shell and core construction of restrooms and corridor space in currently vacant space

[BLD96-01362](#) [Final](#) Tenant improvement for the Woodmark Hotel Sales & Catering Offices. 2-19-97 add one sink.

[BLD96-01363](#) [Final](#) Tenant improvement for Precision Aerospace. 2-19-97 add sink & dishwasher.

[BLD97-00111](#) [Final](#) Tenant improvement for Teledesic 19,549 square feet on the 5th floor

[BLD97-00205](#) [Final](#) Adding HVAC, fan coil units, bath exhaust, grids and ductwork. P l a n e n c l o s e d

[BLD97-00208](#) [Final](#) Tenant improvement for Van Waters & Rogers B6100 1st and 2nd floors.

[BLD97-00243](#) [Final](#) Tenant improvement.

[BLD97-00330](#) [Final](#) Install HVAC system for Van Waters & Rogers Data Center. PLANS ENCLOSED

[BLD97-00351](#) [Final](#) HVAC T. I. - Add vav box, 2 heat pumps, relocate exhaust fan. PLANS ENCLOSED

[BLD97-00365](#) [Final](#) Tenant improvement - installation of non-load bearing partition walls PLANS ENCLOSED

[BLD97-00577](#) [Final](#) Install cooling only heat pump to serve data equipment room. One 2 ton heat pump.

[BLD97-00693](#) [Final](#) Construct a CMU Storage area in parking garage. PLANS ENCLOSED

[BLD97-00847](#) [Final](#) Installation of an array of antennas on the rooftop

[BLD97-01091](#) [Final](#) Tenant improvement for Northwest Nasal Sinus Center

[BLD97-01095](#) [Final](#) New cellular telephone site at existing building.

[BLD97-01177](#) [Final](#) Shell and core expansion of restaurant over existing patio for Yarrow Bay Grill.

[BLD98-00223](#) [Final](#) HVAC - PLANS ENCLOSED

[BLD98-00546](#) [Final](#) Entry vestibule alteration.

[BLD98-00797](#) [Final](#) Tenant improvement--remodel of existing floor space. Previous occupant was US Bank.

[BLD98-00940](#) [Final](#) Tenant improvement--rework ductwork and diffusers. PLANS ENCLOSED

[BLD98-01272](#) [Final](#) Moving office walls and changing sizes of offices for Carillon Properties.

[BLD98-01287](#) [Final](#) Install fan/ duct heater & ducting for Woodmark Hotel.

[BLD98-01438](#) [Final](#) tenant improvement for Cedar Grove Investments - Building 2000 4th floor unit 15

[BLD98-01443](#) [Final](#) Tenant improvement for Van Waters & Rogers, Inc. Putting up some interior walls--no change in occupancy.

[BLD99-00063](#) [Pending](#) HVAC T.I. Exhaust fan ; add/relocate G.R.D.'s

[BLD99-00064](#) [Final](#) HVAC T.I. Exhaust fan ; add/relocate G.R.D.'s PLANS ENCLOSED

BLD99-00064	Finaled	HVAC T.I. EXHAUST fan ; add/relocate G.R.D. S PLANS ENCLOSED
BLD99-00258	Finaled	Tenant improvement for Venture Law Group - 8,777 square feet on the 7th floor
BLD99-00270	Finaled	Tenant Improvement construction to 14,522 sq ft. For COOLEY GODWARD LLP.
BLD99-00385	Expired	Add 2 sinks and 1 electric water heater.
BLD99-00404	Finaled	Install HVAC and two VAV boxes, duct and GRD's
BLD99-00408	Finaled	Tenant improvement construction to 2,735 sq ft. Previous tenant was Teledesic. New tenant is Blakey, Sokoloff, Taylor & Zafman (law firm).
BLD99-00482	Finaled	Tenant improvement construction to 5,585 sqft. For Gary Stevens
BLD99-00492	Finaled	Tenant Improvement to 561 sqft. For 3rd floor corridor remodel.
BLD99-00503	Finaled	Tenant improvement for Merck & Company - 6337 square feet
BLD99-00526	Finaled	Tenant Improvement to 2,923 sq ft. For Business Marketing Group (BMG)
BLD99-00548	Finaled	Tenant improvement construction to 1465 square feet for Dr. Mixon.
BLD99-00559	Finaled	Tenant Improvement for Teacher's Insurance and Annuity Association/College and Retirement Equities Fund.
BLD99-00610	Finaled	3rd Floor Tenant Improvement for Imperial Bank 4,904 SQ.FT.
BLD99-00662	Finaled	Tenant Improvement for Prime Advisors enlarge existing office by 1361 sq.ft.
BLD99-00686	Finaled	To install 1 vent fan, 1 heat pump 2 t
BLD99-00687	Finaled	HVAC TI Add 1 vent fan and relocating of diffusers. PLANS ENCLOSED
BLD99-00690	Finaled	2nd Floor Tenant Improvement for Who's Calling.Comm 4527 sq.ft. ARCHIVED in box 84625257 until 12/31/2006
BLD99-00758	Finaled	Building a 45' tenant demiseing wall for new office space 3572 sq.ft.
BLD99-00778	Finaled	Aditi T.I. Suite 4600 whole floor tenant 6th floor. PLANS ENCLOSED. ARCHIVED in box 84625261 until 12/31/2006
BLD99-00783	Finaled	T.I. FOR A 4568 SQ.FT. THE SPA AT THE WOODMARK
BLD99-00822	Finaled	Tenant Improvement for Silicon Valley Bank, 4,203 sf
BLD99-00887	Finaled	HVAC T.I. PLANS ENCLOSED
BLD99-00904	Finaled	To install one sink one water heater
BLD99-00912	Finaled	To add 6 sinks, 1 bathtub, 1 dishwasher and 3 pedestal sinks
BLD99-01014	Finaled	Add 1 heat pump PLANS ENCLOSED IN PERMIT ENVELOPE
BLD99-01015	Finaled	Add 1 vav and relocate diffusers
BLD99-01035	Finaled	Add three new VAV boxes and bath fan. PLANS ENCLOSED.
BLD99-01115	Finaled	3572 sq.ft.Tenant Improvementto the 5th Floor for Pristine Capital ARCHIVED in box 84625264 until 12/31/2006
BLD99-01233	Finaled	Add two-ton chilled water fan coil for Woodmark Hotel Server Room.
BLD99-01372	Finaled	Tenant improvement construction to 6509 square foot on the 2nd floor. Office was AT&T. ARCHIVED in box 84625265 until 12/31/2006
BLD99-01475	Finaled	Mechanical for tenant improvement for LOC8.NET. PLANS ENCLOSED.
BUS0564	Closed Business	
BUS10007	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Per renewal information received business is closed in Kirkland
BUS10009	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Business relocated and new license issued
BUS10045	Closed Business	Business closed. Left no forwarding address
BUS10063	Renewal	Application indicates business has both fire alarm/fire sprinkler systems
BUS10104	Closed Business	Application indicates business has both fire alarm/fire sprinkler system relocated to Bellevue as of 1/1/2004 per renewal form
BUS10129	Closed Business	Occupancy Type: Parking Garage closed 7/31/2004 per renewal form
BUS10137	Closed Business	Closed per p/c

BUS10144	Closed Business	Application indicates business has both fire alarm/fire sprinkler system Business merged and relicensed under Longevity Medical Clinic
BUS10168	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Per phone call from owner, business is closed
BUS10175	Closed Business	Per correspondence from owner business closed in December 06 Application indicates business has both fire alarm/fire sprinkler systems
BUS10183	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Per correspondence received business no longer located in Kirkland and relocated to Seattle
BUS10208	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Per renewal information received business is closed in Kirkland
BUS10260	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Business closed - mail returned - phone changed: 877-900-0218
BUS10273	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Per phone call from corp office business closed
BUS10276	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Per renewal information received business closed. Left no forwarding address
BUS10383	Closed Business	Business sold to new owners and new license issued: BUS-15613 Application indicates business has both fire alarm/fire sprinkler systems
BUS10409	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Per phone call from owner business is closed
BUS10420	Closed Business	Per renewal information received from owner business is closed Application indicates business has both fire alarm/fire sprinkler systems
BUS10441	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Business closed and relocated to Bellevue WA per state licensing info.
BUS10444	Closed Business	Per leasing agent business owner relocated to Woodinville
BUS10546	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Business sold to new owners and new license issued: BUS= 12813
BUS10554	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Per phone call from corporate office, Inga, business is closed
BUS10588	Renewal	Application indicates business has both fire alarm/fire sprinkler systems
BUS10598	Closed Business	Per correspondence from owner, business closed in Kirkland. Occupancy Type: Retail Application indicates business has both fire alarm/fire sprinkler systems
BUS1060	Closed Business	
BUS10612	Closed Business	Occupancy Type: Retail moved to Bellevue per returned renewal form-4/28/2004
BUS10647	Closed Business	Closed 8/31/06 business moved to Bellevue, will change to status X on 8/31/06
BUS10717	Issued	Application indicates business has a fire alarm/fire sprinkler system
BUS10855	Closed Business	Per phone call from April this business moved out of Kirkland August 13, 2004.
BUS10906	Renewal	Occupancy Type: Retail Application indicates business has both fire alarm/fire sprinkler systems
BUS11021	Issued	Application indicates business has both fire alarm/fire sprinkler systems
BUS11039	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Per phone call with corporate office, Collette, business has closed in Kirkland.
BUS11069	Closed Business	Application indicates business has both fire alarm/fire sprinkler system Per returned renewal mail, state licensing site business has closed.
BUS11085	Closed Business	Application indicates business has both fire alarm/fire sprinkler system. Closed - Now Mercer Island
BUS11182	Closed Business	Business incorporated and new license issued: BUS-13859

[BUS11196](#) [Closed Business](#) Occupancy Type: Retail BUbusiness changed locations and new license issued: BUS-12280

[BUS11262](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler systems Per renewal information received business is closed

[BUS11321](#) [Closed Business](#) Business changed locations and new license issued: BUS=12399

[BUS11340](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler system Moved out of COK per p/c

[BUS11344](#) [Issued](#) Application indicates business has both fire alarm/fire sprinkler systems

[BUS11351](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler system Business has relocated and no known address was provided

[BUS11354](#) [Closed Business](#) Per correspondence business has relocated to 415 176th Lane NE Bellevue WA 98008-4237 effective 12/31/07

[BUS11416](#) [Closed Business](#) Business sold to new owners and new license issued: BUS-12830

[BUS11430](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler systems Business closed per letter

[BUS11442](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler systems Per phone call from owner business closed

[BUS11453](#) [Closed Business](#) No longer in business per e-mail

[BUS11469](#) [Closed Business](#) Closed per letter

[BUS11488](#) [Closed Business](#) Corporate Name Change from Associated Aviation Underwriters on 2003 renewal Moved to Renton per renewal

[BUS11508](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler system Per phone call with partner business relocated and closed

[BUS11525](#) [Closed Business](#) closed per renewal form- on January 15, 2004

[BUS11548](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler systems Per phone call from owner business is closed

[BUS11563](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler systems Business closed in February 03 per phone call from owner

[BUS11596](#) [Issued](#)

[BUS11725](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler system Per written correspondence business relocated to 18300 NE Union Hill Rd #249 Redmond 98053

[BUS11727](#) [Closed Business](#) Application indicates business has a fire alarm system Business changed locations and new license issued: BUS-13804

[BUS11814](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler systems Per leasing agent business closed and left no forwarding address

[BUS11860](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler systems Business relocated to 3712 SW Grayson Seattle WA 98126 Phone 206.979.7967

[BUS11865](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler systems Business changed locations and new license issued: BUS-14386

[BUS11868](#) [Closed Business](#) Application indicates business has a fire alarm system Business closed

[BUS11876](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler systems Per phone call with owner business is closed

[BUS11882](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler systems

[BUS11905](#) [Closed Business](#) Application indicates business has both fire alarm/fire sprinkler systems Closed, moved to new location see BUS14486

[BUS11909](#) [Closed Business](#) No longer in business per owner

BUS12004	Issued	Application indicates both a fire alarm and fire sprinkler system.
BUS12027	Closed Business	Application indicates there are fire alarm and fire sprinkler systems. Moved out of Kirkland, close
BUS12139	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Per phone call from owner Nancy Feng business closed in December 04
BUS12227	Closed Business	Per correspondence from owners to KEP business relocated to Bellevue
BUS12280	Closed Business	Per renewal information received business relocated to 900 108th Ave NE #101 Bellevue WA 1198004
BUS12284	Issued	Application indicates fire alarm and fire sprinkler systems.
BUS12296	Closed Business	Application indicates a fire alarm and fire sprinkler system. Business closed on state site and office personnel indicate business is now Ecuity. New application mailed.
BUS12308	Closed Business	Application indicates a fire alarm system. Business relocated to 534 Westlake Ave N #250 Seattle WA 98109
BUS12389	Closed Business	Closed due to location change, see BUS17250
BUS12419	Closed Business	Application indicates a fire alarm and fire sprinkler system. Company moving out of Kirkland per letter dated 11/3/04 as of 11/12/04
BUS12427	Closed Business	Application indicates fire alarm and fire sprinkler systems. Per leasing agent business is no longer in operation at this address
BUS12513	Closed Business	Business closed and left no forwarding address. Verified through leasing agent. Application indicates a fire alarm system. Name changed from ABI INC in September 2003.
BUS12526	Closed Business	Application indicates fire alarm & fire sprinkler systems. Location change see new BUS14011
BUS12527	Closed Business	Application indicates fire alarm and fire sprinkler systems. Closed due to location change see BUS14010
BUS12528	Closed Business	Application indicates fire alarm and fire sprinkler systems. Location change see new BUS14008
BUS12529	Closed Business	Application indicates fire alarm and fire sprinkler systems. Per correspondence from owner business is closed
BUS12653	Renewal	Application indicates fire alarm and fire sprinkler systems.
BUS12680	Closed Business	Per written notification business closed 1/15/2004 and relocated to San Fran Ca.
BUS12749	Closed Business	Application indicates fire alarm and fire sprinkler systems. Per state website business is closed and no longer operating in Kirkland.
BUS12777	Closed Business	Per written correspondence from owner business has moved to Bellevue - 1400 112th Ave SE #210 Bellevue 98004
BUS12779	Issued	Application indicates fire alarm and fire sprinkler systems.
BUS12799	Closed Business	Application indicates a fire alarm system. Business closed per letter
BUS12811	Closed Business	Application indicates fire alarm and fire sprinkler systems. Per returned mail and State Licensing site business relocated to Bellevue
BUS12813	Closed Business	Application indicates fire alarm and fire sprinkler systems. Closed per letter
BUS12830	Closed Business	Business changed locations and new license issued: BUS-14513
BUS12893	Closed Business	Application indicates fire alarm and fire sprinkler systems. Business closed and relocated to Bellevue WA
BUS12916	Closed Business	Per phone call from Accountant, Howard Schoenfeld, business closed in Kirkland in July 2004.
BUS12985	Closed Business	Closed per e-mail, moved to Bothell
BUS12986	Closed	

BUS13012	Business	Closed in Kirkland, moved per p/c
BUS13037	Issued Closed Business	Business changed locations and new license issued: BUS-14442
BUS13067	Closed Business	Business moved out of Kirkland per state site, closed
BUS13076	Closed Business	Business closed 7/1/04
BUS13097	Closed Business	No longer in Kirkland, moved to Bellevue
BUS13102	Closed Business	Business closed 12/01/04
BUS13144	Closed Business	Per renewal notice business is closed as of 6/18/10
BUS13146	Closed Business	Business changed locations and new license issued: BUS-13861
BUS13174	Renewal	
BUS13183	Closed Business	Per phone call from corporate office business has relocated to Seattle in Jan 11.
BUS13200	Closed Business	Business closed and relocated to Woodinville WA 98072
BUS13236	Issued	
BUS13239	Closed Business	Closed in Kirkland per p/c
BUS13243	Closed Business	Per renewal notice received business is closed in Kirkland.
BUS13246	Closed Business	Business changed locations and new license issued: BUS-13959
BUS13263	Closed Business	Closed due to entity/location change
BUS13273	Closed Business	closed per letter
BUS13286	Closed Business	Per phone call from corporate office, Diane Vance, business is closed in Kirkland.
BUS13294	Issued	
BUS13295	Closed Business	Per state licensing site business license is closed. Licensing with Kirkland closed also due to above and no response to correspondence Occupancy Type: Parking Garage
BUS13318	Closed Business	closed due to entity change, see BUS16722
BUS13321	Closed Business	Closed, merged with Fort Dearborn Life per letter
BUS13343	Closed Business	Per phone call from Lorraine McIntire business closed in November 2005.
BUS13396	Closed Business	closed per prop mgr
BUS13470	Closed Business	Business relocated to 901 5th Ave Seattle WA 98104
BUS13506	Issued	
BUS13574	Closed Business	Closed per state site, forwarded mail, leasing agent
BUS13585	Closed Business	Per renewal information received business relocated to Bellevue 2/1/08
BUS1365	Closed	

BUS13775	Business Closed Business	Per correspondence from owner business is now located in Issaquah.
BUS13836	Closed Business	No longer in business per p/c
BUS13859	Closed Business	Per phone call from owner business closed 8/31/2010
BUS13959	Closed Business	Business changed locations and new license issued: BUS-15332
BUS14042	Closed Business	Business changed locations and new license issued: BUS-15186
BUS14046	Renewal	
BUS14053	Closed Business	Closed per ltr
BUS14062	Closed Business	Per correspondence from owner business is closed in Kirkland.
BUS14067	Closed Business	No longer at this address per canv
BUS14094	Closed Business	Business sold to new owners and new license issued: BUS-14913
BUS14157	Closed Business	Closed per state
BUS14166	Closed Business	
BUS14205	Closed Business	Per phone call from owner business is no longer operational in Kirkland
BUS14230	Closed Business	No longer leasing space per p/c
BUS14274	Closed Business	Business relocated to Bellevue per renewal information received from owner.
BUS14276	Renewal	
BUS14357	Closed Business	Closed per ltr
BUS14425	Closed Business	Business relocated to Mill Creek WA
BUS14429	Issued	
BUS14441	Closed Business	Per state licensing site, per leasing agent business no longer operational in Kirkland.
BUS14445	Issued	
BUS14485	Closed Business	Per phone call from corporate office business dissolved.
BUS14513	Closed Business	Business closed
BUS14524	Closed Business	Closed per p/c
BUS14557	Closed Business	Per correspondence from owner business is closed in Kirkland.
BUS14634	Closed Business	Per renewal correspondence received business is closed as of 7/31/07
BUS14636	Issued	
BUS14655	Closed Business	Per leasing agent business is closed
BUS14656	Renewal	
BUS14704	Renewal	

BUS14734	Closed Business	Per renewal information business is closed
BUS14778	Closed Business	Closed due to location change see BUS17315
BUS14809	Closed Business	Per renewal information received business closed 9/30/09
BUS14825	Closed Business	Closed in Kirkland per p/c
BUS14852	Closed Business	No longer in Kirkland per p/c
BUS14879	Closed Business	Closed due to location change, see BUS16137
BUS14902	Closed Business	No longer in Kirkland, moved to Bellevue per p/c
BUS14908	Issued	
BUS14911	Issued	
BUS14913	Closed Business	Business changed locations and new license issued: BUS-15610
BUS14943	Issued	
BUS14963	Issued	
BUS15003	Issued	
BUS15061	Closed Business	Closed per renewal
BUS15079	Issued	
BUS15080	Issued	
BUS15116	Closed Business	No longer in business per p/c
BUS15160	Issued	
BUS15192	Renewal	
BUS15203	Closed Business	Per phone call from owner business has relocated to Seattle WA. Exact address unknown.
BUS15204	Renewal	
BUS15243	Issued	
BUS15245	Closed Business	No longer in business per p/c
BUS15296	Closed Business	Per correspondence from owner business is closed effective December 08
BUS15298	Renewal	
BUS15332	Renewal	
BUS1536	Closed Business	
BUS15461	Closed Business	Closed due to location change, see BUS15947
BUS15482	Pending	
BUS15518	Closed Business	Per phone call from owner business closed May 2008 aka: Arbor Management LLC
BUS15555	Issued	
BUS15588	Closed Business	Per correspondence received from owner business is closed effective 12/28/2009
BUS15610	Issued	
BUS15613	Closed Business	Per renewal information received and phone call with corporate office business is no longer located in Kirkland. Relocated to Ohio
BUS15624	Closed	

	Business	Business no longer located in Kirkland and state site has license closed
BUS15772	Issued	
BUS15775	Closed Business	Per correspondence from owner business closed 1/21/09
BUS15789	Renewal	
BUS15798	Closed Business	Per returned mail and leasing agent business no longer in Kirkland.
BUS1581	Closed Business	business closed
BUS15818	Closed Business	No longer in COK per p/c
BUS15853	Issued	
BUS15979	Renewal	
BUS15981	Renewal	
BUS16080	Closed Business	Per correspondence from owner business is no longer active in Kirkland.
BUS16137	Issued	
BUS16159	Closed Business	Per notification from leasing agent business and phone being disconnected business is no longer active in Kirkland.
BUS16162	Closed Business	Per phone call from corporate office business is no longer active.
BUS16189	Closed Business	Per leasing agent business has relocated. No forwarding address available.
BUS16208	Closed Business	Per phone call from owner and verification with leasing agent business is no longer active in Kirkland. Whereabouts unknown
BUS16209	Issued	
BUS16240	Renewal	
BUS16315	Issued	
BUS16327	Issued	
BUS16352	Renewal	
BUS16354	Closed Business	per p/c moved out of COK 2010
BUS16358	Issued	
BUS16364	Issued	
BUS16369	Closed Business	Business changed locations and new license issued: BUS18384
BUS16370	Closed Business	Per phone call from owner business is no longer active in Kirkland.
BUS16373	Issued	
BUS16374	Renewal	
BUS16379	Closed Business	Per renewal notice business relocated to 10900 NE 8th St #820 Bellevue WA 98004 in December 09
BUS16391	Pending	
BUS16407	Issued	
BUS16411	Issued	
BUS16415	Closed Business	Business relocated to PO BOx 12649 Mill Creek WA 98082
BUS16425	Renewal	
BUS16426	Renewal	
BUS16427	Closed Business	Per correspondence from business owner they relocated to 500 108th Ave NE #1085 Bellevue WA 98004 effective 10/31/10
BUS16429	Renewal	

BUS16431	Renewal	
BUS16434	Issued	
BUS16435	Renewal	
BUS16436	Issued	
BUS16441	Closed Business	No longer in COK per ltr
BUS16446	Renewal	
BUS16455	Closed Business	Closed due to location change see BUS17059
BUS16468	Renewal	
BUS16491	Closed Business	Per renewal information received and state licensing section business is closed.
BUS16500	Closed Business	Business changed locations and new license issued: BUS17579
BUS16511	Closed Business	Business changed locations and new license issued: BUS17324
BUS16531	Issued	
BUS16548	Renewal	
BUS16549	Renewal	
BUS16563	Renewal	
BUS16583	Closed Business	Business changed locations and new license issued: BUS17442
BUS16596	Renewal	
BUS16597	Closed Business	Per leasing agent and state licensing site business no longer located in Kirkland.
BUS16621	Renewal	
BUS16640	Pending	
BUS16695	Closed Business	Business changed locations and new license issued: BUS17291
BUS16703	Issued	
BUS16711	Renewal	
BUS16722	Closed Business	Business changed locations and new license issued: BUS16963
BUS16735	Issued	
BUS16754	Closed Business	Per leasing agent no longer at this address. Mail returned. Unable to connect with individual owner as phone numbers had changed. License being closed.
BUS16755	Closed Business	No longer in COK, moved to Bellevue per p/c
BUS16787	Issued	
BUS16792	Issued	
BUS16800	Issued	
BUS16837	Closed Business	Per correspondence from corporate office business is no longer located in Kirkland.
BUS16842	Closed Business	Per phone call from owner business is no longer active in Kirkland.
BUS16850	Issued	
BUS16852	Closed Business	Per return mail from leasing agent and state site business has relocated to Bellevue.
BUS16853	Closed Business	Per renewal information received business has relocated to 2025 1st Ave #1210 Seattle WA I 98121 on 12/3/2010.
BUS16856	Issued	
BUS16879	Issued	

BUS16926	Issued	
BUS16950	Issued	
BUS16963	Issued	
BUS17100	Issued	
BUS17121	Issued	
BUS17162	Issued	
BUS17167	Issued	
BUS17196	Issued	
BUS1726	Closed	
	Business	
BUS17330	Issued	
BUS17358	Renewal	
BUS17361	Renewal	
BUS17396	Renewal	
BUS17427	Issued	
BUS17432	Renewal	
BUS17453	Issued	
BUS17465	Issued	
BUS17605	Issued	
BUS17657	Issued	
BUS17673	Issued	
BUS17690	Issued	
BUS17722	Pending	
BUS18384	Issued	
BUS18668	Issued	
BUS1895	Closed	
	Business	
BUS1987	Closed	
	Business	
BUS2001	Closed	
	Business	
BUS2032	Closed	Business relocated and new license issued: Bus-10108
	Business	
BUS2096	Closed	
	Business	
BUS2176	Closed	
	Business	
BUS2181	Closed	Business changed locations and new license issued: BUS-14636
	Business	
BUS2208	Closed	Business closed per ltr
	Business	
BUS2226	Issued	
BUS2227	Closed	
	Business	
BUS2441	Closed	
	Business	
BUS2458	Closed	
	Business	
BUS2495	Closed	Business changed locations and new license issued; BUS-11687
	Business	
BUS2586	Closed	
	Business	

BUS2608	Closed Business	
BUS2711	Closed Business	
BUS2751	Closed Business	
BUS2803	Closed Business	
BUS2858	Closed Business	Closed due to ownership change
BUS2897	Closed Business	Business Changed locations and new license issued: BUS-12514
BUS2899	Closed Business	
BUS2955	Closed Business	
BUS2979	Closed Business	Per renewal information business sold to ETI Travel
BUS2992	Closed Business	
BUS2993	Closed Business	
BUS2997	Closed Business	
BUS3007	Closed Business	
BUS3014	Closed Business	
BUS3016	Closed Business	
BUS3018	Closed Business	
BUS3023	Closed Business	
BUS3038	Closed Business	
BUS3054	Closed Business	
BUS3060	Closed Business	
BUS3128	Closed Business	
BUS3136	Closed Business	
BUS3200	Closed Business	
BUS3210	Closed Business	
BUS3230	Closed Business	
BUS3356	Closed Business	
BUS3405	Closed Business	
RIIS3419	Closed	

BUS3112	Closed Business	
BUS3533	Closed Business	
BUS3592	Closed Business	
BUS3634	Closed Business	
BUS3649	Closed Business	Per renewal notice received business relocated to 17425 NE Union Hill RD Redmond WA 98052
BUS3656	Closed Business	Business changed names from Pakhoed Distribution Corporation on 2002 renewal Per phone call from corporate office business is closed
BUS3677	Closed Business	Per phone call business has relocated to Redmond
BUS3724	Renewal	
BUS3786	Closed Business	
BUS3802	Closed Business	
BUS3816	Closed Business	Per correspondence from owner business has relocated to 416 101st Ave SE Belevue WA 98004-6163
BUS3828	Closed Business	
BUS3854	Closed Business	
BUS4052	Closed Business	
BUS4075	Closed Business	
BUS4078	Closed Business	
BUS4088	Closed Business	
BUS4089	Closed Business	
BUS4153	Closed Business	
BUS4157	Closed Business	Business sold to new owners and new license issued: BUS11039
BUS4179	Issued	
BUS4196	Closed Business	
BUS4221	Closed Business	No longer in business per p/c
BUS4224	Closed Business	
BUS4306	Closed Business	
BUS4319	Closed Business	
BUS4382	Closed Business	
BUS4400	Closed Business	
BUS4515	Closed	

BUS4626	Business Closed Business	
BUS4635	Business Closed Business	
BUS4639	Business Closed Business	
BUS4819	Business Closed Business	
BUS4838	Business Closed Business	
BUS4839	Business Closed Business	
BUS4867	Business Closed Business	Per correspondence business relocated to Redmond
BUS4878	Business Closed Business	
BUS4900	Business Closed Business	location change see bus13347
BUS4903	Business Closed Business	BUSINESS changed locations and new license issued: BUS=12680
BUS4908	Business Closed Business	Business sold to new owners and new license issued: BUS-11416
BUS4999	Business Closed Business	
BUS5193	Business Closed Business	
BUS5223	Business Closed Business	
BUS5234	Business Closed Business	
BUS5331	Business Closed Business	
BUS5344	Business Closed Business	Per phone call from corporate office business closed
BUS5349	Business Closed Business	
BUS5418	Business Closed Business	
BUS5437	Business Closed Business	Per correspondence from corporate office business under new ownership and relocated to Oklahoma City, Oklahoma
BUS5448	Business Closed Business	
BUS5516	Business Closed Business	Business changed locations and new license issued
BUS5606	Business Closed Business	
BUS5667	Business Closed Business	Business closed in 98.
BUS5740	Business Closed Business	
BUS5838	Business Closed Business	
BUS5887	Business Closed Business	

BUS5986	Business Closed Business	
BUS6000	Business Closed Business	
BUS6022	Business Closed Business	
BUS6030	Business Closed Business	
BUS6060	Business Closed Business	Business changed locations and new license issued. BUS-9862
BUS6140	Business Closed Business	
BUS6205	Business Closed Business	
BUS6535	Business Closed Business	
BUS6595	Business Closed Business	Per phone call with main office business is closed and relocated to Yakima
BUS6733	Business Closed Business	Business changed locations and new license issued: BUS-14879
BUS6990	Business Closed Business	
BUS7096	Business Closed Business	
BUS7103	Business Closed Business	Business changed locations in Kirkland.
BUS7295	Business Issued	
BUS7358	Business Closed Business	Per leasing agent business is not longer at this address
BUS7565	Business Closed Business	Business changed locations and new license issued, BUS-9744
BUS7623	Business Closed Business	Per phone call from corporate office business closed 4/2001
BUS7679	Business Closed Business	Business changed locations and new license issued: BUS-15003
BUS7852	Business Closed Business	Business changed locations and new license issued
BUS7914	Business Closed Business	
BUS7961	Business Closed Business	Business relocated to: 12201 Tukwila International Blvd Suite 100, Tukwila WA 98168x
BUS7962	Business Closed Business	Business closed
BUS7964	Business Closed Business	
BUS7965	Business Closed Business	Business changed locations and new license issued
BUS7966	Business Closed Business	Business changed locations and new license issued
BUS7967	Business Closed Business	
BUS7968	Business Closed Business	

BUS7969	Closed Business	moved to Seattle
BUS7973	Closed Business	
BUS7974	Closed Business	Business relocated to Redmond, WA
BUS7975	Closed Business	
BUS7978	Closed Business	
BUS7979	Closed Business	phone number no longer for danielle mclean spa
BUS7980	Closed Business	Per phone call from owner business is no longer active in Kirkland.
BUS7986	Closed Business	
BUS7991	Closed Business	
BUS7992	Closed Business	
BUS7994	Closed Business	
BUS7996	Closed Business	Business closed in Kirkland. Left no forwarding address
BUS7998	Closed Business	Business relocated to new location and new license issued.
BUS7999	Closed Business	
BUS8005	Closed Business	moved to Seattle/now closed
BUS8006	Closed Business	Business changed locations and new license issued
BUS8007	Closed Business	
BUS8020	Closed Business	
BUS8049	Closed Business	Per phone call from owner, business closed in Kirkland. Relocated to Bellevue, Exact address unknown
BUS8057	Closed Business	Business relocated to another location and new license issued
BUS8075	Closed Business	Business changed entities and new license issued: BUS-17162
BUS8093	Closed Business	Business closed in Kirkland. Left no forwarding address.
BUS8098	Closed Business	
BUS8108	Closed Business	
BUS8128	Closed Business	
BUS8137	Closed Business	
BUS8165	Issued	
BUS8206	Closed Business	moved to Bothell - now closed

Business

- [BUS8314](#) Closed Business Per phone call from owner, business closed in Kirkland and relocated to Seattle.
- [BUS8338](#) Closed Business Per phone call from owner, business relocated to Bellevue in 98.
- [BUS8349](#) Closed Business Business changed names from Spa Csaba in March 1999. Business closed per renewal information received.
- [BUS8376](#) Closed Business Business relocated to 1445 120th Avenue NE, Bellevue WA 98005
- [BUS8377](#) Closed Business Per phone call from corporate office business closed in February 2001
- [BUS8501](#) Closed Business Per phone call from owner, business relocated to Woodinville in December 98.
- [BUS8502](#) Closed Business Business relocated and new license issued
- [BUS8541](#) Closed Business Business relocated and new license issued
- [BUS8548](#) Issued
- [BUS8569](#) Issued
- [BUS8570](#) Issued
- [BUS8597](#) Closed Business Business changed locations and new license issued
- [BUS8614](#) Closed Business Business changed locations and new license issued
- [BUS8628](#) Closed Business Business relocated to Viridis Salon and new license issued moved to Bothell/ now closed with state
- [BUS8662](#) Closed Business Business relocated and new license issued
- [BUS8748](#) Closed Business Business changed locations and new license issued.
- [BUS8806](#) Closed Business Business relocated to salon in Bellevue. Exact address unknown
- [BUS8971](#) Closed Business Per phone call from owner business is closed
- [BUS9004](#) Renewal
- [BUS9048](#) Closed Business Business closed per renewal information received
- [BUS9115](#) Closed Business Application indicates business has both fire alarm/fire sprinkler systems Business changed locations and new license issued: BUS-11069
- [BUS9213](#) Closed Business Application indicates business has both fire alarm/fire sprinkler systems Per new owner business is closed
- [BUS9304](#) Closed Business Application indicates business has both fire alarm/fire sprinkler systems Per leasing agent business no longer located in Kirkland
- [BUS9343](#) Closed Business Per phone conversation with corporate office business has relocated out of city. Application indicates business has both fire alarm/fire sprinkler systems
- [BUS9420](#) Issued
- [BUS9429](#) Closed Business Application indicates business has both fire alarm/fire sprinkler systems Per renewal information received business closed and relocated to 3825 Issaquah PIne Lake RD Sammamish WA 98075
- [BUS9517](#) Closed Business Per renewal information received business relocated to Two Union Square, #3000, 601 Union St, Seattle WA 98101 in 8/2001
- [BUS9522](#) Closed Business Application indicates business has both fire alarm/fire sprinkler systems Closed due to location/entity change new BUS14033
- [BUS9547](#) Closed Application indicates business has both fire alarm/fire sprinkler systems Business sold

	Business	to new owners and new license issued: BUS-10855
BUS9616	Closed Business	Per phone call from owner business is closed in Kirkland. Application indicates business has both fire alarm/fire sprinkler systems Business sold. Name change only, leasing space from GEM
BUS9691	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Business relocated and renamed Terra Nova
BUS9734	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Business relocated to 6415 E Lk Sammamish Pkwy SE Issaquah WA 98029
BUS9743	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems location change-see bus13186
BUS9744	Closed Business	Application indicates business has a fire alarm system Business sold to new owner: BUS-12799
BUS9761	Closed Business	Application indicates business has both fire alarm and fire sprinkler systems Business closed per renewal notice from corp hqs
BUS9806	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Per leasing agent, business is closed
BUS9852	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems no answer at business phone/home phone disconnected 1/26/2004
BUS9939	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Business changed locations and new license issued:
BUS9942	Closed Business	Business relocated to 19015 North Creek Pkwy #105 Bothell WA 98011 on 12/15/03 phone: 425-368-4400 Application indicates business has a fire alarm/fire sprinkler system Corporation changed name from SourceNet Corporation to Myrio Corporation in October 2000
BUS9954	Closed Business	Application indicates business has both fire alarm/fire sprinkler systems Per renewal information received, business is closed. Left no forwarding address
CDP10-00005	Approved	New Carillon Point Master Sign Plan.
E03-00798	Finaled	Adding 40 or less branch circuits. Work in parking garages throughout the property.
E03-00834	Finaled	To install a sink and a floor drain.
E03-00835	Cancelled	To install one sink and one floor drain.
E03-00840	Finaled	A (commercial-alteration) project installing 2 added circuits, 9 light fixtures, 2 receptacles, and 9 switches in the Marina Room of building 2000.
E03-01304	Expired	To install 3 thermostats and 600 l.f. of low voltage wire for tenant NW Nasal Clinic on first floor.
E03-01305	Finaled	To relocate 7 thermostats and 900 l.f. of low voltage wire for tenant Who's Calling.com on the second floor. Added 4 additional thermostat relocates on 5-5-03. sia
E03-01507	Finaled	To install 2 added branch circuit for hookup of rooftop A/C units being installed under separate permit.
E03-01776	Finaled	Adding 1 branch circuit for tenant Venture Law.
E03-01920	Finaled	Adding 5 circuits for 9 light fixtures, 21 receptacles, 11 switches and one fan for Silicon Valley Bank tenant improvement.
E03-01971	Finaled	Adding 3 circuits for 12 light switches, 5 receptacles, and 5 switches in tenant improvement for the Facilities office.
E03-01986	Finaled	Add 120v circuit for smoke/fire damper near west wall of elevator lobby.
E03-02040	Finaled	Installing 3 low voltage t-stat wire, 60 lf of wiring.
E03-02121	Finaled	Low voltage installation fo 14,000 linear feet to 36 locations of voice & data cabling for tenant Silicon Valley Bank.
E03-02332	Finaled	Commercial TI/alteration to electrical for Cascade Investments, Suite 2425.
E03-02426	Finaled	Low voltage installation for tenant Cascade Investments.
E03-03208	Finaled	Replace electric water heater at Poppin Jays.
E04-03710	Finaled	Install phone and data cabling for Greenpoint Technologies.
E04-03837	Finaled	Installing 2000 l.ft. of low voltage wiring in Greenpoint Technologies.
E04-04077	Finaled	Add three circuits. 12 light fixtures, 26 receptacles and 6 switches for Cascade

E04-05112	Finaled	Investments in 2000 Building 4th Floor. Adding three circuits for 24 receptacles, 10 switches, and 16 light fixtures for Long Term Care Financial.
E04-05232	Finaled	Installation of 1 ice maker, 1 sink, and 1 dishwasher for tenant Long Term Care, 3500 Carillon Pt.
E04-05893	Finaled	Installation of 8 circuits, 30 light fixtures, 30 receptacles, and 6 switches for tenant Cascade Investments, 4th floor, Carillon Properties.
E04-06153	Finaled	Installation of one security system 1000 total linear feet at Cascade Investments.
E04-06293	Finaled	Installation of 5 fire alarm devices, 400 total linear feet for tenant Cascade Investments.
E05-00076	Finaled	Commercial alteration installing low voltage data cable, 30000 linear feet. 45301 - remodel of existing floor adding network lab.
E05-01728	Finaled	Install 700 total linear feet and 1 security system for Cascade Investments.
E05-03021	Finaled	POB Montgomery - 1500 total l.f. low voltage.
E05-03605	Finaled	Install 1 dishwasher and 1 sink as part of TI project for new tenant in SUITE 3405.
E05-03617	Finaled	A (Commercial) (Alteration) project installing 4 new branch circuits, 1 Switches and 2 light fixtures. BUILDING 4000, SUITE 644 - GREENPOINT ROOM.
E05-03754	Cancelled	Install 3 Branch Circuits, 2 Light Fixtures and 1 Switches.
E05-04498	Finaled	Install 1 new electric hot water heater and 1 sink on FLOOR 3.
E05-05134	Finaled	A (Commercial) (Alteration) project installing (1 Hot Water Heater, 1 Sink) FLOOR 7 SUITE 3740.
E05-05413	Finaled	A (Commercial) (Alteration) project installing (1 Added or Altered Branch Circuits - 5 or less, 3 Light Fixtures - circuit, 4 Switches - circuit)
E05-05591	Finaled	A (Commercial) (Alteration) project installing (1 Added or Altered Branch Circuits - 5 or less, 1 Furnace - circuit)
E05-05598	Finaled	A (Commercial) (Alteration) project installing (11 Low Voltage security system - Com.)
E05-06013	Cancelled	A (Commercial) (Alteration) project installing (1 Added or Altered Branch Circuits - 5 or less, 1 Light Fixtures - circuit) 2nd, 3rd and 4th floors.
E05-07003	Expired	A commercial replacement project installing 2 low voltage sec system - com., 100 total linear feet installed. Relocate 2 fire alarm devices on 6th floor. Separate fire alarm required for relocation.
E06-01007	Finaled	A (Commercial) (Alteration) project installing (1 Low Voltage security system - Com.)
E06-01271	Finaled	RBC Dain Rausher - a commercial alteration installing 12 circuits, 30 fixtures, and 21 switches.
E06-01901	Finaled	A (Commercial) (Alteration) project installing (1 Dishwasher, 1 Sink)
E06-01942	Finaled	A (Commercial) (Alteration) project installing (6 Low Voltage security system - Com.)
E06-02086	Finaled	A (Commercial) (Alteration) project installing (8 Low Voltage thermostat wire - Com.)
E06-03017	Finaled	A (Commercial) (Alteration) project installing (1 Low Voltage security system - Com.) 7TH FLOOR
E06-03051	Finaled	A (Commercial) (Alteration) project installing (1 Added or Altered Branch Circuits - 5 or less) CELL SITE # SEA038-A
E06-03083	Issued	A (Commercial) (Alteration) project installing (8 8 Added or Altered Branch Circuits) Add 1 225amp Panel & 8 ckts on the 2nd Floor
E06-04766	Finaled	A (Commercial) (Alteration) project installing (2 Added or Altered Branch Circuits - 5 or less, 4 Light Fixtures - circuit, 12 Switches - circuit) JOB#0757 - ADD/ALTER (2) CKTS, (4) LTS, (4) RECPTS, AND (12) SWITCHES
E06-05305	Finaled	A (Commercial) (Alteration) project installing (4000 Low Voltage data cable system - Com.) SUITE 4150
E06-05552	Finaled	A (Commercial) (Alteration) project installing (17000 Low Voltage data cable system - Com.) 45983
E06-05717	Finaled	A (Commercial) (Alteration) project installing (12 12 Added or Altered Branch Circuits, 2 Light Fixtures - circuit) JOB#0815 - TENANT IMPROVEMENT: REPLACE (2) LIGHT FIXTURES AND (30) RECPTS.
E06-06267	Finaled	A (Commercial) (Alteration) project installing (300 Low Voltage data cable system - Com.) JOB#0015 - INSTALL LOW VOLTAGE FIRE ALARM DEVICES AND CABLE

		Com.) JOB#0815 - INSTALL LOW VOLTAGE FIRE ALARM DEVICES AND CABLE
E06-06741	Finaled	A (Commercial) (Alteration) project installing (1 Low Voltage security system - Com.) 7TH FLOOR
E06-07324	Finaled	A (Commercial) (Alteration) project installing (1 Added or Altered Branch Circuits - 5 or less, 1 Light Fixtures - circuit) Demo old conduit and wire, install (2) 75kVA xfmr's and (2) 225A panel
E06-07352	Finaled	A (Commercial) (Alteration) project installing (12 Added or Altered Branch Circuits, 6 Light Fixtures - circuit, 1 Switches - circuit) JOB#0930-TI (15) LIGHT FIXTURES, (26) RECEPTACLES, (1) FA SYSTEM W/ DEVICES
E07-00203	Finaled	A (Commercial) (Alteration) project installing (4 Added or Altered Branch Circuits - 5 or less, 2 Light Fixtures - circuit) JOB#0966 - ADD/ALTER: (4) CRKTS, (12) LTS, (16) RECEPES, (7) SWITCHES
E07-00348	Finaled	A (Commercial) (Alteration) project installing (2 Added or Altered Branch Circuits - 5 or less) JOB#820 - INSTALL (70) FIRE ALARM DEVICES & (1500') LOW VOLTAGE CABLING
E07-00349	Finaled	A (Commercial) (Alteration) project installing (1 Added or Altered Branch Circuits - 5 or less) JOB#0820 - INSTALL (21) FIRE ALARM DEVICES & (500') LOW VOLTAGE CABLING for Clearwire.
E07-00385	Finaled	A (Commercial) (Alteration) project installing (1 Low Voltage telecommunication system - Com.) install 25pr Voice backbone between building 4000 and building 2000
E07-00442	Finaled	A (Commercial) (Alteration) project installing (5 Low Voltage thermostat wire - Com.)
E07-00858	Finaled	A (Commercial) (Alteration) project installing (24 Low Voltage data cable system - Com., 24 Low Voltage telecommunication system - Com.)
E07-00901	Finaled	A (Commercial) (Alteration) project installing (24 Low Voltage telecommunication system - Com.) Placing 24 fiber cable from Clearwire Data Room to fiber demarcation.
E07-00934	Finaled	A (Commercial) (Alteration) project installing (11 Low Voltage telecommunication system - Com.) Install Sound Masking System (white noise) 11 units
E07-01024	Issued	A (Commercial) (Alteration) project installing (2 Sink)
E07-01197	Cancelled	A (Commercial) (Alteration) project installing (1 Low Voltage telecommunication system - Com.) Installing Audio/Video Equipment (#11856-TMR)
E07-01521	Finaled	A (Commercial) (Alteration) project installing (6 Added or Altered Branch Circuits, 1 Hood Fan - circuit, 4 Light Fixtures - circuit, 2 Switches - circuit, 1 Temporary Electrical Service 1-200 amps) JOB#1064 - INSTALL (1) FAN, (4) FIXTURES, (12) RECEPTACLES, (2) SWITCHES
E07-01887	Finaled	A (Commercial) (Alteration) project installing (900 Low Voltage telecommunication system - Com.) JOB#1064 - RELOCATE (3) FIRE ALARM DEVICES
E07-01915	Cancelled	A (Commercial) (Alteration) project installing (12 Low Voltage security system - Com.)
E07-04130	Issued	A (Commercial) (Alteration) project installing (250 Low Voltage data cable system - Com.)
E07-05550	Finaled	A (Commercial) (Alteration) project installing (1 Low Voltage security system - Com.)
E07-05555	Finaled	A (Commercial) (Alteration) project installing (6 Light Fixtures - circuit, 5 Switches - circuit)
E07-05626	Finaled	A (Commercial) (Alteration) project installing (9 Added or Altered Branch Circuits, 30 Light Fixtures - circuit, 11 Switches - circuit) JOB#1261 - ADD/RELOCATE (33) LIGHTS, (42) RECEPES, AND (11) SWITCHES
E07-05827	Finaled	A (Commercial) (Alteration) project installing (1 Low Voltage telecommunication
E07-06051	Finaled	system - Com.) audio / video system for boardroom A (Commercial) (Alteration) project installing (1 Dishwasher, 1 Hot Water Heater, 1 Ice Maker, 2 Sink)
E07-06053	Finaled	A (Commercial) (Alteration) project installing (1 Added or Altered Branch Circuits - 5 or less) JOB#1261 - FIRE ALARM WIRING AND (13) FIRE ALARM DEVICES
E07-06056	Finaled	A (Commercial) (Alteration) project installing (319 Low Voltage data cable system - Com.)
E07-06885	Finaled	A (Commercial) (Alteration) project installing (10 Added or Altered Branch Circuits) Install Modular Furniture (power wiring by others)

E07-07333	Issued	A (Commercial) (Alteration) project installing (2 Light Fixtures - circuit, 1 Switches - circuit)
E07-08017	Finaled	A (Commercial) (Alteration) project installing (1 Added or Altered Branch Circuits - 5 or less) JOB#1421 - ALTER CIRCUIT FOR NEW VAV UNIT
E07-08176	Finaled	A (Commercial) (Alteration) project installing (4 Added or Altered Branch Circuits - 5 or less, 13 Light Fixtures - circuit, 4 Switches - circuit) JOB#1467 - TENANT IMPROVEMENT
E08-00793	Finaled	A (Commercial) (Alteration) project installing (1 Low Voltage telecommunication system - Com.)
E08-01485	Finaled	A (Commercial) (Alteration) project installing (80 Low Voltage telecommunication system-Com) 54-9220
E08-03713	Finaled	A (Commercial) (Alteration) project installing (1 Added or Altered Branch Circuits - 5 or less) Wiring to new cooler in parking garage outside of laundry room.
E08-04234	Cancelled	A (Multifamily) (Alteration) project installing (1 Added or Altered Branch Circuits - 5 or less)
E08-05742	Finaled	A (Commercial) (Alteration) project installing (11 11 Added or Altered Branch Circuits, 1 Hot Water Tank - circuit, 30 Light Fixtures - circuit)
E08-06638	Cancelled	A (Commercial) (Alteration) project installing (1 Low Voltage security system - Com.)
E09-00313	Finaled	A (Commercial) (Alteration) project installing (120 Low Voltage data cable system - Com.)
E09-00953	Finaled	Cascade Investments TI-A (Commercial) (Alteration) project installing (4 Added or Altered Branch Circuits - 5 or less, 1 Hood Fan - circuit) SEQ #36261
E09-02178	Finaled	A (commercial) (Replacement) project installing (1 Dishwasher, 1 Hot Water Heater, 1 Ice Maker, 1 Sink)
E09-02209	Finaled	A (Commercial) (Alteration) project installing (2 Added or Altered Branch Circuits - 5 or less, 1 Light Fixtures - circuit) RELOCATE 1 OUTLET AND 1 LIGHT FIXTURE
E09-02449	Finaled	A (Commercial) (Alteration) project installing (7 7 Added or Altered Branch Circuits, 1 Switches - circuit) SEQ #36287
E09-02761	Finaled	A (Commercial) (Alteration) project installing (16 Low Voltage telecommunication system - Com.) 54-1179
E09-03089	Finaled	A (Commercial) (Alteration) project installing (10 10 Added or Altered Branch Circuits, 19 Light Fixtures - circuit)
E09-04093	Finaled	A (Commercial) (Replacement) project installing (12 12 Added or Altered Branch Circuits, 30 Light Fixtures - circuit, 10 Switches - circuit) SEQ #36302
E09-04095	Finaled	A (Commercial) (Alteration) project installing (12 12 Added or Altered Branch Circuits, 30 Light Fixtures - circuit, 22 Switches - circuit) SEQ #35188
E09-04344	Finaled	A (Commercial) (Alteration) project installing (12 12 Added or Altered Branch Circuits, 30 Light Fixtures - circuit, 9 Switches - circuit) JOB#2103 - TENANT IMPROVEMENT WITH FURNITURE WHIPS & CONNECTIONS
E09-04351	Finaled	Cascade Investments TI-A (Commercial) (Alteration) project installing (127 Low Voltage data cable system - Com.)
E09-04759	Finaled	A (Commercial) (Alteration) project installing (195 Low Voltage data cable system - Com.)
E09-05723	Finaled	A (Commercial) (Alteration) project installing (40 Low Voltage security system - Com.) SEQ #35188 - ACCESS CONTROL CABLING AND FIRE ALARM CABLING
E09-06725	Finaled	A (Commercial) (Alteration) project installing (2 Low Voltage security system - Com.)
E09-07376	Finaled	A (Commercial) (Alteration) project installing (5 Added or Altered Branch Circuits - 5 or less, 4 Light Fixtures - circuit, 2 Switches - circuit) JOB#2247 - TENANT IMPROVEMENT
E09-07604	Finaled	Balcon Investments TI-A (Commercial) (Alteration) project installing (2 Added or Altered Branch Circuits - 5 or less)
E10-02520	Finaled	A (Commercial) (Alteration) project installing (5 Added or Altered Branch Circuits - 5 or less, 6 Light Fixtures - circuit)
E10-02654	Issued	Poppin J Cafe TI-A (Commercial) (Alteration) project installing (20 Light Fixtures -

		circuit)
E10-05135	Finaled	A (Commercial) (Alteration) project installing (1 Low Voltage thermostat wire - Com.)
E10-06091	Finaled	A (Commercial) (Alteration) project installing (9 9 Added or Altered Branch Circuits, 27 Light Fixtures - circuit)
E10-06229	Finaled	A (Commercial) (Alteration) project installing (37 Low Voltage telecommunication system - Com.)
E10-08365	Finaled	2 Switches - circuit, 1 Added or Altered Branch Circuits - 5 or less, 1 New Switches - 20 or less)
E10-08776	Finaled	(1 Light Fixtures - circuit, 4 Receptacles - circuit, 1 Switches - circuit, 1 Added or Altered Branch Circuits - 5 or less, 1 New Light Fixtures - 20 or less, 1 New Receptacles - 20 or less, 1 New Switches - 20 or less)
E10-09853	Finaled	(1 New Light Fixtures - 20 or less, 1 New Receptacles - 20 or less)
E10-10354	Finaled	(1 Added or Altered Branch Circuits - 5 or less, 1 New Light Fixtures - 20 or less, 1 New Receptacles - 20 or less, 1 New Switches - 20 or less)
E11-02753	Finaled	(1 8 Added or Altered Branch Circuits)
E11-05202	Finaled	(1 Added or Altered Branch Circuits - 5 or less)
E11-05939	Cancelled	(25 Low Voltage data cable system - Com.)
E11-06906	Finaled	(1 Added or Altered Branch Circuits - 5 or less)
ELE00-00014	Finaled	Installation of Robertshaw communication system for H.V.A.C.
ELE00-00170	Finaled	Install approximately 199 lf of low voltage for audio/video located in conference room.
ELE00-00185	Finaled	Installing power to cubical.
ELE00-00189	Finaled	Add 4 duplex outlets, 6 fourplex outlets, 2 switches, and relocate 4 fixtures.
ELE00-00408	Finaled	Installation of one new 208v 18 kva ups. Convert six existing receptacles to ups (fed from 24 slot ups panel). Add six new wall receptacles, ups fe. Change feeder to phone room from utility to ups panel.
ELE00-00575	Finaled	Relocate existing lighting and receptacles, add (1) 15 amp, 480 volt heat pump circuit.
ELE00-00585	Finaled	Low voltage for fire alarm system
ELE00-00613	Finaled	40 data runs, 20 voice runs and 3 feed cables.
ELE00-00765	Finaled	Moving two plugs
ELE00-00880	Finaled	
ELE00-00930	Finaled	Reconfigure furniture, relocate walls, add or relocate outlets as necessary and relocate light fixtures. Tenant is Myrio.
ELE00-00952	Finaled	Relocate existing light fixtures, outlets and circuits for Wilson, Sonsini, Goodrich & Rosati. Added two thermostats to this permit on 1/9/01. Tlc. Changed value of job from 9,000.00 to 9,200.00 .
ELE00-00967	Finaled	Circuits for HVAC VAV boxes.
ELE01-00018	Finaled	Voice and data cable addition to new tenant space for Wilson Sonsini
ELE01-00068	Finaled	To install wiring for (1) New heat pump. 20 amp, 277 V 1. This tenant is on the 5th floor.
ELE01-00186	Finaled	Instal 480 volt, 20 amp circuit for heat pump. Install low voltage control wiring for thermostat.
ELE01-00282	Finaled	Relocate six 2x4 fixtures, three receptacles.
ELE01-00379	Finaled	Demo and relocate existing receptacles and install communication raceways.
ELE01-00418	Finaled	Wire remodel of existing office space.
ELE01-00441	Finaled	Install one new horn/strobe to add to fire alarm system.
ELE01-00442	Finaled	Relocate existing receptacles, add two switches, relocate existing 2x4 fixtures.
ELE01-00578	Finaled	To install one circuit for door access controls and install low voltage door access controls, cable and raceway
ELE01-00581	Finaled	10,000 lf to retrofit of devices per air handler and communication link between AHUs. 4000 BUILDING.
ELE01-00582	Finaled	10,000 lf to retrofit of devices per air handler and communication link between AHUs. BUILDING 3000.

ELE01-00716	Finaled	Rewire conference room power and add 13 recessed fixtures.
ELE01-00736	Finaled	Low voltage for setting up video conferencing in conference room.
ELE01-00755	Finaled	Demo duplex & connect fireplace electrical fan.
ELE02-00044	Finaled	Relocate card reader raceway, install (2) new 2x2 flourescent fixtures, new exit sign,
ELE02-00084	Finaled	Relocate power and lighting for hostess station, add (6) recessed fixtures, relocate power for waiting area, install back box and conduit for pull station and horn/strobe.
ELE02-00247	Finaled	Install duplex receptacles on existing circuit and relocate one power pole.
ELE02-00286	Finaled	To install devices and wiring for fire alarm upgrade. Provide control conduit and fiber optic intertie between bldg 1000 & 2000.
ELE02-00319	Finaled	Adding (1) 100 AMP Sub panel, adding (1) 70 amp, 480v,CKT to 45KVA transformer to new 100 AMP, 208 V panel.This is being added on the 4th floor corridors in the electrical room.
ELE02-00320	Finaled	Relocate existing power and ltg circuits for TI. Add(1) VAV connection., add(1) new 480v panel in data room. Add (2) heat pump CKTS. HVAC control wiring for (1) VAV, (2) heat pumps and (3) t-stats
ELE02-00425	Finaled	Install power for new cubicle furniture, new recpts for copiers.
ELE02-00452	Finaled	To install a low voltage security system and card access system, cameras , approx 2,500-3,000 linear feet.
ELE02-00459	Finaled	Installing voice/cable wires.
ELE02-00462	Finaled	Low voltage for voice and cable.
ELE02-00552	Finaled	To install 1 low bay parking fixture inside chain link storage area at Woodmark Hotel Service entranc. Fixture close to east wall & customer parking.
ELE03-00011	Finaled	1,000 lf of low voltage alarm system.
ELE03-00075	Finaled	Relocate existing light fixtures and receptacles. Relocate one horn/strobe.
ELE03-00156	Finaled	Low voltage voice and cata cabling for tenant BGI Cascade.
ELE03-00214	Finaled	Low voltage wiring for Carillon Properties (the tenant in this space). Fiber infrastructure to inter-building ties.
ELE03-00259	Finaled	Relocate existing circuits to new cut in location for open office furniture, demo electrical in office wall being removed. Added relocation of existing horm strobes 5-2-03. sia
ELE03-00271	Finaled	Installing low voltage cabling for phone/data.
ELE03-00297	Finaled	Install electrical, phone & date for Drs offices, reception & exam rooms.
ELE03-00303	Finaled	Provide and install card reader and maglocks on reception door-second floor. 300 lf of low voltage only being installed.
ELE03-00483	Finaled	Installation of (12) CAT 5 data cables within suite 2110.
ELE03-00562	Finaled	To install a low voltage security system for new tenant Hannigan/Adams Goldsmith Jewelers.
ELE03-00578	Finaled	Low voltage wiring for Building 2000 at Carillon Point.
ELE03-00594	Finaled	Low voltage wire for a burgler alarm system for Cascade Investments.
ELE03-00606	Finaled	Install 9 lights, 12 plugs and 5 switches.
ELE03-00722	Finaled	Line voltage for cooling tower-add one 20 amp 3 phase circuit, add two 20 amp 120 v GFI circuit, add two 40 amp 3 phase circuits, 460 v.
ELE03-00723	Finaled	Low voltage-EMCS controls.
ELE03-00730	Finaled	To install an Access Control system for tenant Cascade Investments.
ELE04-00013	Finaled	Tenant Improvement for Mercury Interactive. Relocate lights, relocate circuits for partitions, add new outlets and re-do switching for lights.2/12/04 added low voltage wiring for fire alarm. clc
ELE04-00039	Finaled	Demo existing receptacles and install new, relocate lighting and remove some, install less than 60% new for Greenpoint.
ELE04-00047	Finaled	Install one new programmable thermostat.
ELE04-00067	Finaled	Low voltage wiring for new tenant Mercury Interactive.
FI F04-00088	Finaled	Install neon cove lighting around reception desk and hallway for Greenpoint

ELE04-00098	Finaled	Low voltage wire for cctv & move access control for Greenpoint Technology.
ELE04-00129	Finaled	Supply power to ups system, supply power to 2 air conditioning units. Tenant is Mercury Interactive.
ELE04-00248	Finaled	Voice and data cabling for Cascade Investments.
ELE04-00267	Finaled	Install voice and data cabling for Eli Lilly.
ELE04-00283	Finaled	525 lf of security system for Cascade Investments in suite 2435.
ELE04-00295	Finaled	Relocate switches, add 2 duplex, 4 double duplex, relamp fixtures for Pacific Stevadoring.
ELE04-00309	Finaled	Electrical for 2 new AC units on Building 3000.
ELE04-00429	Finaled	Replace security controllers in first floor electrical room in 6000 building.
ELE04-00430	Finaled	Replace security controllers in first floor electrical room of building 2000.
ELE04-00431	Finaled	Replace security controllers in first floor electrical room in building 3000.
ELE04-00432	Finaled	Replace security controllers in first floor electrical room in 4000 building.
ELE04-00455	Finaled	Install low voltage wire for new dual maglock with maglock bbu power supply, pir and pushbutton on the main double door of Suite 3100 for NW Nasal & Sinus.
ELE04-00475	Finaled	Electrical for TI for Rotella Capital Management.
ELE04-00543	Finaled	Low voltage & data cabling for Rotella Capital Management.
ELE04-00563	Finaled	Tenant improvement of existing space relocate existing fixtures and relocate existing receptacles for West River Capital.
ELE04-00567	Finaled	Low voltage installation of phone and data cabling for tenant LTC Financial Partners located on the 5th floor North.
ELE04-00575	Finaled	Install one new programmable thermostat and relocate one thermostat for West River Capital on the 7th floor.
ELE04-00610	Finaled	Voice data cable for West River Capital.
ELE04-00641	Expired	Energy Management Control System for 3rd floor of Carillon Properties.
ELE04-00646	Finaled	Interlock two (2) computer room ac units to rooftop unit; for Rotella Capital.
ELE04-00710	Finaled	Installation of telecommunications voice/data for Cascade Investments.
ELE04-00765	Finaled	Electrical for tenant IBM - new panels, breaks, outlets, relocated panels, shut off & new busways.
ELE04-00830	Finaled	Relocate lights, switches, outlets, furniture connections for Greenpoint Technologies.
ELE05-00033	Finaled	Hookup electrical furniture workstations for tenant Greenpoint Technologies.
ELE05-00053	Finaled	Adding readers to an existing system. 6th floor.
ELE05-00390	Finaled	Electrical tenant improvement to move 5 fixtures and add 4 recepticals for tenant Bob Montgomery.
ELE05-00457	Finaled	MTM - 9 telephone cable drops.
ELE05-00464	Expired	Add an electronic access control unit.
ELE05-00484	Finaled	Electrical work for tenant improvement for Brislawn & Associates.
ELE05-00503	Cancelled	Install closed circuit video surveillance for Rotella Capital Management.
ELE05-00505	Finaled	Relocate one switch, demo three light fixtures and one outlet and install two recessed flourescent downlights. Tenant is Murphy & Assoc in suite 3445.
ELE05-00510	Finaled	Murphy & Associates - low voltage voice and data cable.
ELE05-00527	Finaled	Installing new Cat 5 and 6 cable drops and terminating on rackmont patch panels for tenant Brislawn-Lofton-Gregorek.
ELE05-00536	Finaled	Brislawn Lofton Gregoreck PLLC - relocate existing control: for VAV box unit.
ELE05-00608	Finaled	Rework existing power and lighting for tenant remodel.
ELE05-00609	Finaled	Rework existing power and lights, add 3 new lights and 5 120 volt circuits for general office power. Install voice and data cable.
ELE05-00643	Finaled	Relocate four existing thermostats for Dept of Homeland Security on 3rd floor.
ELE05-00645	Finaled	Low voltage security system for tenant the Department of Homeland Security.
ELE05-00651	Finaled	Installation of fire alarm system.

ELE05-00652	Finaled	Installation of fire alarm system in SUITE 2350. Space is vacant but was previously occupied by Eli Lilly.
ELE05-00665	Finaled	Telephone and low voltage data cabling for tenant Eagle River, sub-leasing to tenant ICO.
ELE05-00687	Finaled	Greenpoint Tech - relocation of outlets, switches and devices.
ELE05-00691	Pending	Low voltage wire for access control, cctv & alarm. Tenant is Greenpoint Technologies.
ELE05-00700	Finaled	To install low voltage data cabling for tenant Greenpoint Tech.
ELE05-00718	Finaled	Greenpoint - install electrical components into modular furniture.
ELE05-00727	Finaled	Install new t-stat for new heat pump for server room in BUILDING 4000.
ELE05-00730	Finaled	Install phone and data cabling for Rhapsody in Suite 4501 on the 4th floor.
ELE06-00015	Finaled	Greenpoint Tech - install CCTV, alarm and access system.
ELE06-00198	Finaled	Installation of Coax and CAT5 cables for Voice Data and TV for RBC Dain Rauscher
ELE06-00435	Finaled	Install low voltage controls for 1 new VAV box.
ELE06-00566	Finaled	Blue Water Bistro - relocate existing power and lights, install new lights.
ELE06-00607	Finaled	Wiring for ClearWire, floors 2, 3, * 4 at Carillon Point.
ELE06-00608	Finaled	Wiring for TI for Clearwire on 1st & 2nd floors.
ELE06-00609	Finaled	Wiring for TI for Clearwire on 4th Floor.
ELE06-00617	Finaled	Clearwire - floors 1 and 2 - install generator and UPS.
ELE06-00644	Finaled	Low voltage HVAC controls for 3rd & 4th floor. Tenant is Clearwire.
ELE06-00645	Finaled	Install low voltage HVAC controls for floors 1 & 2. Clearwire is tenant.
ELE07-00005	Finaled	Replace existing fire panel & devices with new fire panel & devises. Also asdding 2 power supplies.
ELE07-00010	Finaled	Telecom low voltage for phones/data for Carillon Properties Management.
ELE07-00021	Finaled	Clearwire - telecommunications cable installation.
ELE07-00055	Finaled	RBC Dain - installation of voice and data cables.
ELE07-00064	Finaled	Telecommunications cable installation for Clearwire.
ELE07-00067	Finaled	Office electrical TI to install new plugs, switches and lights, rough-in fire alarm for tenant Malcolm Pirnie.
ELE07-00111	Issued	Install door access control for Malcolm Pirnie.
ELE07-00117	Finaled	LTC Financial - add 120v circuit.
ELE07-00118	Finaled	LTC Financial - add 4 V/D jacks.
ELE07-00170	Finaled	Install 2 zone of VAV control for Greenpoint. Alerton System.
ELE07-00340	Finaled	Airline Intelligence Inc. - install burglar alarm and access control systems.
ELE07-00373	Finaled	Install CCTV system.
ELE07-00383	Finaled	TI no FA, Reducing load
ELE07-00478	Finaled	HVAC controls for 2 zones for Cascade Investments, Bdg 2000, Suite 2400.
ELE07-00482	Finaled	Change dedicated equipment circuit from 30 Amp-120 volt to 30 Amp-208 volt single phase.
ELE07-00495	Finaled	Movin circuits to new walls.
ELE07-00498	Finaled	Install network cabling for Cascade Investment in BLD 2000, floor 4, Suite 35.
ELE07-00507	Finaled	Install neon cove lighting.
ELE07-00536	Cancelled	Blue Water Bistro -intrusion alarm.
ELE07-00539	Finaled	T.I. Green Point 2 rooms with ceiling mounted projectors, speakers, and screens w/pc-video-audio cable runs.
ELE07-00547	Finaled	Watermark Estate - complete wiring for TI.
ELE08-00070	Finaled	HVAC controls- alerton.
ELE08-00089	Finaled	Starbucks - alter/add circuit for new casework layout.
ELE08-00131	Finaled	Waters Restaurant at Woodmark Hotel/Carillon Point - R&R light fixtures, switches, receptacles, rough-in for FA devices. 7/7/08 - adding 225 amp panel to scope of work per Clell.

ELE08-00158	Finaled	Waters Restaurant - install 5 horn/strobes, 1 power supply, move 1 smoke.
ELE08-00212	Finaled	Woodmark Hotel - 8 locations of video and data.
ELE08-00231	Finaled	Install low voltage voice/data.
ELE08-00243	Finaled	Add 6 new circuits.
ELE08-00260	Finaled	Low voltage intrusion and access control system and gate control.
ELE08-00392	Finaled	Move power poles at work stations on west side on 6th floor.
ELE08-00399	Finaled	IBM 3rd and 6th floors install (516) CAT 5E to existing infrastructure.
ELE08-00408	Finaled	BGI - rewire existing security system and video system to accomodate tenant improvements.
ELE08-00409	Finaled	Install low voltage data cabling for Cascade Investment.
ELE09-00022	Finaled	Low voltage wire removal and new installation.
ELE09-00054	Finaled	BGI TI-Rework systems for T.I. Low Voltage, burglar alarm, CCTV system & access control system.
ELE09-00109	Finaled	Suite 400 moving a light, adding a switch and adding 2 outlets.
ELE09-00124	Finaled	Alter and add circuits for new re-located walls.
ELE09-00144	Finaled	Relocate one thermostat.
ELE09-00152	Finaled	Relocate existing devices.
ELE09-00153	Approved	Interior TI of existing office space.
ELE09-00154	Finaled	Low voltage voice and cable.
ELE09-00167	Finaled	Re-locate 1 T-Stat
ELE09-00198	Finaled	Install 6 Data Voice locations.
ELE09-00224	Issued	The Bin Restaurant TI-Relocate 2 t-stats
ELE09-00225	Finaled	Cacade Investments TI-Relocate (6) t-stats & install (1) new t-stat.
ELE09-00228	Finaled	Relocate 9 thermostats.
ELE09-00251	Finaled	Install 4 new data drops.
ELE09-00252	Finaled	Low voltage video and burglar alarm device installation.
ELE09-00253	Finaled	Install low voltage controls for 2 VAU units.
ELE09-00260	Finaled	Cascade Investments TI-Termination of controllers in panels.
ELE09-00281	Finaled	Wire 2 existing card readers for building access control panel for tenant Clearwire.
ELE09-00357	Finaled	Convergent Wealth TI-Install voice and data cabling.
ELE09-00368	Finaled	Install low voltage controls for 1 new heat pump and 4 relocated room sensors for tenant Convergent Wealth. Heat pump on MEC09-00198.
ELE10-00111	Finaled	Remodeling lighting in tenant space.
ELE10-00120	Finaled	Installation of 20 fire devices and 1 poser unit.
ELE10-00146	Finaled	Low voltage for new voice data outlets.
ELE10-00156	Finaled	Add/Alter lighting, switches, convenience power, system furniture w/panel to panel connections and rough-in for fire alarm.
ELE10-00158	Finaled	Move existing outlets and equipment connections. Relocate existing lights and install owner provided fixtures.
ELE10-00191	Finaled	Install of 2 Fire Alarm Devices
ELE10-00196	Finaled	Install 25 thermostats.
ELE10-00205	Finaled	3rd floor ste 00, Low voltage access control (3 doors), prewire for low voltage alarm (burglar).
ELE10-00335	Finaled	Relocate and add to existing Burglar/access control and videi systems for Cascade Investments on the 4th floor.
ELE10-00405	Finaled	Install new fixtures and re-work existing fixtures for La Grande Bistro Restaurant. (okay to issue w/o plans per PAP).
ELE10-00418	Issued	Install 44 network drops for computers and phones.
ELE10-00436	Finaled	Energy efficient retrofit lighting upgrade for 4000 Building and garage fixtures totalling 725 fixtures and 18 circuits
FI F10-00437	Finaled	Energy efficient retrofit lighting upgrade for 2000 Building and Garage fixtures totaling

ELE10-00197	Final	Energy efficient retrofit lighting upgrade for 2000 Building and Garage fixtures totaling 1052 fixtures and 25 circuits
ELE10-00438	Final	Add two strobes to existing fire system.
ELE10-00439	Final	Voice and data cabling for tenant Eagle River.
ELE11-00021	Final	Relocation of existing circuits, addition of new light fixtures for Stellar holdings in Suite 50
ELE11-00051	Final	Low voltage for Fire Alarm Devices for Stellar
ELE11-00053	Final	install a 30 AMP circuit for laser for NW Face
ELE11-00106	Final	Rooftop Generator, generator service in tenant space for Cascade Investments
ELE11-00128	Issued	Relocate (4) cat 5E data cables in the Beach Cafe.
ELE11-00170	Final	Install 2 outside outlets for two light fixtures inside canopy for La Grande Bistro.
ELE11-00208	Final	Regus TI- Tenant Improvement (650 sq ft).
ELE11-00313	Final	Adding two fire devices.
ELE11-00381	Issued	Xtreme Consulting TII-Relocating existing light fixtures, demo of old office power reusing circuit for new offices.
ELE11-00386	Issued	Energy efficient retrofit, lighting upgrade.
ELE11-00387	Issued	Energy efficient retrofit, lighting upgrade.
ELE96-00019	Final	Relocate existing fixtures, add 4 downlights, add 49 switches, 74 outlets, 2 VAV boxes and demo.
ELE96-00102	Final	Tenant improvement - Venture Law Group, Install new voice data cabling
ELE96-00195	Final	tenant improvement-remodel of existing space. moving electrical only.
ELE96-00241	Final	install Robertshaw controls on (1) new heat pump, (1) vav box, (1) cooling only box.
ELE96-00256	Final	TENANT IMPROVEMENT - CELLULAR TELEPHONE CELL SITE AND ANTENNA
ELE96-00309	Final	Move lights (6), add ten recepticles in existing spaces.
ELE96-00485	Final	Rewire 11 2x4 fixtures, 6 wall switches, 5 duplex outlets, 4 fourplex outlets and misc. demo.
ELE96-00545	Final	Add (3) new 208F, 1 phase ckts for heater, evaporator and condensing units for Yarrow Bay Grill wine room.
ELE97-00124	Final	Tenant improvement for the Woodmark Hotel Sales & Catering Offices.
ELE97-00125	Final	Wiring for the Shell and core construction of restrooms and corridor space in currently vacant space
ELE97-00126	Final	Wiring for the Tenant improvement for Precision Aerospace.
ELE97-00202	Final	Tenant improvement for Teledesic on the 5th floor (3000 Bldg). Grounding, relocate 15 lights, emergency lighting ckts for 13 fixtures, new switching, outlets & dedicated ckts for furniture harnesses & new rooms, voice & data R/I, mech pwr & conn card reader.
ELE97-00215	Final	Low voltage energy management for HVAC control (open plenum wiring). Building 1000 - First Floor - North Space.
ELE97-00243	Final	tenant improvement - installation of non-load bearing partition walls addition of 6 new outlets
ELE97-00249	Final	Low voltage phone and data cable for the Tenant improvement for Teledesic 19,549 square feet on the 5th floor
ELE97-00259	Final	Low voltage voice and data cables
ELE97-00260	Final	low voltage voice and data cable
ELE97-00263	Final	Demolition, relocate card key, relocate power, move EPO, relocate UPS panel, relocate power for mechanical, branch circuits, lighting and switching for the Tenant improvement for Van Waters & Rogers B6100 1st and 2nd floors.
ELE97-00293	Final	install voice and data cabling as directed.
ELE97-00431	Final	Add dedicated ckts to new power poles, convert duplex to fourplex, add new fourplex, add dedicated neutral for copier.
ELE97-00690	Final	Add branch 100 amp, 480V service from existing service-refeed existing circuits-add three new circuits.
ELE97-00924	Final	Install 12,000 feet of Category 5 voice/data cable.

[ELE97-01110](#)

[Final](#)

Install new wall and ceiling light fixtures

ELE97-01110	Final	Install nurse call and elapsed timer system.
ELE97-01184	Final	Relocating existing circuits.
ELE97-01260	Final	ADD GENERATOR FOR EMERGENCY LOADS. P L A N S E N C L O S E D
ELE98-00242	Final	125 amp, 480 volt, 1 phase feeder with 50 dva tranformer to feed U.S. west cell site - includes grounding & telephone raceway.
ELE98-00254	Final	Install 1 single-face illuminated wall sign. Connect to 20 amp sign circuit.
ELE98-00354	Final	REWORK VESTIBULE, ADD SOFFIT AND RELOCATE CASH DRAWER
ELE98-00701	Final	Connect exhaust fan to existing 120 volt circuit.
ELE98-00721	Final	60 amp, 208/120 volt, single phase feeder to cellular equipment on roof.
ELE98-00776	Final	Tenant improvement--remodel of existing floor space. Demo existing electrical and install (34) light fixtures, (29) wall and floor outlets, (8) switches and (17) phone/data outlets.
ELE98-00819	Final	Relocate low voltage thermostats serving HVAC equipment.
ELE98-00915	Final	Phone and data cabling for Wells Fargo Bank.
ELE98-01190	Final	Wire office walls that are being relocated to change sizes of offices for Eli Lilly.
ELE98-01268	Final	Add a 400 amp circuit breaker and transformer for future capacity. No added load at this time.
ELE98-01282	Final	relocate existing receptacles and lighting
ELE98-01283	Final	RELOCATE EXISTING CIRCUIT AND LIGHTING
ELE98-01293	Final	Remodel of existing entry way.
ELE99-00058	Final	Low voltage permit for Van Waters and Rodgers
ELE99-00059	Final	Low voltage wiring for Cedar Grove.
ELE99-00302	Final	Add one 200 amp feeder and panel from existing service. Add outlets and circuits for heat pump.
ELE99-00352	Final	Relocate existing outlets & light fixtures per new layout. No new panes or feeders
ELE99-00365	Final	Install low voltage temperature controls
ELE99-00391	Final	Demo existing electrical-relocate existing light fixtures--add new switches and receptacles.
ELE99-00393	Final	Low voltage for voice/data (wire & outlets).
ELE99-00394	Final	Low voltage for installation of voice/data cabling and outlets.
ELE99-00415	Final	Install low voltage wiring to upgrade fire alarm for new tenant and low voltage wiring for adding and moving horn and strobs.
ELE99-00460	Final	Low voltage temperture controls.
ELE99-00545	Final	Relocate existing 2x4 fixtures, remove existing recessed fixtures and add (6) new 2x4 fixtures
ELE99-00552	Final	Tenant Improvement for Dr. Mixon's office
ELE99-00566	Final	Relocate existing fixtures and outlets
ELE99-00567	Final	Relocate existing fixtures and devices
ELE99-00599	Final	Low voltage wiring for voice and data.
ELE99-00611	Final	Low voltage temperture devices
ELE99-00624	Final	ADDING RECEPTICALS AND LINES FOR TENANT SPACES.
ELE99-00641	Final	Relocate existing light fixtures, switches and receptacles. Replace some existing fixtures with new per plans.
ELE99-00644	Final	Install 232 data cables.
ELE99-00648	Final	Move lights, outlets and switches.
ELE99-00649	Final	Install voice and data cabling.
ELE99-00675	Final	Wire remodel of existing office space.
ELE99-00681	Expired	Low voltage controls for HVAC. Relocation of system sensors and rerouting of communication trunk for system.
ELE99-00683	Expired	Low voltage controls for HVAC. Relocation of sensors and rerouting of communication trunk wiring for system
ELE99-00686	Final	Low voltage control system for HVAC. Relocate five room sensors

ELE99-00680	Finaled	Low voltage control system for HVAC. Relocate five room sensors.
ELE99-00699	Finaled	Install back boxes and low voltage wiring for fire alarm system
ELE99-00701	Finaled	Install back boxes and low voltage fire alarm system
ELE99-00721	Finaled	Relocae existing fixtures & receptacles
ELE99-00749	Finaled	Remodel existing space. Relocate lighting, switches, receptacles.
ELE99-00751	Finaled	Low voltage wiring for fire alarm. Fire alarm on a separate permit - FIR99-00139.
ELE99-00780	Finaled	relocate 95 fixtures 34 switches, 59 outlets, dishwasher, disposal and 23 furniture connections
ELE99-00802	Finaled	Low voltage for phone and data.
ELE99-00803	Finaled	Low voltage to tenant improvement
ELE99-00807	Finaled	Low voltage wiring for fire alarms install back boxes and trim devices
ELE99-00815	Finaled	5 camera video surveillance system.
ELE99-00827	Finaled	Install low voltage controls on HVAC equipment.
ELE99-00834	Finaled	Remodel existing tenant' space.
ELE99-00839	Finaled	Install back boxes and wiring for low voltage fire detection and notification.
ELE99-00840	Finaled	Install back boxes and wiring for low voltage fire detection and notification.
ELE99-00842	Finaled	Relocate existing fixtures and receptacles.
ELE99-00858	Finaled	Furniture system panel to panel hook-up only power feed by other
ELE99-00980	Finaled	Relocate existing fixtures and receptacles. Connect open office work station power strips and receptacles. Added 8,000 lf lv on 10/27/99
ELE99-00994	Finaled	Install low voltage fire alarm cable and backboxes
ELE99-01000	Finaled	Install panel to panel connection for partition/modular furniture system ONLY. Power feeds by others.
ELE99-01141	Finaled	Install back boxes & low voltage fire alarm cable. A seperate fire alarm permit will be applied for later. Tenant is Loc8.net.
ELE99-01142	Finaled	Relocate existing circuits, add new fixtures, demo existing fixtures
FCI00-00542	Pending	
FCI00-00646	Finaled	
FCI00-00948	Finaled	
FCI00-00949	Finaled	
FCI00-00950	Finaled	
FCI00-00951	Issued	
FCI00-00952	Issued	
FCI00-00953	Finaled	
FCI00-00954	Finaled	
FCI00-00955	Renewal	
FCI00-00956	Finaled	
FCI01-00085	Finaled	
FCI01-00122	Finaled	
FCI01-00221	Renewal	
FCI01-00278	Pending	
FCI01-00279	Pending	
FCI01-00280	Pending	
FCI01-00286	Finaled	
FCI01-00337	Finaled	
FCI01-00338	Finaled	
FCI01-00339	Finaled	
FCI01-00340	Finaled	
FCI01-00341	Issued	
FCI01-00359	Finaled	

FCI01-00360	Finaled	
FCI01-00362	Finaled	
FCI01-00363	Finaled	
FCI01-00364	Finaled	
FCI01-00376	Pending	
FCI01-00385	Pending	
FCI02-00133	Pending	
FCI02-00190	Pending	
FCI02-00248	Pending	
FCI02-00265	Finaled	
FCI02-00312	Pending	
FCI02-00313	Pending	
FCI02-00314	Pending	
FCI02-00315	Pending	
FCI92-00004	Pending	
FCI92-00014	Pending	R-1
FCI92-00049	Finaled	office building
FCI92-00054	Pending	office/parking garage
FCI92-00072	Pending	Commercial and residential property
FCI92-00090	Pending	Parking garage
FCI92-00108	Pending	restaurant
FCI92-00155	Pending	Hotel
FCI92-00218	Pending	
FCI92-00220	Pending	
FCI93-00509	Pending	
FCI93-00510	Pending	
FCI93-00511	Pending	
FCI93-00596	Pending	
FCI93-00651	Pending	Hotel
FCI94-00142	Finaled	
FCI94-00143	Finaled	
FCI94-00185	Finaled	
FCI94-00186	Finaled	
FCI94-00188	Issued	KEY- MAIN LOBBY ENTRANCE. HYDRANTS NEAR SPRINKLER/STANDPIPE CONNECT. ANNUNCIATOR-NOT LOCATED. STANDPIPES IN ALL STAIRWELLS, WET STANDPIPE.
FCI94-00199	Finaled	
FCI94-00200	Finaled	Annunciator panel by restrooms behind lobby entrance. Additional panels in security rooms for high tech computer equipment.
FCI94-00297	Pending	
FCI94-00298	Pending	
FCI94-00299	Pending	
FCI94-00300	Pending	
FCI94-00301	Pending	
FCI94-00316	Pending	
FCI94-00411	Pending	R-1
FCI94-00550	Finaled	
FCI94-00551	Finaled	
FCI94-00552	Finaled	
FCI94-00553	Finaled	
FCI94-00554	Finaled	

FCI94-00554	Finalled
FCI94-00555	Finalled
FCI94-00567	Finalled
FCI94-00568	Finalled
FCI94-00569	Finalled
FCI94-00570	Finalled
FCI94-00571	Finalled
FCI94-00572	Finalled
FCI94-00573	Finalled
FCI94-00575	Finalled
FCI94-00576	Finalled
FCI94-00577	Finalled
FCI94-00578	Finalled
FCI94-00579	Finalled
FCI94-00580	Finalled
FCI94-00581	Finalled
FCI94-00582	Pending
FCI94-00583	Finalled
FCI95-00321	Finalled
FCI95-00322	Finalled
FCI95-00325	Finalled
FCI95-00398	Pending
FCI95-00932	Pending
FCI95-00933	Pending
FCI95-00934	Finalled
FCI95-00935	Pending
FCI95-01738	Finalled
FCI95-01927	Finalled
FCI95-01929	Finalled
FCI95-01931	Issued
FCI95-01932	Issued
FCI95-01933	Issued
FCI95-01934	Issued
FCI95-01935	Pending
FCI95-01936	Issued
FCI95-01988	Pending
FCI95-01989	Cancelled
FCI95-01990	Finalled
FCI95-01991	Finalled
FCI95-01992	Finalled
FCI95-01993	Finalled
FCI95-01994	Issued
FCI95-01995	Issued
FCI95-01996	Issued
FCI95-01997	Pending
FCI96-00169	Finalled
FCI96-00170	Finalled
FCI96-00171	Finalled
FCI96-00172	Finalled

office building

[FCI96-00184](#) [Finaled](#)
[FCI96-00186](#) [Finaled](#)

[FCI96-00187](#) [Finaled](#)
[FCI96-00191](#) [Finaled](#)
[FCI96-00238](#) [Finaled](#)
[FCI96-00244](#) [Finaled](#)
[FCI96-00245](#) [Finaled](#)
[FCI96-00246](#) [Finaled](#)
[FCI96-00247](#) [Finaled](#)
[FCI96-00249](#) [Finaled](#)
[FCI96-00250](#) [Finaled](#)
[FCI96-00395](#) [Finaled](#)
[FCI96-00419](#) [Finaled](#)
[FCI96-00420](#) [Finaled](#)
[FCI96-00421](#) [Finaled](#)
[FCI96-00422](#) [Finaled](#)
[FCI96-00423](#) [Finaled](#)
[FCI96-00445](#) [Finaled](#)
[FCI96-00446](#) [Finaled](#)
[FCI96-00447](#) [Finaled](#)
[FCI96-00464](#) [Pending](#)
[FCI96-00465](#) [Finaled](#)
[FCI96-00469](#) [Finaled](#)
[FCI96-00472](#) [Finaled](#)
[FCI96-00473](#) [Finaled](#)
[FCI96-00474](#) [Finaled](#)
[FCI96-00475](#) [Finaled](#)
[FCI96-00480](#) [Finaled](#)
[FCI96-00481](#) [Finaled](#)
[FCI96-00483](#) [Finaled](#)
[FCI96-00484](#) [Finaled](#)
[FCI96-00616](#) [Finaled](#)
[FCI97-00125](#) [Pending](#)
[FCI97-00285](#) [Pending](#)
[FCI97-00331](#) [Pending](#)
[FCI97-00332](#) [Pending](#)
[FCI98-00193](#) [Finaled](#)
[FCI98-00233](#) [Finaled](#)
[FCI98-00234](#) [Finaled](#)
[FCI98-00235](#) [Finaled](#)
[FCI98-00294](#) [Pending](#)
[FCI98-00510](#) [Finaled](#)
[FCI98-00511](#) [Finaled](#)
[FCI98-00512](#) [Finaled](#)
[FCI98-00513](#) [Finaled](#)
[FCI98-00514](#) [Finaled](#)
[FCI98-00515](#) [Finaled](#)

[FCI98-00516](#) [Finaled](#)

office building

R-1

FCI98-00517	Finaled
FCI98-00518	Finaled
FCI98-00519	Finaled
FCI98-00521	Finaled
FCI98-00522	Finaled
FCI98-00523	Finaled
FCI98-00526	Finaled
FCI98-00527	Finaled
FCI98-00529	Finaled
FCI98-00530	Finaled
FCI98-00531	Finaled
FCI98-00533	Finaled
FCI98-00534	Finaled
FCI98-00535	Finaled
FCI98-00537	Finaled
FCI98-00539	Finaled
FCI98-00541	Finaled
FCI98-00542	Finaled
FCI98-00543	Finaled
FCI98-00545	Finaled
FCI98-00546	Finaled
FCI98-00547	Finaled
FCI98-00548	Finaled
FCI98-00549	Finaled
FCI98-00550	Finaled
FCI98-00551	Finaled
FCI98-00552	Finaled
FCI98-00553	Finaled
FCI98-00554	Finaled
FCI98-00555	Finaled
FCI98-00556	Finaled
FCI98-00557	Finaled
FCI98-00558	Finaled
FCI98-00559	Finaled
FCI98-00560	Finaled
FCI98-00561	Finaled
FCI98-00562	Finaled
FCI98-00563	Finaled
FCI98-00564	Finaled
FCI98-00565	Finaled
FCI98-00566	Finaled
FCI98-00567	Finaled
FCI98-00568	Finaled
FCI98-00569	Issued
FCI98-00570	Finaled
FCI98-00635	Finaled
FCI98-00774	Finaled
FCI99-00578	Pending
FCI99-00827	Finaled
FCI99-00910	Finaled

FCI99-00949	Finalled
FCI99-00950	Finalled
FCI99-00951	Finalled
FCI99-00952	Finalled
FCI99-00953	Finalled
FCI99-00954	Finalled
FCI99-00955	Finalled
FCI99-00956	Finalled
FCI99-00957	Finalled
FCI99-00958	Finalled
FCI99-00959	Finalled
FCI99-00960	Finalled
FCI99-00961	Finalled
FCI99-00962	Finalled
FCI99-00963	Finalled
FCI99-00964	Finalled
FCI99-00965	Finalled
FCI99-00966	Finalled
FCI99-00967	Finalled
FCI99-00968	Finalled
FCI99-00969	Finalled
FCI99-00970	Finalled
FCI99-00971	Finalled
FCI99-00972	Finalled
FCI99-00973	Finalled
FCI99-00974	Finalled
FCI99-00975	Finalled
FCI99-00976	Finalled
FCI99-00977	Finalled
FCI99-00978	Finalled
FCI99-00980	Finalled
FCI99-00981	Finalled
FCI99-00982	Finalled
FCI99-00983	Finalled
FCI99-00984	Finalled
FCI99-00985	Finalled
FCI99-00986	Finalled
FCI99-00987	Finalled
FCI99-00988	Finalled
FCI99-00989	Finalled
FCI99-00990	Finalled
FCI99-00991	Finalled
FCI99-00992	Finalled
FCI99-00993	Pending
FCI99-00994	Finalled
FCI99-00995	Finalled
FCI99-00996	Finalled
FCI99-00997	Finalled
FCI99-00998	Finalled
FCI99-00999	Finalled

FCI99-00999	Finaled	
FCI99-01000	Finaled	
FCI99-01001	Vacant	
FCI99-01002	Finaled	
FCI99-01003	Finaled	
FCI99-01004	Finaled	
FCI99-01005	Finaled	
FCI99-01006	Finaled	
FCI99-01007	Finaled	
FCI99-01008	Finaled	
FCI99-01009	Finaled	
FCI99-01010	Finaled	
FCI99-01011	Finaled	
FCI99-01012	Finaled	
FCI99-01013	Finaled	
FCI99-01014	Finaled	
FCI99-01015	Finaled	
FCI99-01016	Finaled	
FCI99-01017	Finaled	
FCI99-01018	Finaled	
FCI99-01019	Finaled	
FCI99-01020	Finaled	
FCI99-01021	Finaled	
FCI99-01022	Finaled	
FCI99-01023	Finaled	
FCI99-01024	Finaled	
FCI99-01025	Vacant	
FCI99-01026	Finaled	
FCI99-01031	Finaled	
FIR00-00007	Finaled	Fire alarm system for Loc8.net
FIR00-00048	Finaled	Sprinkler system for Souce Net
FIR00-00078	Finaled	Fire Alarm system for Carillon Properties
FIR00-00115	Finaled	Sprinkler system revisions for BGI
FIR00-00119	Finaled	Fire Alarm system revisions for BGI Group
FIR00-00123	Finaled	Sprinkler system for the tenant Wilson/Sonsini
FIR00-00173	Finaled	Install sprinkler system in Carillon point garage.
FIR01-00057	Finaled	Fire Sprinkler system revisions in Imperial Bank.
FIR01-00063	Finaled	Install new strobe and move one existing strobe in Imperial Bank.
FIR01-00121	Finaled	Fire alarm revisions for Yarrow Beach Cafe. (per the customer's request, no electrical permit with this FA as there will be a different electrician)
FIR02-00007	Finaled	Installing dry standpipe at Carillon Marina (existing marina standpipe will not hold hydro)
FIR02-00017	Finaled	Install sprinker system for tenant IBM
FIR02-00033	Finaled	Install sprinkler system for Yarrow Bay Beach Cafe
FIR02-00060	Finaled	Upgrade existing fire alarm system in Woodmark Hotel
FIR02-00076	Finaled	Fire Alarm for The Main Sail
FIR02-00087	Finaled	Install sprinkler system for tenant BGI
FIR02-00090	Finaled	Install Fire Alarm for tenant BGI
FIR02-00109	Finaled	Install Sprinkler system for Who's Calling.
FIR03-00019	Finaled	Install fire alarm system for Marina Room. Electrical to be applied for by NetVerSant

(per Rob Scovel).

FIR03-00021	Finaled	Install low voltage fire protection system for Empire Building (entire building).
FIR03-00022	Finaled	Sprinkler (Spr) permit for woodmark Hotel Marina Room
FIR03-00023	Finaled	Install sprinkler system for Cascade Investments Accounting.
FIR03-00054	Finaled	Sprinkler system for Who's Calling
FIR03-00058	Finaled	Install fire alarm system for Whoscalling.com. Electrical covered under ELE03-00259.
FIR03-00059	Finaled	Sprinkler system for NW Nasal & Sinus Clinic
FIR03-00076	Finaled	Low Voltage Fire Alarm System for NW Nasal Sinus Clinic
FIR03-00101	Finaled	Sprinkler system for Venture Law
FIR03-00115	Finaled	Sprinkler system for Silicon Valley Bank
FIR03-00133	Finaled	Sprinkler permit for Cascade Investments
FIR03-00144	Finaled	Fire Alarm system for Cascade Investments. Electrical is separate ELE03-02332
FIR03-00146	Finaled	Low voltage and Fire Alarm installation for Sierra Travel Suite 2270
FIR04-00001	Finaled	Installation of Fire Sprinkler permit at Mercury Interactive
FIR04-00016	Finaled	sprinkler system for Greenpoint Technologies
FIR04-00019	Finaled	Fire Alarm/Low Voltage fire permit for Mercury Interactive
FIR04-00020	Finaled	Fire Alarm/Low Voltage permit for Greenpoint Technologies
FIR04-00030	Finaled	Sprinkler permit for Mercury Interactive
FIR04-00031	Finaled	Installation of system for NW Nasal Sinus
FIR04-00034	Finaled	Fire Alarm/Low Voltage Electrical Permit for Carillon Properties
FIR04-00046	Finaled	sprinkler permit for Cascade Investment
FIR04-00049	Finaled	Fire alarm/low voltage electrical permit for Cascade Investments
FIR04-00059	Finaled	Installation of Sprinkler system for Tenant Pacific Stevedoring.
FIR04-00063	Finaled	Fire Alarm Low Voltage electrical permit for Pacific Stevedoring
FIR04-00096	Finaled	Installation of manual standpipe on docks A,B,&C.
FIR04-00115	Finaled	Installation of Sprinkler for LTC Financial.
FIR04-00127	Finaled	Installation of fire alarm, and low voltage.
FIR04-00130	Finaled	Installation of Fire Alarm for Rotella Capital Investments. (low voltage on separate permit ELE04-00475)
FIR04-00140	Finaled	Sprinkler system for West River Capital
FIR04-00141	Finaled	Fire Alarm & low voltage Electric permit for Rotella Capital Management server room
FIR04-00144	Finaled	Installation of sprinklers for TI, Rotella Capital Management.
FIR04-00157	Finaled	Installation of fire alarm for West River Capital T.I. Electrical covered under Ele04-00563.
FIR04-00171	Finaled	Sprinkler system for Cascade Investments
FIR04-00185	Finaled	Installation of Fire Alarm for Cascade Investments. Electrical covered under E04-05893
FIR05-00013	Finaled	Installation of sprinkler systems for IBM Tenant Improvement.
FIR05-00018	Finaled	Fire Alarm system for IBM
FIR05-00026	Finaled	Upgrading existing Fire Alarm system for building 4000 and low voltage.
FIR05-00102	Finaled	Installation of Fire Alarm and low voltage TI at P.O.B. Montgomery TI .
FIR05-00103	Finaled	Installation of Sprinkler System for TI at POB Montgomery.
FIR05-00108	Finaled	SPRINKLER PERMIT FOR demolition of sprinkler pipe at canopy at CUCINA CUCINA
FIR05-00110	Finaled	Installation of fire alarm and low voltage for TI at Brislawn-Lofton-Gregork.
FIR05-00116	Finaled	Installation of Sprinkler for TI at Brislawn Lofton Gregorek
FIR05-00117	Finaled	Installation of Fire Alarm and Low Voltage.
FIR05-00122	Finaled	Remove 210 pendent sprinklers and replacing with quick response. All on 4th floor.
FIR05-00154	Finaled	Installation of a Fire Alarm for D.H.S. Tenant improvement. Electrical is covered under Ele05-00651
FIR05-00155	Finaled	Installation of Fire Alarm for empty tenant improvement-space is vacant. Low voltage is covered under EIE05-00652.

FIR05-00156	Issued	Installation of Sprinkler for DHS TI.
FIR05-00157	Finaled	Installation of Sprinkler for TI tenant vacant.
FIR05-00178	Finaled	Fire alarm/low voltage permit for Greenpoint Technologies
FIR05-00195	Finaled	Sprinkler system for Rhapsody Partners
FIR05-00197	Finaled	Fire Alarm and Low voltage electrical permit for Rhapsody
FIR06-00056	Finaled	Installation of sprinkler for TI for tenant Dain Rauscmer.
FIR06-00065	Finaled	Fire Alarm/Low voltage electrical permit for RBC Dain Rauscher
FIR06-00159	Finaled	Install fire alarm for TI @ /Experian TI
FIR06-00162	Finaled	installation of sprinklers for TI @ Greenpoint Technologies.
FIR06-00178	Finaled	install fire alarm for TI @ Greenpoint Tech. Low Voltage covered under e06-06267
FIR06-00216	Finaled	installation of sprinklers for floors 2, 3 and 4 @ Clearwire
FIR06-00217	Finaled	Install sprinkler system for ste 4100
FIR06-00218	Finaled	installation of sprinklers floors 1 & 2.
FIR07-00003	Finaled	Fire Alarm for 1st floor TI @ Carrillon Point. Low Voltage covered under e06-07352
FIR07-00009	Finaled	Fire Alarm for TI at Clearwire BLD 4000. Low voltage is covered under E07-00348. (Evergreen Power Systems).
FIR07-00010	Finaled	Install Fire Alarm for TI at Clearwire 1 & 2nd floor. Low Voltage permit number E07-00349. (Evergreen Power System)
FIR07-00011	Finaled	replace existing fire panel, and adding ada strobes to supplement existing horns for building 6100. Low Voltage permit covered under ELE07-00005.
FIR07-00013	Finaled	Sprinkler installation for TI @ Dain Rauscher.
FIR07-00014	Finaled	Installation of Fire Alarm and lowvoltage for TI at RBC Dain Rauschmer
FIR07-00015	Finaled	fire alarm revision for detection system for pre-action sprinklers in the Server/IT lab only. Electrical covered under ELE07-00349
FIR07-00025	Finaled	Install sprinklers for TI at Malcolm Pirnie/Cariollon PT II Floor 3
FIR07-00028	Finaled	Install Fire Alarm for TI at Malcom Pirnie TI, low voltage permit ELE07-00067.
FIR07-00042	Finaled	Installation of Sprinkler system..
FIR07-00051	Finaled	installation of Fire Alarm for TI test and research area. Low Voltage covered under e07-01521.
FIR07-00165	Finaled	Low voltage fire protection system installation for Cascade Investments T.I.
FIR07-00186	Issued	SPRINKLERS for Drake Mortgage TI
FIR07-00188	Finaled	SPRINKLER -Greens Point, 4500Carillon Point, 5th Floor.
FIR07-00193	Finaled	Sprinklers for Cascade Investments
FIR07-00195	Finaled	Fire Alarm added to Suite 500, Greenpoint Technologies
FIR07-00238	Finaled	SPRINKLER added to Dain Rauscher
FIR08-00008	Finaled	SPRINKLER added to 7th Floor Carillon Point. 4750 Carillon Point.
FIR08-00012	Finaled	FIRE ALARM added to Suite3760 RBC Dain Rauscher
FIR08-00038	Finaled	Fire Alarm added to Parking Garage, 1st Floor 4110, and 7th Floor 4700 for Water Mark T.I.
FIR08-00043	Cancelled	SPRINKLERING IBM SERVER ROOM 2nd FLOOR.
FIR08-00068	Finaled	SPRINKLERS added to WATERS RESTAURANT
FIR08-00087	Finaled	FIRE ALARM added to Waters Restaurant
FIR08-00155	Issued	SPRINKLER added to phase 2 of 7th floor
FIR08-00165	Finaled	SPRINKLER added to suite #2365
FIR08-00194	Finaled	FIRE ALARM W/LOW VOLTadded to a Comm TI.
FIR09-00033	Finaled	FIRE ALARM AND ELECTRIC added to suite 70
FIR09-00049	Finaled	SPRINKLER added to suite 4110
FIR09-00054	Finaled	FIRE ALARM added to suite 4110
FIR09-00062	Finaled	SPRINKLER added to Beach Cafe
FIR09-00069	Finaled	FIRE ALARM added to Beach Cafe

FIR09-00083	Finaled	SPRINKLER added to Suite250 in Building 4000
FIR09-00087	Finaled	Sprinkler revision for "The Bin on the Lake"
FIR09-00089	Finaled	SPRINKLER added to 300, A401,E401
FIR09-00093	Finaled	FIRE ALARM added to Bin on The Lake
FIR09-00094	Finaled	FIRE ALARM added to Suite 65 Cascade Investments
FIR09-00095	Finaled	FIRE ALARM & ELECTRICAL PERMIT added to Suite 250 Clearwire
FIR09-00120	Finaled	SPRINKLER added to 4th FLOOR
FIR09-00121	Finaled	FIRE ALARM added to Suite 3400
FIR10-00052	Finaled	SPRINKLER added to Building 1000 , 1st floor.
FIR10-00053	Finaled	FIRE ALARM added to SPA.
FIR10-00066	Finaled	SPRINKLER added to 4th Fl.
FIR10-00071	Finaled	SPRINKLER added to suite 300
FIR10-00074	Finaled	FIRE ALARM added to suite 300
FIR10-00081	Issued	FIRE ALARM added to suite 400
FIR10-00120	Finaled	SPRINKLER added to Suite2415
FIR10-00136	Finaled	FIRE ALARM & ELECTRICAL added to Suite 2415
FIR10-00161	Finaled	FIRE ALARM strobes added to 4th Floor
FIR10-00171	Finaled	SPRINKLER added to 3rd Floor
FIR11-00023	Finaled	FIRE ALARM added to building
FIR11-00072	Finaled	SPERINKLER added to Suite 5270
FIR11-00077	Finaled	SPRINKLER added to suite 100
FIR11-00079	Finaled	Fire alarm changes added to 2nd floor
FIR11-00104	Finaled	SPRINKLER added to 2nd floor
FIR11-00110	Finaled	FIRE ALARM added to 5250
FIR11-00137	Approved	SPRINKLER added to 5th floor
FIR91-00024	Finaled	FIRE ALARM SYSTEM
FIR91-00036	Finaled	SPRINKLERS IN STORAGE ROOMS
FIR91-00037	Finaled	
FIR92-00017	Finaled	SPRINKLERS
FIR92-00020	Finaled	ADDITION TO FIRE ALARM SYSTEM
FIR92-00032	Finaled	SPRINKLERS
FIR92-00034	Finaled	fire alarm permit for Ragen Mackenzie, brokerage
FIR92-00044	Finaled	fire alarm system installation for Next Computer
FIR92-00050	Finaled	SPRINKLERS, ADDITION AND RELOCATION
FIR92-00051	Finaled	SPRINKLERS
FIR92-00052	Finaled	installation of fire alarm system for Merck, Sharp and Dohme tenant
FIR92-00076	Finaled	Addition to fire alarm system
FIR92-00077	Finaled	Addition to sprinkler system
FIR92-00078	Finaled	Additon to sprinkler system
FIR92-00092	Finaled	Addition to existing sprinkler system
FIR92-00093	Finaled	Addition to existing sprinkler system
FIR92-00101	Finaled	ADDITION TO EXISTING FIRE ALARM SYSTEM
FIR92-00102	Finaled	ADDITION TO EXISTING FIRE ALARM SYSTEM
FIR92-00120	Finaled	SPRINKLER ADDITION FOR CELLULAR ONE
FIR92-00141	Finaled	Fire Alarm system for Babcock and Brown, investment banking - 7th floor, 2100 square feet.
FIR92-00142	Finaled	ADDITION TO EXISTING SPRINKLER SYSTEM
FIR92-00145	Finaled	Addition to existing sprinkler system for Babcock and Brown,
FIR92-00146	Finaled	Addition to existing fire alarm system
FIR92-00150	Finaled	addition to existing fire alarm system

FIR92-00150	Finaled	addition to existing fire alarm system
FIR92-00152	Finaled	addition to sprinkler system
FIR93-00009	Finaled	Addition to existing sprinkler system --tenant revision
FIR93-00011	Finaled	Addition to existing system
FIR93-00022	Finaled	Addition to sprinkler system
FIR93-00030	Finaled	Fire alarm system for Johnson Plastic Surgery
FIR93-00038	Finaled	Addition to fire alarm system
FIR93-00050	Finaled	Addition to existing sprinkler system
FIR93-00051	Finaled	Addition to existing sprinkler system
FIR93-00053	Finaled	Addition to existing fire alarm system
FIR93-00054	Finaled	Addition to existing fire alarm system
FIR93-00064	Finaled	Hood and Duct - Cucina Cucina Restaurant.
FIR93-00065	Finaled	Addition to existing sprinkler system
FIR93-00074	Finaled	Addition to existing fire alarm system
FIR93-00087	Finaled	Fire alarm system for IBM Corp. (18,749 square feet on 6th floor). Suite 3600
FIR93-00094	Finaled	Addition to sprinkler system for IBM Corp. (18,749 square feet entire 6th floor). Suite 3600
FIR93-00097	Finaled	Addition to existing sprinkler system for Prime Advisors
FIR93-00103	Finaled	Addition to existing fire alarm system for Prime Advisors
FIR93-00137	Finaled	Fire alarm revision T.I.
FIR93-00138	Finaled	Sprinkler system revision
FIR94-00032	Finaled	Addition to existing sprinkler System
FIR94-00034	Finaled	Addition to existing fire alarm system
FIR94-00037	Finaled	Addition to existing sprinkler system
FIR94-00045	Finaled	Addition to existing fire alarm system
FIR94-00046	Finaled	Addition to existing sprinkler system
FIR94-00048	Finaled	Addition to existing sprinkler system
FIR94-00049	Finaled	addition to existing fire alarm system
FIR94-00050	Finaled	Addition to existing fire alarm system
FIR94-00052	Finaled	Addition to existing sprinkler system
FIR94-00054	Finaled	Addition to existing sprinkler system
FIR94-00067	Finaled	Fire alarm system for Hoffman, Hart, and Wagner
FIR94-00074	Finaled	Revision of existing fire alarm system
FIR94-00075	Finaled	Addition to existing sprinkler system
FIR94-00076	Finaled	Tenant improvement in common area corridor - 3200 Building Fire Alarm Permit
FIR94-00078	Finaled	Sprinkler system for suite 2300, Teledesic
FIR94-00083	Finaled	Addition to existing sprinkler system
FIR94-00087	Finaled	Addition to existing sprinkler system.
FIR94-00092	Finaled	Addition to existing sprinkler system
FIR94-00103	Finaled	Addition to existing sprinkler system
FIR94-00104	Finaled	Addition to existing Fire alarm system
FIR94-00112	Finaled	Addition to existing sprinkler system
FIR94-00114	Finaled	Addition to existing sprinkler system
FIR94-00118	Finaled	Addition to existing Fire alarm system
FIR94-00148	Finaled	Addition to existing fire alarm system
FIR94-00153	Finaled	Addition to existing fire alarm system
FIR94-00162	Finaled	Addition to existing sprinkler system
FIR94-00184	Finaled	Addition to existing sprinkler system
FIR95-00018	Finaled	Fire sprinkler McCaw ICS 4th floor
FIR95-00079	Finaled	Revision to existing sprinkler system

FIR95-00041	Finaled	Revision to existing Fire Alarm system
FIR95-00101	Finaled	Revision to existing sprinkler system
FIR95-00102	Finaled	Revision to existing fire alarm system for Emerald Mortgage.
FIR95-00114	Finaled	Revision of existing sprinkler system
FIR95-00118	Finaled	Revision to existing Fire Alarm system
FIR95-00119	Finaled	Sprinkler system for Eagle River II
FIR95-00127	Finaled	Revisions to existing sprinkler system
FIR95-00130	Finaled	Revision to existing fire alarm system
FIR95-00131	Finaled	Revisions to existing fire alarm system
FIR95-00135	Finaled	Revision of existing sprinkler System for Erickson, Inc., second floor.
FIR95-00138	Finaled	Extend building sprinkler system to outdoor covered seating area.
FIR95-00144	Finaled	Fire Alarm system for Ericsson, Inc., Suite 2410
FIR95-00151	Finaled	Replace the existing fire alarm panel which covers the marina dock
FIR96-00013	Finaled	Revision of existing sprinkler system for Portola Group
FIR96-00017	Finaled	Revision of existing fire alarm system for Portola Group
FIR96-00053	Finaled	Revision to existing sprinkler sytem for A.G. Edwards & Sons.
FIR96-00054	Finaled	Revision to existing sprinkler system for Brad Thompson.
FIR96-00055	Finaled	Revision of an existing fire alarm system for A.G. Edwards & Sons.
FIR96-00058	Finaled	Revision to existing Sprinkler system for Eagle River Private Offices, Building 2, Floor 3.
FIR96-00064	Finaled	Revision to existing sprinkler system for Suite 4600, Continental Credit Services, Inc. - 6th & 7th floors.
FIR96-00074	Finaled	Revision to existing sprinkler system for Merck, Sharp and Dehme.
FIR96-00078	Finaled	Revision to existing Fire Alarm System for the Merck Suite, fourth floor, Carillon Point.
FIR96-00079	Finaled	Revision of existing Fire alarm system for Eagle River suite.
FIR96-00080	Finaled	Revision to existing Fire Alarm System for Continental Credit Services, Inc. - Suite 4600.
FIR96-00084	Finaled	Revision to existing sprinkler system for Kistler Aerospace, Suite 3760
FIR96-00097	Finaled	Revision to existing sprinkler system for tenant improvement - Venture Law Group
FIR96-00098	Finaled	Revision to existing fire alarm system - Venture Law Group, on the 6th floor.
FIR96-00118	Finaled	Revision to existing fire alarm system for IBM, 2nd and 3rd floors.
FIR96-00122	Finaled	Revision of existing Sprinkler system for tenant improvement for IBM.
FIR96-00128	Finaled	Revision to existing sprinkler system for IBM.
FIR96-00137	Finaled	Revision to existing fire alarm system--Tenant improvement for Teledesic
FIR96-00166	Finaled	Sprinkler system revision for Teledesic
FIR96-00190	Finaled	Sprinkler system for Teledesic Corporation tenant improvement.
FIR96-00193	Finaled	Revision to existing Fire alarm system
FIR97-00005	Finaled	Fire alarm and low voltage for Woodmark Hotel Sales Office
FIR97-00013	Finaled	Revision to existing sprinkler system for the Woodmark Hotel "North Space"
FIR97-00015	Finaled	Revision of existing fire alarm and wiring for the tenant improvement for Precision Aerospace.
FIR97-00020	Finaled	Revision of existing fire alarm system for the tenant improvement at Teledesic 19,549 square feet on the 5th floor
FIR97-00030	Finaled	Revision of existing sprinkler system for the Tenant improvement for Van Waters & Rogers B6100 1st and 2nd floors.
FIR97-00032	Finaled	Revision to existing fire sprinkler system for tenant improvement for Teledesic 19,549 square feet on the 5th floor
FIR97-00045	Finaled	Revision to existing fire alarm system--tenant improvement for Van Waters Rogers
FIR97-00051	Finaled	Revision to existing sprinkler system for kistler T.I.
FIR98-00076	Finaled	Low voltage fire alarm system for Yarrow Bay Grill

FIR98-00077	Finaled	Sprinkler system for Yarrow Bay Grill
FIR98-00145	Finaled	Fire suppression system for new cellular telephone site at existing building.
FIR98-00149	Finaled	Sprinkler system for Wells Fargo Bank.
FIR98-00236	Finaled	Low voltage fire alarm permit to add horn/strobe in conference room to meet ADA
FIR99-00002	Finaled	Fire alarm system with electrical for Cedar Grove Investments.
FIR99-00007	Finaled	Low voltage fire alarm system for Van Water and Rogers
FIR99-00012	Finaled	Sprinkler alteration for Woodmark Hotel vestibule (as built will be submitted after the work is completed).
FIR99-00014	Finaled	Sprinkler system for Cedar Grove
FIR99-00057	Finaled	Sprinkler system for Cooley Godward Law Offices.
FIR99-00061	Finaled	Fire alarm system for Venture Law
FIR99-00065	Finaled	Sprinkler system for Venture Law
FIR99-00102	Finaled	Sprinkler system for Blakey
FIR99-00104	Finaled	Sprinkler system for Dr. Mixon's Office.
FIR99-00107	Finaled	Fire alarm with Electrical for Blakey Sokoloff.
FIR99-00110	Finaled	Sprinkler system for Merk.
FIR99-00111	Finaled	Sprinkler system for Carillon Point Corporate Headquarters.
FIR99-00113	Finaled	Low voltage fire alarm system for Merck & Co.
FIR99-00126	Finaled	Sprinkler system for Imperial Bank.
FIR99-00135	Finaled	Install fire alarm and electrical for Imperial Bank.
FIR99-00136	Finaled	Install fire alarm for Gary Stevens
FIR99-00138	Finaled	Fire alarm and related electrical. for TIAA CREF
FIR99-00139	Finaled	Install fire alarm for Who's calling
FIR99-00141	Finaled	Fire alarm and low voltage for tenant improvement for Prime Advisors.
FIR99-00143	Finaled	sprinkler system revisions for Who's Calling
FIR99-00145	Finaled	Sprinkler revision for Prime Advisors
FIR99-00151	Finaled	sprinkler system revisions at Silicon Valley TI
FIR99-00153	Finaled	sprinkler system revisions for Aditi Corporation (TI).
FIR99-00159	Finaled	Sprinkler systems for Spa Csaba
FIR99-00164	Finaled	Fire alarm system for Aditi Corporation. They have already applied for the electrical separately.
FIR99-00168	Finaled	Fire alarm system for The Spa at Woodmark
FIR99-00169	Finaled	Fire alarm system for Silicon Valley Bank
FIR99-00206	Finaled	Sprinkler system for Pristine Capital.
FIR99-00211	Finaled	Fire alarm system for Pristine Capital
FIR99-00241	Finaled	SPRINKLER SYSTEM FOR LOC8.NET
HAZ89-00001	Pending	removal of underground storage tank (old oil tank) discovered during construction
LSM01-00022	Issued	Clean out of three sedimentation ponds on Urban stream Carillon Creek.
MEC08-00044	Finaled	Install 5 feet of gas piping.
MEC08-00046	Finaled	Replace cooling tower, like for like, in the 4000 building
MEC08-00059	Finaled	Replace 21 grills at same locations, and add one 35 pound VAV Strap mounted to ceiling. No electrical heat units.
MEC08-00074	Finaled	Add one 35 pound VAV Strap mounted to ceiling . No electrical heat units
MEC08-00081	Finaled	Install refrigeration system for Wine Room.
MEC08-00144	Finaled	Relocate 1 VAV Pinch Box without heat and install 1 new 35 - 1 lb Pinch Box without heat with hangar strap and cable.
MEC09-00010	Finaled	Install 16 lb. exhaust fan in office area.
MEC09-00066	Finaled	Install new and relocate existing diffusers and duct work.
MEC09-00078	Finaled	Install 1 new diffuser & re-locate 1 VAV box & 3 diffusers.
MEC09-00103	Finaled	Cascade Investments TI Install (1) new 35 lb pinch box without heat and associated

MEC09-00103	Final	Cascade Investments TI-Install (1) new 21 lb pinch box without heat and associated ductwork.
MEC09-00106	Cancelled	Install 2 new VAV boxes, 1 new pinch box, 1 new exhaust fan and associated duct wire.
MEC09-00198	Final	Install one new water source heat pump for server room A/C for Convergent Wealth.
MEC10-00072	Final	Relocate 103 diffusers& 23 VAVs for tenant Taiyo Pacific.
MEC10-00076	Final	Relocate 6 diffusers and 3 exhaust grilles , associated ductwork, move 3 thermostats.
MEC10-00188	Final	Cascade Investments TI-Install (1) 65 lb VAV box and relocate (7) diffusers with ductwork, (1) new thermostate and relocate (3).
MEC10-00250	Final	reconfigure cook line, gas piping to accommodate new gas appliances.
MEC10-00254	Final	Install one 13# exhaust fan, and relocated 4 diffusers and associated ductwork for tenant Gregorek.
MEC10-00256	Final	Relocate 4 thermostats and 6 diffusers with associated ductwork for Eagle River
MEC10-00271	Final	Install 1 HP Refrigeration system for LaGrande Bistro Restaurant. (All inside Restaurant)
MEC10-00278	Final	Install 3 diffusers, relocate 10 diffusers and associated ductwork for tenant Murphy & Associates.
MEC10-00279	Final	Install 5 grilles, relocate 10 grilles and 6 new thermostats for tenant Stellar Holdings.
MEC11-00042	Final	New roof top generator and gas piping.
MEC11-00043	Final	Replace like for like water boiler with same make and model in basement of building 1000.
MEC11-00058	Cancelled	Kitchen remodels for Bin on the Lake, Beach Cafe, Banquet Kitchen.
MEC11-00059	Issued	Kitchen remodel for Bin on the Lake, Beach Cafe, and Banquet Kitchen (see detailed sheet attached).
MEC11-00091	Final	Replace 1 VAV box without power, and 2 new diffusers for Regus.
MEC11-00158	Final	Add 1 cooling only VAV box and relocate 1 VAR box. Relocate 1 thermostat and new T-stat associated ductwork and diffusers for Fairplay.
MEC11-00191	Final	Install (1) new heat pump, (1) fire smoke damper, and assoicated ductwork & diffusers.
PLM08-00017	Final	Install 3 floor sinks to be moved over rearrange bar configuration.
PLM08-00036	Final	Replace 3 sinks and install 1 new hand sink; add 1 dishwasher.
PLM08-00095	Final	Replace 1 kitchen sink
PLM09-00031	Final	Move plumbing into wall.
PLM09-00042	Final	Install 2 floor sinks, 1 floor drain & 2 new sinks. Replace 2 bathroom sinks.
PLM09-00063	Final	The Bin Restaurant TI-Install 3 new sinks
PLM09-00093	Final	Install hot and cold water line for a water source heat pump on 3rd floor.
PLM10-00029	Cancelled	Install 1 water closet , 2 lav, 9 sinks, 2 showers and 2 floor drains.
PLM10-00034	Final	Install two new kitchen sinks, two 6 gallon hot water tanks, and one dishwasher for tenant Taiyo Partners.
PLM10-00102	Final	install new hand sink at bar, clean up existing plumbing and re-install existing equipment at Bar & kitchen and cap off mop sink for La grande Bistro
PLM10-00106	Final	Rough in and install breakroom sink, and small hot water tank.
PLM11-00010	Final	Pull and replank Break Room sink and dishwasher.
PLM11-00011	Final	Rough in & install break room sink & 2 1/2 gallon hot water tank.
PLM11-00088	Final	Pull and replace one sink, one hot water tank, and one trap primer.
PRE05-00123	Final	Pre-Sub Mtg, 10/27/05, 2:30 - 4:30 pm Wireless - 6 applications, multiple locations (1 in ROW)
PRE06-00079	Final	Pre-Sub Mtg, 9/12/06, 11:00 AM, Moss Bay, T-Mobile proposing to replace 4 antennas, add 2 antennas, and replace cabinet
PRE07-00032	Final	4/17/07, 1:30 PM, Moss Bay, Building Modifications
PRE08-00039	Final	Pre-Sub Mtg. 6/12/08, 1:30pm, Moss Bay Room. Proposal to install 2 new panel antennas on the existing penthouse.
PRE10-00036	Final	Pre-submittal meeting 7/15/10 1:30pm Houghton Room Proposed new master sign

PRE10-00030	Final	The submitted meeting 7/19/10, 1:30pm, Houghton Room. Proposed new master sign plan for the Carillon Point Development.
PRE11-00024	Final	Pre-Sub. Mtg., 5/3/11, 1 PM, Houghton Room, AT&T Wireless
PUB03-00354	Final	Neck down Lake Washington Blvd. to one lane each way at the intersection with Lakeview Drive NE. North bound lanes north of the intersection to be shifted to the east, cones placed and south bound lanes shifted east also. South bound left and right turn lanes to be closed, flaggers to handle traffic movements. The picks will be on December 17th and December 20th.
PUB04-00145	Final	Siting a vactor truck on Lake Washington Blvd to excavate along east wall of parking garage. Traffic control plan submitted.
PUB04-00173	Final	siting on Lake Washington Blvd to backfill along parking garage wall. Utilizing same traffic plan as Ventilation Power Clean
PUB08-00130	Issued	2350-9U008HI-033 6422.20. Traffic control to access manhole in Lake Washington Blvd just north of entrance to Carillon Point. To perform splicing.
PUB93-00512	Final	WORK IN RIGHT-OF-WAY FOR MAINTENANCE SECURITY PUNCHLIST
PUB94-00111	Final	Construct bus shelter for METRO bus riders.
PUB96-00047	Final	SEA001. INSTALL CONDUIT FROM SIDEWALK TO BUILDING AT TWO LOCATIONS ON LAKE WASHINGTON BLVD. ONE LOCATION REQUIRES REMOVE/REPLACE SIDEWALK.
SEP01-00024	Issued	The applicant is proposing to clean out two sedimentation ponds on the lower reaches of Carillon Creek, located at the Carillon Point Development. The project would remove approximately 175 cubic yards of accumulated sediments from two ponds located near the intersection of Lake Washington Boulevard and Carillon Point. A third basin located approximately 170 feet upstream from Lake Washington is proposed to be modified to reduce the height of an existing 30-inch log spillway. Replanting of the vegetation within the upper two ponds that are to be cleaned out is also proposed as part of the stream restoration.
SEP91-00003	Issued	Installation of one ground mounted and two roof mounted 6 foot diameter satellite dish antennae, one roof mounted 24' tall 3" diameter temporary (eight hours/months) whip antenna, and eight roof mounted 2'x3'x1' cell site antennae
SEP93-00049	Issued	Install 14'-9" high, 6' diameter receive only antenna. Top of dish will be below the height of the existing parapet/screen wall.
SEP97-00036	Issued	INSTALLATION OF ANTENNA ARRAY ON ROOFTOP
SGN06-00105	Final	Install lettering on awning on front of Blue Water Bistro.
SGN08-00009	Final	Install 1 blade sign 1'-2" x 3' -2" = 3.69 sq. ft. on the South elevation.
SGN09-00043	Final	Install 1 canopy sign for the Spa at the Woodmark Hotel.
SGN09-00048	Issued	Install 2 Pedestal signs (5'x14')
SGN09-00053	Final	Install 2 Wall signs for Bin on the Lake Restaurant.
SGN10-00094	Final	Install 1 entrance sign on the canopy.
SGN91-00006	Final	3 public parking signs
SGN92-00062	Final	sign permit FOR STARBUCK'S COFFEE COMPANY
SGN92-00067	Final	One Monument, one blade sign, neon window signs, and door sign P L A N S E N C L O S E D
SGN93-00057	Final	Cucina! Carillon Point P L A N S E N C L O S E D Changing lettering only on existing awning. New awning color.
SGN93-00059	Cancelled	
SGN93-00068	Denied	vinyl lettering on awning.
SGN93-00081	Final	vinyl lettering on awning. P L A N S E N C L O S E D
SGN94-00048	Expired	Installation of sign 20 square (graphics on awning - see BLD94-0507 for awning/canopy information)
SGN96-00030	Expired	Replace existing West One Bank signs with US bank signs. P L A N S E N C L O S E D
SGN98-00019	Final	Installation of TWO SIGNS: ONE FOR YARROW BAY GRILL, ONE FOR BEACH CAFE. SAME RESTAURANT.
UFC00-00004	Issued	Temporary tent for Woodmark Hotel for banquet functions. Tent will be in place from 4/29/00 through 10/21/00.

[UFC01-00005](#) [Issued](#) Tent 30' by 60' for Private Banquet Events. Tent to be set up April 3, 2001 and to be taken down October 15, 2001.

[UFC01-00013](#) [Issued](#) Temporary Tent outside "Bayshore Banquet Room" for seasonal entertainment.

[UFC01-00014](#) [Issued](#) Seasonal temporary event tent located in center of the Plaza, used for concerts.

[UFC02-00004](#) [Issued](#) Tent 30' by 60' for Private Banquet Events. Tent to be set up April 8, 2002 and to be taken down October 13, 2002

[UFC02-00006](#) [Issued](#) Seasonal temporary event tent located in center of the Plaza, used for concerts. 20x40 tent

[UFC02-00007](#) [Issued](#) Seasonal temporary event tent located in center of the Plaza, used for concerts. 20X20

[UFC03-00002](#) [Issued](#) Tent 30' by 60' for Private Banquet Events. Tent to be set up April 5, 2003 and to be taken down October 11, 2003. Recv'd certificate of compliance and flame retardance along with diagram showing tent location 3/24/03. SD

[UFC03-00005](#) [Issued](#) Seasonal temporary event tent located in center of the Plaza, used for concerts. 20X20

[UFC03-00006](#) [Issued](#) Seasonal temporary event tent located in center of the Plaza, used for concerts. 20x40 tent

[UFC04-00002](#) [Issued](#) Tent 30' by 60' for Private Banquet Events. Tent to be set up April 22, 2004 and to be taken down October 18, 2004. Recv'd certificate of compliance and flame retardance along with diagram showing tent location recieved 4/23/04. trw

[UFC04-00013](#) [Pending](#)

[UFC05-00004](#) [Issued](#) Tent 30' by 60' for Private Banquet Events. Tent to be set up April 3, 2005 and to be taken down October 15, 2005.

[UFC06-00007](#) [Issued](#) Tent 30' by 60' for Private Banquet Events. Tent to be set up April 5, 2006 and to be taken down October 22, 2006.

[UFC06-00015](#) [Issued](#) Tent for Gala for the Concours D'Elagance Dinner. Sept.. 7 thru Sept. 8.

[UFC06-00026](#) [Issued](#) Special event for Clearwire in the 4000 Building, 4th floor, on the evening of December 9, 2006.

[UFC07-00005](#) [Issued](#) Tent 30' by 60' for Private Banquet Events. Tent to be set up April 12, 2007 and taken down October 20, 2007

[UFC07-00016](#) [Issued](#) 40 x 80 tent for private banquet on Sept.. 7 thru Sept. 9.

[UFC08-00001](#) [Issued](#) Tent 30' by 60' for Private Banquet Events. Tent to be set up January 26,2008 and to be taken down January 27, 2008.

[UFC08-00007](#) [Issued](#) Tent 30' by 60' for Private Banquet Events. Tent to be set up April 12, 2008 and taken down October 20, 2008, 10-06-08 Permit extended until October 31. per G. Steuart.

[UFC08-00017](#) [Issued](#) Tent 40' by 80' for Private Banquet Events. Tent to be set up September 6, 2008 and taken down September 7, 2008

[UFC09-00001](#) [Issued](#) Tent 30' by 60' for Private Banquet Events. Tent to be set up March 30, 2009 and taken down November 15, 2009

[UFC09-00008](#) [Issued](#) 40 x 80 tent for Classic Car Show September 11-12th 2010

[UFC10-00030](#) [Issued](#) 40 x 80 tent for private banquet 03-22-2010 to 11-18-2010

[UFC10-00056](#) [Issued](#) SPARKLERS for wedding 08-21-2010 (Wilkins)

[UFC10-00066](#) [Issued](#) Tents for Classic Car Show September 11 -12th 2010 (1 - 80x40; 4 - 10x20; 12 - 10x10)

[UFC11-00004](#) [Issued](#) 40 x 80 tent for private banquets 02-19-11 to 8-19-2011 (180 days) (permit required to be extended after 180 days)

[UFC11-00015](#) [Issued](#) SPARKLERS for PHILPOTT wedding 06-18-11

[UFC11-00019](#) [Issued](#) INCENDIARY DANCE GROUP (PYTOSUTRA) July 18th 2011.

[UFC11-00026](#) [Issued](#) TENTS for Classic Car Show September 10-11th 2011

[UFC11-00030](#) [Issued](#) 40 x 80 tent for private banquets 08-19-11 to 11-18-11 EXTENSION

[UFC94-00009](#) [Issued](#) Tent 30' by 60' for Private Banquet Events

[UFC95-00012](#) [Issued](#) Tent 30' by 60' for Private Banquet Events. Tent set up April 15, 1995 and to be taken down October 15, 1995.

[UFC99-00004](#) [Issued](#) Tent 30' by 60' for Private Banquet Events. Tent to be set up March 22, 1999 and to be taken down January 1, 2000..

- [ZON00-00022](#) [Approved](#) Installation of Personal Wireless Service Facility antennas on mechanical equipment shelter facade.
- [ZON02-00026](#) [Approved](#) Addition of panel antennas on existing rooftop and equipment upgrade inside existing AWS shelter in parking garage.
- [ZON05-00030](#) [Approved](#) Install broadband internet antennas and equipment at existing building. Antennas to be mounted on penthouse roof and cabinets behind penthouse wall.
- [ZON08-00015](#) [Approved](#) Proposal to install two panel antennas on rooftop of existing building. Antennas to be attached to facade of existing penthouse.
- [ZON09-00007](#) [Approved](#) replace 4 existing antennas and add 4 antennas at existing wireless facility.
- [ZON11-00030](#) [Approved](#) Proposal to replace three existing panel antennas with three LTE antennas and LTE antenna accessories.

[Contact Phone Numbers](#)

State of Washington, United States