



**PUBLIC WORKS RIGHT-OF-WAY PERMIT
For Franchise Utilities**

City of Kirkland Public Works
123 5th Avenue
Kirkland, WA 98033

Electronic

Permit Number: PUB15-05799

IVR Number: **1524047**

Permit Information

| | |
|--------------------------------------|------------------------------------|
| Job Address: 12643 NE 70TH ST | Issue Date: 10/21/2015 |
| Parcel: 1241500192 | Expiration Date: 03/07/2016 |

Scope of Work

Work Order #: 51422 - 5120163
Joint trench. DEVELOPER TO PLACE (1) 4 INCH CONDUIT AT 1 CROSSING ON 128TH AVE NE. FOR A JOINT UTILITY TRENCH.

Contacts

| Type | Contact Name | Address | Phone |
|-------------------|-------------------------|--|--------------|
| Applicant | Adam Diaz Frontier | 1800 41ST ST EVERETT, WA 98023 | |
| Franchise Utility | Frontier Communications | 1800 41ST ST, #M/C WA0102OS EVERETT, WA 98203 | 425-261-6115 |

Fees

| | <u>Fee Amount</u> | <u>Amount Due</u> |
|-----------------------------------|-------------------|-------------------|
| PW - ROW Insp (Standard)* | \$382.00 | \$382.00 |
| MyBuildingPermit.com PW Surcharge | \$13.37 | \$13.37 |
| Amount to be billed: | | \$395.37 |

Inspections

JOB START NOTIFICATION MUST BE AT LEAST 48 HOURS PRIOR. Requests for the job start notification or other inspections must be by 3 pm on the day prior to the notification/inspection. The notification/inspection can be requested in one of two ways:

- 1) Online using www.mybuildingpermit.com

IVR Inspection Request Line. Please note that use of the IVR system does not allow the PW Inspector to contact you if there are questions.

- 1) Dial **1-866-458-7354**.
- 2) From the main menu, enter your 6 digit IVR number (1524047).
- 3) Next, the system will ask you to confirm your permit number (PUB15-05799). Press 1 to confirm the correct permit number.
- 4) Select option 3 to request a new inspection. From there enter the 3 digit inspection pin number, from the inspections to the right, for the inspection that you are requesting.
- 5) Finally, select your requested day and either AM or PM.

| Inspection | IVR |
|--------------------|-----|
| 1. PW - Final | 195 |
| 2. PW - Inspection | 193 |
| 3. PW - Job Start | 101 |



Permit Number: PUB15-05799

IVR Number: **1524047**

Conditions

All work to be done in accordance with the ordinances of the City of Kirkland and the rules and regulations of the Public Works Department.

A minimum of 5' horizontal and 18" vertical separation from all water, sewer, and storm mains is required. Minimum 36" depth is required. All utilities must be potholed for crossings.

A preconstruction meeting is required prior to any work on an arterial or collector street.

Before a street, traffic lane, pedestrian route, or sidewalk is blocked, a traffic/pedestrian plan must be submitted to and approved by the City of Kirkland. In particular, a pedestrian bypass or detour route must be created if the usual route is closed or impassable. **DO NOT BLOCK THE SIDEWALK WITH EQUIPMENT OR TRAFFIC CONTROL SIGNS** unless you have a pedestrian detour route in place.

Tree pruning of City street trees/ trees in the public right-of-way is to be performed by the PW City arborist unless otherwise noted. The Public Works arborist can be reached at 425-587-3908.

Permit Specific Conditions